Dual Empirical RuNIE Pipeline Architectures, Full-Length Alignments & 4-Rank Combinatorial Model Comparis

Stage-by-stage Native Rust operator chains and side-by-side 4-rank model comparison across Pipeline A 64-taxon, 18-locus Blat



PANEL C | 4-RANK RUNIE PIPELINE COMPARISON ACROSS PIPELINE A PIPELINE B

CHAIN A	1ST (BEST)	RY3 + GTR+F+R4	LNL=-450214.79	RCFV=0.0062 | 4.71 S
CHAIN A	2ND (NEAREST)	CODON-12 / DAYHOFF-6	LNL=-543533.50	RCFV=0.0223 | 4.71 S
CHAIN A	3RD (MEDIUM)	UNRECODED 4-STATE GTR	LNL=-550693.86	RCFV=0.0411 | 3.26 S
CHAIN A	4TH (REJECTED)	0-BEAKER RAW CONTROL	LNL=-556064.69	RCFV=0.0411 | 2.98 S
CHAIN B	1ST (BEST)	RY3 + KATOH E-INS-I	LNL=-90938.85	RCFV=0.0099 | 93.93 S
CHAIN B	2ND (NEAREST)	CODON-12 SKYLINE	LNL=-91375.65	RCFV=0.0322 | 99.56 S
CHAIN B	3RD (MEDIUM)	UNRECODED 4-STATE	LNL=-93060.45	RCFV=0.0564 | 104.26 S
CHAIN B	4TH (REJECTED)	0-BEAKER UNFILTERED	LNL=-98314.05	RCFV=0.0626 | 88.29 S