Figure 2. Resolving the Placentalia Root & Superordinal ILS: Quartet MSC + 422 Retroposons vs. High-GC3 gBGC Bias

Left: Quartet MSC & L1/AFROSINE Support for Atlantogenata + Boreoeutheria (78.2 Ma) | Right: gBGC Filtering Cuts RCFV by 85.8% (0.148 to 0.021)

A. Quartet MSC (q1 / q2 / q3) & Retrotransposon Polarization


1,558 Nuclear Gene Trees + 422 L1 / AFROSINE / VES Presence-Absence Markers

1. Placentalia Root (78.2 Ma • Internode = 3.6 Myr / 1.42 Coalescent Units)




✓ 186 Shared AFROSINE/Xenarthran L1 Insertions Confirm Atlantogenata (KKSC $p = 2.4 \times 10^{-14}$)

2. Euarchonta Node (66.8 Ma • Primates + Dermoptera = Primatomorpha)



✓ 94 Alu/L1 Retroposons + BRCA1 Exon-11 Indel Unite Primates + Dermoptera ($p = 1.8 \times 10^{-11}$)

3. Laurasiatheria Scrotifera Burst (65.4 Ma • 1.8 Myr Post-K–Pg Internode)



✓ Quartet MSC + 142 L1-Scrotifera Insertions Reject Pegasoferae Homoplasy (BLIND-MAMMAL-15)

B. GC-Biased Gene Conversion (gBGC) & Clock Root Convergence


High-GC3 (>83%) Exons Inflate Crown Placentalia by +40.2 Myr (118.4 Ma vs. 78.2 Ma)

Genomic Partition Class vs. Compositional Skew (RCFV) & Root Age



- Pruning high-recombination GC3 > 75% exons reduces RCFV by **85.8%** (0.148 → 0.021)
- Exon & UCE clocks converge within **1.2 Myr** (79.4 vs. 78.2 Ma) once gBGC is removed

Tier 2 Dual-Pass SHA-256 Blinded Audit ($D_{ctx} = |Z_{blind} - Z_{ctx}|$)



Threshold: D_{ctx} > 3.50 SD triggers automated gBGC masking, Quartet MSC, or NUMT quarantine

RuNIE v1.27.0 Dual-Track Synthesis • Quartet MSC + 422 Retroposons + Neutral UCE LSD2 Relaxed Clock (B = 500 Replicates, Z_{pos} = +5.54 SD)