Dual Empirical RuNIE Pipeline Architectures, Full-Length Alignments & 4-Rank Combinatorial Model Comparis

Stage-by-stage Native Rust operator chains and side-by-side 4-rank model comparison across Pipeline A 64-taxon, 18-locus Nudi



PANEL C | 4-RANK RUNIE PIPELINE COMPARISON ACROSS PIPELINE A PIPELINE B

CHAIN A	1ST (BEST)	RY3 + GTR+F+R4	LNL=-600241.59	RCFV=0.0052 | 5.18 S
CHAIN A	2ND (NEAREST)	CODON-12 / DAYHOFF-6	LNL=-700156.40	RCFV=0.0196 | 5.18 S
CHAIN A	3RD (MEDIUM)	UNRECODED 4-STATE GTR	LNL=-692070.14	RCFV=0.0365 | 3.57 S
CHAIN A	4TH (REJECTED)	0-BEAKER RAW CONTROL	LNL=-693045.59	RCFV=0.0364 | 3.25 S
CHAIN B	1ST (BEST)	RY3 + KATOH E-INS-I	LNL=-33453.86	RCFV=0.0063 | 63.59 S
CHAIN B	2ND (NEAREST)	CODON-12 SKYLINE	LNL=-33890.66	RCFV=0.0148 | 67.40 S
CHAIN B	3RD (MEDIUM)	UNRECODED 4-STATE	LNL=-35575.46	RCFV=0.0278 | 70.58 S
CHAIN B	4TH (REJECTED)	0-BEAKER UNFILTERED	LNL=-40829.06	RCFV=0.0359 | 59.77 S