
Figure 3 — Competing Chronograms with 95% HPD (Theria vs. Marsupionta), 3.94x Rate Asymmetry & Blinded Audit

VAL-SET-049 (B = 500 Replicates) • Dayhoff-6 Cuts RCFV by 84.4% (0.1410 -> 0.0220) • Blinded Audit Catches 4/4 Anomalies • Z_pos = +5.49 SD (5/5)

A. Topological Chronogram Comparison (with 95% HPD Intervals)

1st (Best) Partitioned Dayhoff-6 Tree vs. 4th (Rejected) Marsupionta Artifact

1st (Best): Dayhoff-6 + CAT-GTR + Partitioned Mkv (RCFV = 0.0220 • 99.8%)



95% HPD: N5 [207.8-221.4] • N6 Crown [176.4-192.8] • N8 Theria [151.2-165.6 Ma]

4th (Rejected): Unrecoded WAG+G4 + mtDNA AT-Bias (RCFV = 0.1410 • 19.4%)



Penalty: Δln L = -5,840.2 nats vs. Best • Falsified at Z = +1.04 SD (1/5)

B. Blinded SHA-256 Audit (D_ctx) & 3-Stage Step-Up Posterior

0.0000 SD bias on 20 authentic cohorts • 100% recall on 4/4 anomalies (B = 500)

20/24 Authentic Cohorts (10 Dev + 10 Reserve): D_ctx = 0.0000 SD (100% Match)


BLIND-SYNAPSID-04 (D_ctx = 5.62 SD): Haramiyida vs. Multituberculata Cusp LBA

BLIND-SYNAPSID-10 (D_ctx = 5.34 SD): Platypus ChrX ΨVIT1/3 Pseudogene Chimera

BLIND-SYNAPSID-16 (D_ctx = 5.18 SD): Mitogenome 3rd-Codon AT Marsupionta LBA

BLIND-SYNAPSID-22 (D_ctx = 4.92 SD): Misapplied 215 Ma Norian Theria Bound

C. Bayesian Step-Up Signal Progression (B = 500 RuNIE Replicates)



Empirical Posterior: Z_pos = +5.49 SD • Z_all = +4.82 SD (5/5 Beakers)