Climate & Earth Systems | Jan 22, 2026 | 9 min read | By Bryan White

A Second Chance: The Ecological Resurrection of Rhinos in Manas National Park

Environment * Climate Change * Conservation

Introduction: From Empty Forest to Ecological Resurrection

Straddling the Himalayan foothills of western Assam and contiguous with Bhutan's Royal Manas National Park, Manas National Park anchors one of the richest transboundary ecosystems in the Indian subcontinent.[1][2] Historically, its wet alluvial grasslands supported approximately 80 to 100 Greater One-Horned Rhinoceroses (Rhinoceros unicornis), reflecting a high natural carrying capacity.[3] Between 1989 and 2001, however, armed conflict in the Bodoland Territorial Region dismantled park protection, allowing poaching syndicates to drive the local rhino population to local extinction and prompting UNESCO to place Manas on the List of World Heritage in Danger in 1992.[1][4][12]

Following the 2003 peace accord that established the Bodoland Territorial Council (BTC), conservationists launched Indian Rhino Vision 2020 (IRV 2020) in 2005 to restore the species through wild-to-wild translocations and orphan rehabilitation beginning in 2008.[1][13] By early 2026, the Manas rhino population has rebounded to approximately 54 individuals.[3] Synthesizing field demography, conservation genetics, and habitat monitoring, this report evaluates the biological mechanisms behind this recovery alongside emerging pressures from invasive plant colonization, monsoon flash floods, and commercial tourism.[7][8][19][22]

The Bhabar-Terai Stage and Megaherbivore Engineering

Manas occupies the bhabar-terai geological transition belt, where braided Himalayan rivers -- principally the Manas and Beki -- percolate beneath porous, boulder-strewn bhabar fans in the north before resurfacing across nutrient-rich terai floodplains to the south.[2][7] Unlike the low-lying floodplains of Kaziranga National Park, where deep monsoon inundation drowned 13 rhinos during the July 2024 floods, Manas features undulating foothill terrain that provides natural high-ground refugia during extreme hydrological pulses -- confining 2024 flood damage in Manas primarily to washed-out patrol bridges and camps rather than megafauna mortality.[7][23][24][25][26]

Within the park's alluvial savanna -- dominated by tall grasses including Saccharum narenga, Saccharum spontaneum, Imperata cylindrica, and Phragmites karka -- Rhinoceros unicornis functions as a keystone species and ecosystem engineer.[8][11] By cropping coarse tall-grass stands into nutritious short-grass "grazing lawns" and excavating mud wallows that serve as seasonal micro-wetlands, rhinos trigger a positive trophic cascade that sustains sympathetic specialists such as the Hog Deer (Axis porcinus) and the critically endangered Pygmy Hog (Porcula salvania), expanding overall grassland biodiversity.[4][11]

Translocation Demography and Multi-Generational Viability

Under IRV 2020 -- a coalition linking the Assam Forest Department, BTC, WWF, the International Rhino Foundation (IRF), and the US Fish and Wildlife Service -- reintroduction combined two demographic pipelines:[1][13]

* Wild-to-Wild Translocation: Between 2008 and 2012, 18 adult and sub-adult rhinos were immobilized with etorphine in high-density source reserves (Kaziranga National Park and Pobitora Wildlife Sanctuary), crated under armed escort, and acclimatized inside electrified bomas in Manas before release.[1][7][14]

* Orphan Rehabilitation: Flood-displaced calves from Kaziranga were hand-reared at the Centre for Wildlife Rehabilitation and Conservation (CWRC) and released into Manas following multi-year boma conditioning.[3][16]

Post-release monitoring confirms that population expansion to ~54 individuals is now driven by intrinsic natural recruitment, with 38 calves born between 2011 and 2021 alone.[3][6][15] Female reproductive performance matches prime wild benchmarks: the Inter-Calving Interval (ICI) spans 1.99 to 6.30 years for translocated females and 2.12 to 4.41 years for rehabilitated females, with F1 native-born females reaching first parturition at an average age of 5.65 years.[15] The viability of hand-reared stock is exemplified by the matriarch "Ganga" -- rescued as a four-month-old flood orphan in 2004 and released into Manas in 2010 -- who produced four wild calves (including a 26-month ICI between her first two births) and became a grandmother by 2023.[16][17][18]

| Year | | Milestone Type | | Operational & Demographic Detail | | Conservation Significance |

| 2008 | | Translocation | | First two wild males translocated from Pobitora.[1][4] | | Re-established rhino presence after 2001 local extinction.[1] |

| 2010 | | Orphan Release | | CWRC-rehabilitated female "Ganga" released from boma.[16] | | Tested wild survival of hand-reared flood orphans.[16] |

| 2011-2013 | | Wild Recruitment | | First calves born to translocated (2011) and rehabilitated (2013) dams.[1][16] | | Validated nutritional suitability and reproductive fitness.[15] |

| 2022 & 2025 | | Security Benchmark | | Assam records zero rhino poaching incidents statewide.[20][21] | | Demonstrated efficacy of Special Anti-Poaching Task Force.[21] |

| 2023-2026 | | F2 Expansion | | Ganga becomes a grandmother; population reaches ~54 rhinos.[3][17] | | Confirmed multi-generational self-sustaining recovery.[17] |

Conservation Genetics: Overcoming the Founder Effect

Reintroduced wildlife populations frequently suffer from the founder effect, wherein a small initial cohort restricts allelic diversity and precipitates inbreeding depression. IRV 2020 deliberately circumvented this bottleneck by admixing founder individuals from two evolutionary lineages: Kaziranga National Park and Pobitora Wildlife Sanctuary.[1][19]

Molecular assays of mitochondrial DNA (mtDNA) D-loop control regions -- tracing

maternal mitochondrial inheritance -- revealed six distinct mtDNA haplotypes within the Manas population.[19] By comparison, the reintroduced rhino population in Uttar Pradesh's Dudhwa National Park, founded from a single Nepalese source stock, exhibits only a single mtDNA haplotype.[19] Combined with elevated nuclear microsatellite heterozygosity, this admixture makes Manas a high-diversity genetic lifeboat for the species.[19]

| Ecological / Genetic Parameter | | Manas National Park (Reintroduced) | | Kaziranga National Park (Wild Source) |

| 2025/2026 Population Estimate | | ~54 individuals[3] | | >2,600 individuals[13][30] |

| Maternal Genetic Diversity | | High per-capita admixture (6 mtDNA haplotypes)[19] | | Primary ancestral reservoir stock[19] |

| Monsoon Flood Vulnerability | | Low mortality (elevated bhabar foothill refugia)[7] | | High mortality (13 rhinos drowned in July 2024)[23][24][25] |

| Inter-Calving Interval (ICI) | | 1.99-6.30 yr (wild); 2.12-4.41 yr (rehab)[15] | | ~3.0-4.0 yr baseline[15] |

| Primary Habitat Threat | | Invasive weeds (~33% grassland overrun)[8][9] | | Brahmaputra bank erosion and invasive weeds[23] |

Evolving Threats: Poaching, Invasive Weeds, and Tourism

Despite demographic growth, Manas confronts three compounding operational pressures:

* Poaching Enforcement vs. Persistence: Between 2011 and 2016, poachers killed at least 10 reintroduced rhinos in Manas -- including "Iragdao," the first translocated male -- forcing a temporary pause in releases.[14] Coordinated intelligence under Assam's Special Anti-Poaching Task Force and rehabilitated Bodo community home guards subsequently achieved zero rhino poaching statewide in both 2022 and 2025.[1][20][21] However, early-2025 arrests of elephant poachers inside Manas and salary protests by underpaid home guards underscore the fragility of frontline deterrence.[22][28]

* The Invasive "Green Desert": Approximately one-third of Manas's alluvial grasslands have been colonized by unpalatable invasive plants, chiefly Siam weed (Chromolaena odorata) and bitter vine (Mikania micrantha), alongside natural woodland encroachment.[8][9][10] To prevent forage depletion without chemical herbicides, park managers, IRF, and Aaranyak employ local villagers to manually uproot weeds across hundreds of hectares in the Panbari and Rupahi ranges.[8][9][11]

* Monsoon Tourism and Upstream Hydrology: As climate change and upstream Bhutanese hydropower alter river discharge regimes, a 2025 proposal by Assam Tourism Minister Ranjeet Kumar Dass to open Manas to year-round tourism during the monsoon breeding season drew opposition from biologists warning of track erosion and wildlife disturbance.[10][22]

Conclusion: Scaling to IRV 2.0 and Transboundary Horizons

Backed by a blended financial architecture combining the Bodoland Territorial Council's 843 Crore FY 2025-26 budget with international grants from IRF and Save

the Rhino, conservation planning is now transitioning into Indian Rhino Vision 2.0 (IRV 2.0), which targets 4,500 to 5,000 rhinos across Assam by 2030 and new translocations into Laokhowa-Burachapori.[5][8][29][31][32] By synchronizing cross-border patrols with Bhutan across the Transboundary Manas Conservation Area (TraMCA) and actively restoring native Saccharum grasslands, Manas has proven that genetically informed reintroduction and community stewardship can resurrect a functional megaherbivore guild from local extirpation.[2][19][27]

Updates... (Nov 22, 2026): Added verified publication dates and author metadata across all 32 references, corrected the WWF-India Indian Rhino Vision 2020 report date (Feb 23, 2010), updated IUCN World Heritage Outlook 4 (2025), and converted PMC9301832 to its canonical BMC Ecology and Evolution DOI (Ghosh et al., Jul 20, 2022).

References & Primary Sources

* [1] Dutta, D. K., & Chatterjee, S. (2019). Reintroduction of Greater One-Horned Rhinoceros to Manas National Park -- Sahapedia, https://www.sahapedia.org/reintroduction-of-greater-one-horned-rhinoceros-manas-national-park

* [2] Islam, N., Barman, R., Deka, S., & Kr. Sinha, S. (May 29, 2024). First Addition to Manas National Park: Extension Potentiality of Manas World Heritage Site in Assam, India. Ecology, Environment and Conservation, https://doi.org/10.53550/eec.2024.v30i03s.028

* [3] Bringing rhinos back to Manas National Park -- IFAW (Feb 1, 2022), https://www.ifaw.org/journal/returning-rhinos-manas-national-park

* [4] Barman, R., Choudhury, B., Ashraf, N. V. K., & Menon, V. (2014). Rehabilitation of greater one-horned rhinoceros calves in Manas National Park, a World Heritage Site in India. Pachyderm, https://doi.org/10.69649/pachyderm.v55i.356

* [5] Greater one-horned rhinos on the rise -- Save the Rhino International (Apr 27, 2022), https://www.savetherhino.org/asia/india/greater-one-horned-rhinos-on-the-rise/

* [6] Rhinos Rebound in Manas -- Roundglass Sustain (Jun 5, 2024), https://roundglasssustain.com/conservation/rhinos-manas-assam

* [7] Dutta, D. (2023). Behaviour and habitat preferences of translocated rhinos (Rhinoceros unicornis) at Manas National Park, Assam, India. Pachyderm, https://doi.org/10.69649/pachyderm.v64i.524

* [8] Castillo, D. (Jul 16, 2020). Clearing the Way for Rhinos in Manas National Park -- International Rhino Foundation, https://rhinos.org/blog/clearing-the-way-for-rhinos-in-manas-national-park/

* [9] Managing rhino habitat in Manas National Park -- Save the Rhino International (May 23, 2024), https://www.savetherhino.org/rhino-species/greater-one-horned-rhino/managing-rhino-habitat-in-manas-national-park/

* [10] Manas Wildlife Sanctuary -- IUCN World Heritage Outlook 4 (2025), https://worldheritageoutlook.iucn.org/explore-sites/manas-wildlife-sanctuary

* [11] Restoring grasslands in Assam through community-led habitat restoration --

Durrell Wildlife Conservation Trust (Sep 18, 2025), https://www.durrell.org/news/restoring-grasslands-in-assam-through-community-led-habitat-restoration/

* [12] Two decades later, wildlife has returned to national park caught in Bodoland conflict -- Scroll.in (Sep 14, 2025), https://scroll.in/article/1086283/two-decades-later-wildlife-has-returned-to-national-park-caught-in-bodoland-conflict

* [13] WWF-India (Feb 23, 2010). Indian Rhino Vision 2020 (IRV2020), https://wwfin.awsassets.panda.org/downloads/indian_rhino_vision_2020.pdf

* [14] Saving India's wild 'unicorns' -- Mongabay-India (Mar 2024), https://india.mongabay.com/2024/03/saving-indias-wild-unicorns/

* [15] Dutta, D. K., Sarmah, A. C., & Sharma, A. (Dec 3, 2025). The recruitment pattern and inter-calving interval of the reintroduced greater one-horned rhinoceros (Rhinoceros unicornis) population in Manas National Park, Assam, India. Pachyderm, 66, 72-84. https://doi.org/10.69649/pachyderm.v66i.1322

* [16] IFAW-WTI Rehabilitated Rhino Gives Birth in Manas NP -- Wildlife Trust of India (Dec 2, 2016), https://www.wti.org.in/news/ifaw-wti-rehabilitated-rhino-gives-birth-in-manas-np/

* [17] Castillo, D. (Dec 22, 2020). Three Generations Roam Manas National Park in India -- International Rhino Foundation, https://rhinos.org/blog/three-generations-roam-manas-national-park-in-india/

* [18] Ganga: how a stranded rhino calf became the matriarch of Manas -- IFAW (Jul 20, 2023), https://www.ifaw.org/international/journal/ganga-story-stranded-rhino-matriarch-manas-india

* [19] Ghosh, T., Kumar, S., Sharma, K., et al. (Jul 20, 2022). Consideration of genetic variation and evolutionary history in future conservation of Indian one-horned rhinoceros (Rhinoceros unicornis). BMC Ecology and Evolution (PMC9301832), https://doi.org/10.1186/s12862-022-02045-2

* [20] Assam recorded zero rhino poaching cases in 2022 and 2025 -- Guwahati Plus (Jan 2026), https://guwahatiplus.com/assam/assam-recorded-zero-rhino-poaching-cases-in-2022-and-2025-claims-cm-sarma

* [21] Not a single rhino in Assam poached in 2025 -- Hindustan Times (Jan 1, 2026), https://www.hindustantimes.com/india-news/not-a-single-rhino-in-assam-poached-in-2025-says-himanta-biswa-sarma-10176728453

* [22] A Crossroad of Conservation and Tourism Growth: Manas National Park in 2025 -- Manas National Park Online (2025), https://www.manasnationalparkonline.in/manas-national-park-in-2025.php

* [23] IFAW rescues wildlife as severe floods hit India's northeast -- IFAW (Jul 12, 2024), https://www.ifaw.org/news/ifaw-rescues-wildlife-as-severe-floods-hit-indias-northeast

* [24] When Assam flood emerges as lethal to precious rhinos -- The Borderlens (Aug 5, 2024), https://www.borderlens.com/2024/08/05/when-assam-flood-emerges-as-lethal-to-precious-rhinos/

* [25] Assam Forest Dept. & IFAW-WTI embark on rescue mission to aid displaced wildlife amidst Kaziranga floods -- Wildlife Trust of India (Jul 14, 2024),

https://www.wti.org.in/news/assam-forest-dept-ifaw-wti-embark-on-rescue-mission-to-aid-displaced-wildlife-amidst-kaziranga-flooc

* [26] Flash floods wash away parts of Manas National Park -- Wildlife Trust of India (Dec 8, 2016), https://www.wti.org.in/news/flash-floods-wash-away-parts-of-manas-national-park/

* [27] Two decades after civil unrest, wildlife makes a steady recovery -- Mongabay-India (Sep 2025), https://india.mongabay.com/2025/09/two-decades-after-civil-unrest-wildlife-makes-a-steady-recovery/

* [28] Assam: Home guards at Manas National Park demand hike in salary, stage protest -- India Today NE (Sep 30, 2023), https://www.indiatodayne.in/assam/story/assam-home-guards-at-manas-national-park-demand-hike-in-salary-stage-protest-687036-2

* [29] Our Work in India -- International Rhino Foundation (Sep 29, 2020), https://rhinos.org/our-work/where-we-work/india/

* [30] International Rhino Foundation (Sep 19, 2022). 2022 State of the Rhino Report, https://rhinos.org/wp-content/uploads/2022/09/IRF-State-of-the-Rhino-2022.pdf

* [31] Assam Legislative Assembly (Mar 18, 2025). Departmentally Related Standing Committee Report on Welfare of Bodoland (FY 2025-2026), https://aladigitallibrary.in/bitstream/123456789/2907/1/DRSC%20%28E%29%20REPORT%20ON%20WELFARE%20OF%20BOI

* [32] Bodoland Territorial Council Presents 843 Crore Budget For FY 2025-26 -- Guwahati Plus (2025), https://www.guwahatiplus.com/assam/bodoland-territorial-council-presents-rs843-crore-budget-for-fy-2025-26