Climate & Earth Systems | Nov 30, 2025 | 8 min read | By Bryan White

Beyond Excavation: Engineering Viruses to Secure the Green Energy Supply

Climate Change * DNA * Microbes

The Elemental Paradox of the Green Transition

The seventeen Rare Earth Elements (REEs) -- comprising the fifteen lanthanides (atomic numbers 57 to 71) plus scandium and yttrium -- form the indispensable electromagnetic and optical backbone of modern decarbonization.[1] From neodymium and dysprosium permanent magnets in electric vehicle (EV) traction motors and offshore wind turbines to europium, terbium, and erbium in photonics and fiber-optic networks, global clean-energy deployment requires six to nine times the mineral intensity of fossil-fuel counterparts.[1][2][3] Yet despite being crustally abundant, REEs rarely form concentrated single-element ores and remain locked in mixed mineral lattices that are notoriously difficult to separate.[4]

Industrial refining currently relies on mid-20th-century liquid-liquid Solvent Extraction (SX), which cascades ores through hundreds of mixer-settler stages filled with kerosene, organophosphorus extractants, and strong acids -- generating vast volumes of toxic and radioactive effluent and concentrating over 90% of global refining capacity within China.[1][4] In late 2025, researchers Inseok Chae, Seung-Wuk Lee, and colleagues at the University of California, Berkeley, reported a transformative biohydrometallurgical alternative in Nano Letters.[7][8] Harnessing molecular biology and phase-transition thermodynamics, the team engineered the harmless bacteria-infecting M13 bacteriophage into a reusable, all-aqueous "smart sponge" (LBPhELP) that selectively chelates lanthanides and precipitates via mild thermal cycling.[7][8][9]

Physicochemical Bottlenecks and the Lanthanide Contraction

The difficulty of separating adjacent lanthanides stems from their electronic configuration. As protons are added to the atomic nucleus from Lanthanum (La, Z=57) to Lutetium (Lu, Z=71), electrons populate the interior 4f subshell, which is spatially buried beneath outer 5s, 5p, and 6s orbitals.[5] Because 4f electrons do not participate strongly in bonding, virtually all lanthanides adopt an identical trivalent (+3) oxidation state in aqueous solution.[5]

Furthermore, diffuse 4f orbitals poorly shield the increasing nuclear charge, pulling the outer electron cloud inward across the series -- a phenomenon known as the Lanthanide Contraction.[5] Across all fourteen elements, the trivalent ionic radius shrinks by only ~17.1 picometers (from 103.2 pm in La3+ to 86.1 pm in Lu3+), averaging barely ~1 pm between neighbors.[5][6] Because conventional SX ligands (such as P507 or D2EHPA) achieve adjacent separation factors ( ) of only 1.5 to 2.5, industrial plants require hundreds of sequential chemical stages.[4][6]

| Element | | Symbol (Z) | | Valence Config ([Xe]...) | | Trivalent Ionic Radius (pm) | | Industrial Classification & Application |

| Lanthanum | | La (57) | | 5d1 6s2 | | 103.2 | | Light REE (Fluid catalytic cracking, NiMH batteries)[5] |

| Cerium | | Ce (58) | | 4f1 5d1 6s2 | | 101.0 | | Light REE (Catalytic converters, glass polishing)[5] |

| Praseodymium | | Pr (59) | | 4f3 6s2 | | 99.0 | | Light REE (High-strength magnet alloys)[5] |

| Neodymium | | Nd (60) | | 4f4 6s2 | | 98.3 | | Light REE (NdFeB EV traction motors & wind turbines)[1][5] |

| Promethium | | Pm (61) | | 4f5 6s2 | | 97.0 | | Radioactive synthetic lanthanide[5] |

| Samarium | | Sm (62) | | 4f6 6s2 | | 95.8 | | Medium REE (SmCo high-temperature aerospace magnets)[5] |

| Europium | | Eu (63) | | 4f7 6s2 | | 94.7 | | Medium REE (Red display & lighting phosphors)[1][5] |

| Gadolinium | | Gd (64) | | 4f7 5d1 6s2 | | 93.8 | | Medium REE (MRI contrast agents, neutron shielding)[5] |

| Terbium | | Tb (65) | | 4f9 6s2 | | 92.3 | | Heavy REE (Green phosphors, magnetostrictive alloys)[1][5] |

| Dysprosium | | Dy (66) | | 4f10 6s2 | | 91.2 | | Heavy REE (Thermal coercivity additive in EV magnets)[1][5] |

| Holmium | | Ho (67) | | 4f11 6s2 | | 90.1 | | Heavy REE (Medical lasers, magnetic flux concentrators)[5] |

| Erbium | | Er (68) | | 4f12 6s2 | | 89.0 | | Heavy REE (Fiber-optic signal amplifiers)[1][5] |

| Thulium | | Tm (69) | | 4f13 6s2 | | 88.0 | | Heavy REE (Portable X-ray sources)[5] |

| Ytterbium | | Yb (70) | | 4f14 6s2 | | 86.8 | | Heavy REE (Atomic clocks, fiber lasers)[5] |

| Lutetium | | Lu (71) | | 4f14 5d1 6s2 | | 86.1 | | Heavy REE (PET scan scintillators)[5] |

Bio-Inspired Architecture: Engineering the LBPhELP Viral Sponge

While synthetic chemists struggled with low selectivity, methylotrophic bacteria such as Methylobacterium extorquens evolved Lanmodulin (LanM), a 12 kDa periplasmic protein whose four EF-hand motifs bind lanthanides with picomolar affinity (Kd ~ 10 12 M) -- 108 times stronger than calcium (Ca2+), which typically activates EF-hand proteins.[10][11][14] Because purifying whole LanM protein at mining scale is cost-prohibitive, Chae et al. turned to the filamentous M13 bacteriophage (~880 nm long, 6 nm wide), whose helical capsid comprises ~2,700 to 3,300 copies of the major coat protein (pVIII) and self-replicates in E. coli bioreactors.[8][9][12]

Through genetic phage display, the team fused two functional motifs onto the

N-terminus of pVIII, creating the bifunctional LBPhELP bionanoparticle:[7]

| LBPhELP Module | | Biological Origin | | Sequence / Structural Motif | | Mechanistic Role in Separation |

| Nanofiber Chassis | | M13 Bacteriophage | | Filamentous pVIII capsid (~3,300 copies) | | High-density multivalent scaffold; self-replicates via E. coli fermentation.[9][12] |

| Molecular Claw (LBP) | | M. extorquens Lanmodulin | | DPDKDGTIDLKE (EF-Hand Loop 1) | | Asp/Glu carboxylate oxygen donors chelate Ln3+ ions (CN 8-9); prefers HREEs.[7][10][13][14] |

| Thermal Switch (ELP) | | Human Tropoelastin derivative | | (VPGXG)n pentapeptide repeats | | Undergoes Inverse Temperature Transition (ITT) above Tt, driving coacervation.[7] |

The four-step aqueous "catch-and-release" cycle operates without organic solvents:[7][8]

* Selective Adsorption: Suspended LBPhELP phages bind trivalent lanthanides via the pre-organized carboxylate cavity of the LBP loop while rejecting common leach-liquor impurities (Fe, Al, Cu, Ca).[7][10]

* Thermoresponsive Coacervation: Warming the aqueous bath above the critical transition temperature (Tt ~ 30-40 deg C) triggers hydrophobic folding of the Elastin-Like Polypeptides (ELPs), causing metal-loaded phages to aggregate into a dense pellet at the tank bottom.[7][8]

* Acidic Stripping: After draining the barren supernatant, resuspending the viral pellet in a small mild-acid volume protonates the Asp/Glu carboxylates (COO -> COOH), releasing concentrated REEs.[7]

* Cooling & Regeneration: Cooling below Tt redissolves the intact phages for immediate reuse across multiple cycles.[7][9]

Performance Metrics, Industrial Scaling, and Urban Mining

Crucially, LBPhELP exhibits internal group fractionation with a pronounced preference for Heavy REEs (HREEs) over Light REEs (LREEs), as the smaller ionic radii of HREEs fit more tightly within the rigid 12-residue LBP coordination pocket.[7] Furthermore, because the peptides are genetically encoded into the covalent pVIII coat rather than physically impregnated on polymer beads, the viral sponge resists ligand leaching and retains capacity across repeated thermal and pH cycles.[7][9]

| Process Metric | | Solvent Extraction (SX) | | Ion Exchange Resins (IX) | | Viral Smart Sponge (LBPhELP) |

| Phase Mechanism | | Liquid-liquid (kerosene / acid) | | Solid-phase column adsorption | | Aqueous thermoresponsive coacervation.[7] |

| Organic Solvent Use | | High (flammable VOCs) | | Low (aqueous eluents) | | Zero (100% water-based).[8] |

| Selectivity & Target | | Low (~ 1.5-2.5); fixed chemistry | | Moderate; slow

kinetics | | High; prefers HREEs; DNA-tunable.[7] |

| Waste Footprint | | Toxic organic sludge & raffinate | | Spent brine & fouled resin | | Biodegradable protein biomass.[8] |

By shifting reagent manufacturing from petrochemistry to scalable biotechnology (glucose-fed E. coli fermentation), the viral platform lowers environmental permitting barriers for Western refineries and unlocks urban biomining of electronic waste -- where discarded hard-drive magnets contain ~30% neodymium alongside dysprosium, far richer than primary mineral ores (<5%).[3][8][15] In a continuous industrial biohydrometallurgical flowsheet, mild acid leachates conditioned to pH 5-6 are mixed with concentrated LBPhELP phages for rapid chelation, passed through a low-grade waste-heat exchanger (>35 deg C) to trigger ELP coacervation in a settling tank, stripped into a compact pH 1-2 acid volume for electrowinning, and cooled to recycle the viral sponge back to the head of the circuit.[7][8] While industrial scale-up must address protease biofouling from wild microbes in non-sterile mine waters and validate thousand-cycle mechanical longevity, the modular M13 chassis can be readily reprogrammed by swapping the pVIII DNA sequence to harvest battery-grade lithium or remediate radioactive actinides (such as americium, curium, and uranium) from nuclear reprocessing streams.[7][8]

Conclusion: A Programmable Future for Biohydrometallurgy

The LBPhELP viral sponge developed by Chae, Lee, and colleagues demonstrates that evolutionary metalloproteins can be translated into rugged, thermoresponsive industrial separation agents.[7] By coupling Lanmodulin's picometer-scale lanthanide discrimination with elastin-driven phase separation on a self-replicating bacteriophage, biohydrometallurgy offers a clean, circular pathway to secure the key minerals of the green energy transition.[8][15]

Updates... (Nov 22, 2026): Replaced the undated USGS rare-earths hub page with the dated USGS Mineral Commodity Summaries 2026 Rare Earths report and enriched all ACS, Elsevier, Springer, Wiley, and RSC journal DOIs with exact publication dates.

References & Primary Sources

* [1] U.S. Geological Survey (Jan 2025). Mineral Commodity Summaries 2025: Rare Earths. -- https://pubs.usgs.gov/periodicals/mcs2025/mcs2025-rare-earths.pdf

* [2] U.S. Geological Survey (2026). Mineral Commodity Summaries 2026: Rare Earths. -- https://pubs.usgs.gov/periodicals/mcs2026/mcs2026-rare-earths.pdf

* [3] Brown, R., & Mirkouei, A. (Mar 2023). Current nature-based biological practices for rare earth elements extraction and recovery: bioleaching and biosorption. Renewable and Sustainable Energy Reviews, 173, 113099. -- https://doi.org/10.1016/j.rser.2022.113099

* [4] Rare Earth Exchanges (2025). Why Separating and Refining Rare Earth Elements is So Difficult to Scale. -- https://rareearthexchanges.com/news/why-separating-and-refining-rare-earth-elements-is-so-difficult-to-scale/

* [5] Zhang, J., & Zhao, B. (Feb 11, 2016). Rare Earth Solvent Extraction Systems. In Separation Hydrometallurgy of Rare Earth Elements, pp. 47-78. --

https://doi.org/10.1007/978-3-319-28235-0_4

* [6] Li, Z., & Binnemans, K. (Jul 7, 2020). Hydration counteracts the separation of lanthanides by solvent extraction. AIChE Journal, 66(9), e16545. -- https://doi.org/10.1002/aic.16545

* [7] Chae, I., Park, J. Y., et al. (Oct 17, 2025). Virus-Based Thermoresponsive Separation of Rare-Earth Elements. Nano Letters, 25(43), 15754-15760. -- https://doi.org/10.1021/acs.nanolett.5c04468

* [8] UC Berkeley Engineering (Nov. 2025). Researchers pioneer greener way to extract rare earth elements. -- https://engineering.berkeley.edu/news/2025/11/researchers-pioneer-greener-way-to-extract-rare-earth-elements/

* [9] Chae, I., Shivkumar, A., Doyle, C. E., & Lee, S.-W. (Aug 5, 2024). Virus-Based Separation of Rare Earth Elements. Nano Letters, 24(32), 9946-9952. -- https://doi.org/10.1021/acs.nanolett.4c02510

* [10] Verma, G., Hostert, J., et al. (Mar 25, 2024). Investigation of Rare Earth Element Binding to a Surface-Bound Affinity Peptide Derived from EF-Hand Loop I of Lanmodulin. ACS Applied Materials & Interfaces, 16(13), 16912-16926. -- https://doi.org/10.1021/acsami.3c17565

* [11] Seidel, J., Diep, P., et al. (Sep 5, 2024). EF-Hand Battle Royale: Hetero-ion Complexation in Lanmodulin. JACS Au, 4(11), 4273-4284. -- https://doi.org/10.1021/jacsau.4c00628

* [12] Matys, S., & Lederer, F. L. (Aug 1, 2017). Phage Display - A Promising Tool for the Recovery of Valuable Metals from Primary and Secondary Resources. Solid State Phenomena, 262, 443-446. -- https://doi.org/10.4028/www.scientific.net/ssp.262.443

* [13] Gutenthaler-Tietze, S. M., Kretzschmar, J., et al. (Sep 23, 2025). Reversing Lanmodulin's Metal-Binding Sequence in Short Peptides Surprisingly Increases the Lanthanide Affinity. Angewandte Chemie International Edition, 64(46), e202510453. -- https://doi.org/10.1002/anie.202510453

* [14] Gutenthaler, S. M., Tsushima, S., et al. (Aug 9, 2022). Lanmodulin peptides - unravelling the binding of the EF-Hand loop sequences stripped from the structural corset. Inorganic Chemistry Frontiers, 9(16), 4009-4021. -- https://doi.org/10.1039/D2QI00933A

* [15] Zhang, S., Shen, Y., et al. (Nov 22, 2025; Jan 2026 issue). Urban Biomining of Rare Earth Elements: Current Status and Future Opportunities. ACS Environmental Au, 6(1), 46-65. -- https://doi.org/10.1021/acsenvironau.5c00175