Space & Astronomy | Jan 19, 2026 | 6 min read | By Bryan White

From Sunspots to Seattle: Understanding the Physics of the January 19 Aurora

Space * Solar System * Physics

The Convergence of Cycles and the January 19 Geomagnetic Storm

On January 19, 2026, the terrestrial magnetosphere was forecast to undergo a major perturbation from a high-velocity Coronal Mass Ejection (CME) originating in Solar Active Region 4341. Precipitated by an X1.9-class solar flare, this eruption triggered a G4 (Severe) Geomagnetic Storm Watch and an S4 (Severe) Solar Radiation Storm across the inner solar system.[1][7] From the magnetohydrodynamics of solar reconnection to the quantum relaxation of atmospheric oxygen, this event can push the auroral oval deep into the mid-latitudes of the continental United States.[1]

For Washington State, this convergence unites orbital geometry, solar evolution, and upper-atmospheric physics. The National Oceanic and Atmospheric Administration (NOAA) Space Weather Prediction Center (SWPC) reserves the G4 watch for major disturbances occurring roughly sixty days per solar cycle.[2] Because the shock front arrival coincides with local night on January 19, observers from the Canadian border to Oregon face an exceptional visibility window -- contingent on incoming plasma magnetic orientation, magnetotail convection, and Cascade Range microclimatology.[1][15]

The Solar Progenitor: Solar Cycle 25 and Active Region 4341

Situated at the maximum of Solar Cycle 25 -- where sunspot numbers and 10.7 cm radio flux have consistently outpaced early predictions -- the solar dynamo stretches poloidal fields into toroidal configurations via differential rotation (the omega effect) and twists buoyant flux tubes into sunspots (the alpha effect).[6] Active Region 4341 developed an unstable "beta-gamma-delta" magnetic configuration with opposite polarities tightly packed within a single penumbra.[3][7] On January 18 at 18:09 UTC, stressed antiparallel field lines underwent rapid magnetic reconnection, unleashing an X1.9 flare and accelerating relativistic protons along the Parker Spiral.[3] By January 19, an S4-class radiation storm was ionizing the mesosphere and stratosphere -- requiring polar flight diversions and spacecraft shielding -- ahead of the main plasma cloud.[5]

Interplanetary Shock Dynamics and Magnetospheric Coupling

SOHO and STEREO coronagraphs confirmed an Earth-directed "full-halo" CME traveling at 700-800 km/s, driving a collisionless shock mediated by Alfv n waves ahead of a helical magnetic flux rope.[4] Upstream monitors at the first Lagrange Point (L1) -- DSCOVR and ACE, stationed 1.5 million km sunward -- track total magnetic field strength (Bt) and orientation.[7] Crucially, sustained southward (negative) Bz is antiparallel to Earth's northward dayside dipole field, unlocking the magnetopause via reconnection and initiating the Dungey Cycle:[9]

* Dayside Reconnection & Transport: Southward solar wind lines merge with terrestrial field lines and are dragged antisunward into the nightside magnetotail.

* Nightside Dipolarization & Substorm Injection: Accumulated tail pressure forces nightside reconnection, diverting cross-tail current into the ionosphere via the Substorm Current Wedge (auroral electrojet) and accelerating electrons into the upper atmosphere, expanding the auroral oval to ~50 deg geomagnetic latitude over Washington State.[10]

Quantum Mechanics in the Thermosphere: The Auroral Spectrum

Precipitating electrons colliding with neutral gases in the upper atmosphere of Earth (80-400 km) excite orbital electrons whose radiative relaxation is governed by electric dipole moment selection rules and collisional quenching (where intensity scales as I A / [A + C] between spontaneous emission rate A and collision rate C).[12]

* Green Line (557.7 nm, 100-300 km): Produced by atomic oxygen relaxing from the singlet 1S state to 1D.[11] Because this dipole-forbidden transition has a 0.74 s lifetime, high atmospheric density below ~100 km quenches the emission thermally, creating a sharp lower curtain boundary.[13]

* Deep Red Glow (630.0 nm, >300 km): Emitted as atomic oxygen relaxes from 1D to the 3P ground state.[12] With a forbidden radiative lifetime of ~110 s (A ~ 0.007 s-1), it survives quenching only in the near-vacuum above 300 km.[12]

* Nitrogen Purples (391.4 & 427.8 nm, 80-90 km): High-energy substorm electrons excite allowed, instantaneous N2+ First Negative Band emissions, creating a violet-pink lower fringe.[12]

Washington State Observation Parameters and Technological Risks

At Kp 8-9, the auroral viewline reaches the Oregon-California border, placing Seattle (~53.1 deg geomagnetic latitude) directly beneath overhead corona structures around magnetic midnight (11:00 PM-2:00 AM PST).[14] However, regional climatology divides viewing prospects: western Washington faces marine cloud cover, near-100% humidity, and Bortle 8-9 urban skyglow, whereas eastern Washington benefits from the Cascade rain shadow.[15][16] Because narrow valley dew point spreads (28 deg F/27 deg F) favor freezing fog in Ellensburg and Yakima, observers seek elevated Bortle 1-3 vantage points such as Table Mountain (Lion Rock) or the Yakima River Canyon under the dark New Moon.[16]

Summary of Key Event Parameters for Jan 19, 2026

| Parameter | | Value/Status | | Significance for Washington State |

| Solar Source | | Region 4341 (X1.9 Flare) | | High-energy driver indicates rapid storm onset. |

| Geomagnetic Scale | | G4-class / Kp 8-9 | | Aurora visible overhead in WA; viewline reaches OR/CA. |

| Solar Wind & Bz | | > 700 km/s; Southward Bz | | Fast shock compression; negative Bz unlocks magnetosphere. |

| Radiation Scale | | S4-class | | Relativistic proton hazard for polar aviation/spaceflight. |

| Local Weather | | West: Cloudy / East: Valley Fog | | Seek elevated rain-shadow sites (Table Mountain) under New Moon. |

Technologically, G4 geomagnetic variations drive Geomagnetically Induced Currents (GICs) into high-voltage transformers -- risking core saturation akin to the 1989 Hydro-Qu bec collapse -- while ionospheric scintillation degrades HF radio propagation and meter-level GPS precision.[7][8]

A Planetary Spectacle

The January 19, 2026 geomagnetic storm links solar magnetic reconnection directly to terrestrial quantum optics. For observers above the Pacific Northwest winter fog, the display reveals the Dungey cycle in action -- the luminous signature of the magnetic shield protecting Earth's biosphere.

Updates... (Nov 23, 2026): On January 19-20, 2026, the CME shock arrival confirmed a G4-class geomagnetic storm (Kp 8) alongside the strongest S4 solar radiation storm recorded since October 2003, producing visible mid-latitude auroras across Seattle and western Washington skies; also removed numbered section headings, normalized the References section heading, and corrected the Ref. 12 publication date to May 20, 2025 per CrossRef.[8]

References

* Redacci n Depor (Jan 19, 2026). How and Where to see the Northern Lights in Washington DC TODAY, Monday, January 19, 2026. Depor. -- https://depor.com/en/us-local/how-and-where-to-see-the-northern-lights-in-washington-dc-today-monday-january-19-2026-nnda-nnr

* The Aurora Zone (May 18, 2023). Nuts About Kp: Kp Index Explained. The Aurora Zone. -- https://theaurorazone.com/nuts-about-kp/

* NOAA Space Weather Prediction Center (Jan 18, 2026). X-class Flare Activity Observed - 18 January 2026. NOAA SWPC. -- https://www.swpc.noaa.gov/news/x-class-flare-activity-observed-18-january-2026

* Hindy, J. (Jan 19, 2026). The Biggest Aurora of 2026 (So Far) Is Coming Tonight: Here's How and Where to See It. CNET. -- https://www.cnet.com/science/space/biggest-aurora-of-2026-so-far-coming-tonight-how-and-where-to-see-it/

* NOAA Space Weather Prediction Center (Jan 19, 2026). S4 (Severe) Solar Radiation Storm in Progress, January 19th, 2026. NOAA SWPC. -- https://www.swpc.noaa.gov/news/s4-severe-solar-radiation-storm-progress-january-19th-2026

* Wikipedia (Mar 29, 2015; updated 2026). Solar cycle 25. Wikipedia. -- https://en.wikipedia.org/wiki/Solar_cycle_25

* NOAA Space Weather Prediction Center (Jan 19, 2026). G4 (Severe) Geomagnetic Storm Watch for 20 January UTC-Day. NOAA SWPC. -- https://www.swpc.noaa.gov/news/g4-severe-geomagnetic-storm-watch-20-january-utc-day

* Dobrijevic, D. (Jan 20, 2026). Earth was just hit by the strongest solar radiation storm in over 20 years -- here's what it means. Space.com. --

https://www.space.com/astronomy/sun/earth-was-just-hit-by-the-strongest-solar-radiation-storm-in-over-20-years-heres-what-it-mea

* Wikipedia (Mar 20, 2021; updated 2025). Dungey Cycle. Wikipedia. -- https://en.wikipedia.org/wiki/Dungey_Cycle

* Semenov, V. S., Kubyshkin, I. V., et al. (Dec 10, 2024). Unsteady Dungey cycle from the point of view of Stokes' theorem. Frontiers in Astronomy and Space Sciences. -- https://doi.org/10.3389/fspas.2024.1494150

* Wikipedia (Feb 25, 2002; updated 2026). Aurora. Wikipedia. -- https://en.wikipedia.org/wiki/Aurora

* Barth l my, M., Robert, E., & Lamy, H. (May 20, 2025). Synthetic spectra of the aurora: N2, N2+, N, N+, O2+ and O emissions. Journal of Space Weather and Space Climate, 15, 19. -- https://doi.org/10.1051/swsc/2025013

* University of New South Wales (May 2024). What causes the different colours of the aurora? An expert explains the electric rainbow. UNSW Newsroom. -- https://www.unsw.edu.au/newsroom/news/2024/05/what-causes-the-different-colours-of-the-aurora-an-expert-explains-the-electric-r

* Iakubovskii, N. (Oct 20, 2025). What Is the Kp Index? The 0-9 Aurora Scale Explained. AuroraMe. -- https://auroraforecast.me/guides/kp-index-explained

* Cappucci, M. (Jan 19, 2026). Northern lights may be visible unusually far south tonight. Here's where. The Washington Post. -- https://www.washingtonpost.com/weather/2026/01/19/aurora-northern-lights-forecast-states/

* Thalheimer, E. (Sep 4, 2024). Dark Skies: Where to go Stargazing in Washington. State of Washington Tourism. -- https://stateofwatourism.com/stargazing-in-washington/