Health & Medicine | Jan 3, 2026 | 8 min read | By Bryan White

Genotypes, Clusters, and Consequences: The Epidemiology of the New Measles Wave

Biology * Public Health * Global Health

Introduction: The Fragility of Measles Elimination

The United States, once a global exemplar for measles elimination, faces its most precarious public health challenge regarding the virus in a quarter-century. Following the declaration of elimination in 2000 -- defined by the World Health Organization (WHO) and the Centers for Disease Control and Prevention (CDC) as the absence of continuous disease transmission for 12 months or more -- maintenance of this status relied heavily on robust herd immunity from the two-dose Measles-Mumps-Rubella (MMR) vaccine program.[1] However, epidemiological data from 2025 through early January 2026 reveals a systemic erosion of these defenses, colliding with a post-pandemic sociological shift in immunization attitudes.[3]

CDC final surveillance for 2025 confirms 2,289 measles cases reported across 45 U.S. jurisdictions (plus 26 international visitors) -- an eightfold increase over the 285 cases reported in 2024 and substantially above the 1,274 cases recorded in 2019, following earlier interim January 2026 counts of 2,065 cases.[5] Crucially, 90% (2,066 of 2,289) of 2025 cases were linked to 48 distinct outbreaks, demonstrating active community circulation rather than isolated importations, alongside three confirmed 2025 deaths -- two pediatric and one adult -- marking the first U.S. measles fatalities in a decade.[1][5] Because a specific Genotype D8 lineage (sequence 9171) traced back to January 20, 2025 circulated continuously past the 12-month threshold into 2026 -- with U.S. infections reaching 5,838 confirmed cases through November 20, 2026 (5,820 across 47 jurisdictions plus 18 international visitors, the highest U.S. annual total since 1991) -- the Pan American Health Organization (PAHO) formally revoked the United States' measles elimination status on November 17, 2026 (alongside Mexico and Bolivia).[2][5][26][27]

National Epidemiological Profile and Transmission Dynamics

The rapid expansion of the 2025-2026 outbreaks reflects the biological potency of the measles virus (MeV). As an airborne pathogen with a basic reproduction number (R0) between 12 and 18, MeV remains infectious in suspended respiratory droplets for up to two hours after an infectious individual leaves an indoor space.[6][7] In poorly ventilated classrooms or high-density communal gatherings, this aerosol persistence exploits even narrow gaps in local immunity.[8] Surveillance data indicates that the overwhelming majority of confirmed 2025 cases occurred among individuals who were unvaccinated or had an unknown vaccination status.[5]

| Metric | | 2024 Statistics | | 2025 Final Total | | 2026 YTD (Through Nov. 20) |

| Total Confirmed Cases | | 285 | | 2,289 (2,065 Jan. 3 interim) | | 5,838 (+155% vs. full-year 2025)[5] |

| Total Reported Outbreaks | | 16 | | 48 | | 43 new outbreaks (+1,385 carry-over

cases from 2025)[5] |

| Outbreak-Associated Cases | | 198 (69%) | | 2,066 (90%) | | ~96% outbreak-associated[5] |

| Jurisdictions Affected | | 32 | | 45 jurisdictions (+26 visitors) | | 47 jurisdictions (+18 international visitors)[5] |

| Elimination Verification | | Maintained | | Sustained D8 chain initiated Jan. 20, 2025 | | Revoked Nov. 17, 2026 (PAHO)[26][27] |

In the early January 2026 provisional cohort analysis (N = 2,065 cases, including 235 acute hospitalizations and 3 fatalities), school-aged children (5-19 years) accounted for the largest share of cases, whereas children under 5 experienced the highest clinical severity, with a 20% hospitalization rate.[1][5]

| Age Group (Jan. 3, 2026 Cohort) | | Confirmed Cases | | % of Cohort | | Hospitalizations | | Hospitalization Rate (%) |

| < 5 Years | | 537 | | 26% | | 105 | | 20% |

| 5-19 Years | | 865 | | 42% | | 53 | | 6% |

| 20+ Years | | 650 | | 31% | | 77 | | 12% |

| Unknown | | 13 | | 1% | | 0 | | 0% |

| Cohort Total | | 2,065 | | 100% | | 235 | | 11% |

Molecular Epidemiology and Major Outbreak Clusters

Sequencing of the viral genome by state and federal laboratories mapped two primary lineages across the 2025 resurgence. Genotype D8 dominated domestic transmission: in an analysis of 208 specimens from the Southwest clusters, 100% were identified as Genotype D8, and 94% shared an identical N-450 sequence (sequence ID 9171), confirming a single introduction followed by sustained multi-state propagation.[1] Conversely, Genotype B3 accounted for roughly 10% of characterized cases across five distinct sequences in states such as California, Florida, and New York, reflecting multiple independent international importations that did not trigger comparable super-spreader chains.[12][13]

* The West Texas Anchor (Gaines County): Initiated in late January 2025 within a close-knit community with low immunization coverage, this cluster reached 762 confirmed cases in Texas (including 414 in Gaines County, 99 hospitalizations, and two pediatric deaths), seeded 63 cases in New Mexico and 7 in Oklahoma, and exported an outbreak to Chihuahua, Mexico.[1][9][14]

* The Utah-Arizona Border Crisis (Short Creek): Centered in Hildale, Utah, and Colorado City, Arizona, this late-2025 outbreak reached 254 cases (driving Arizona's total to 196 cases) and exposed at least 11 infants in communities skeptical of state public health intervention.[5][10][15][16][25]

* The South Carolina Upstate Surge: Following an initial July case and an October outbreak declaration, Spartanburg County recorded 185 of the state's 188 cases by early January 2026.[11] Amplified by private schools with immunization rates as low as 30% to 46%, the cluster necessitated 223 quarantines.[11]

Clinical Morbidity, SSPE, and the Immunization Gap

The clinical burden observed in 2025-2026 refutes perceptions of measles as a benign childhood illness. Beyond 235 early-cohort acute hospitalizations for pneumonia, dehydration, and encephalitis, the 2025 outbreak caused two pediatric fatalities in Texas (including an 8-year-old girl who succumbed to measles pulmonary failure) and one adult fatality in New Mexico.[1][14][17]

Equally concerning is the delayed threat of Subacute Sclerosing Panencephalitis (SSPE), a universally fatal neurodegenerative disorder caused by persistent central nervous system measles infection that manifests 7 to 10 years post-exposure.[18] Modern epidemiological estimates place the risk of SSPE at approximately 1 in 609 (roughly 1 in 600) for infants infected before their first birthday.[19] With 537 children under age 5 infected in the 2025 cohort -- and a late-2025 SSPE death documented in Los Angeles County from an earlier infection -- this cohort faces substantial long-term neurological risk.[20]

This resurgence is directly tied to declining childhood immunization. National MMR coverage among kindergartners fell from 95.2% (2019-2020) to 92.5% in 2024-2025 and 92.4% in the 2025-2026 school year -- leaving ~280,000 kindergartners without documented MMR completion well below the 95% herd immunity threshold, with state-level coverage dropping as low as 78.5% in Idaho.[21][22] Vaccine exemptions climbed from 3.6% in 2024-2025 to 4.2% in 2025-2026 (~155,000 exempt children, with 24 states exceeding 5%), driven by post-pandemic institutional distrust, complacency after 25 years of elimination, and online misinformation.[3][4][21]

Conclusion: Endemic Re-establishment and the Path to Recovery

Molecular surveillance confirming uninterrupted circulation of the Genotype D8 lineage past twelve months culminated on November 17, 2026, when PAHO formally revoked the United States' 26-year measles elimination status alongside Mexico and Bolivia, following Canada's loss of status in late 2025.[2][23][26][27] Containment of the West Texas cluster alone exceeded $12 million in public health expenditures.[24] Reversing endemic transmission and regaining elimination verification requires closing localized immunization gaps, reforming non-medical exemption policies, and rebuilding community trust in routine pediatric vaccination.

Updates... (Nov 22, 2026): Updated U.S. surveillance totals through the November 20, 2026 CDC weekly report (5,838 confirmed 2026 cases across 47 jurisdictions plus 18 international visitors, the highest annual U.S. total since 1991), aligned the West Texas 2025 outbreak total with final Texas DSHS figures (762 cases, 99 hospitalizations, 2 deaths), replaced the Wikipedia citation with the official August 18, 2025 Texas DSHS outbreak-conclusion release, and standardized explicit publication dates across all 27 Works Cited entries.

Works Cited

* Centers for Disease Control and Prevention (CDC) (Apr 24, 2025). Measles Update -- United States, January 1-April 17, 2025. MMWR, 74(14), https://www.cdc.gov/mmwr/volumes/74/wr/mm7414a1.htm

* Contagion Live (Dec 16, 2025). Public Health Wake-Up Call: Will the US Lose

Measles Elimination Status?
https://www.contagionlive.com/view/public-health-wake-up-call-will-the-us-lose-measles-elimination-status-

* Velikov, P. K., Tomova-Angelova, I., Ezekwe, C. L., Ichikawa, M., & Hori, A. (Oct 31, 2025). Measles containing vaccine hesitancy and readiness in the post-COVID-19 era: A 7C model commentary. Global Health & Medicine, 7(5), 391-394, https://doi.org/10.35772/ghm.2025.01056

* Adeoye, A. F., Umoru, D. O., Gomez, O. O., et al. (Jul 17, 2025). The 2025 United States Measles Crisis: When Vaccine Hesitancy Meets Reality. Cureus, 17(7), e88196, https://doi.org/10.7759/cureus.88196

* Centers for Disease Control and Prevention (CDC) (Nov 20, 2026). Measles Cases and Outbreaks. https://www.cdc.gov/measles/data-research/index.html

* Guerra, F. M., Bolotin, S., Lim, G., et al. (Jul 27, 2017). The basic reproduction number (R0) of measles: a systematic review. The Lancet Infectious Diseases, 17(12), e420-e428, https://doi.org/10.1016/S1473-3099(17)30307-9

* Centers for Disease Control and Prevention (CDC) (May 15, 2024; updated Nov 20, 2026). Clinical Overview of Measles. https://www.cdc.gov/measles/hcp/clinical-overview/index.html

* Iwamura, N., & Tsutsumi, K. (Jul 19, 2024). Predicting the Airborne Transmission of Measles: Impact of Indoor Carbon Dioxide (CO2) Levels and Mitigation Strategies. Cureus, https://doi.org/10.7759/cureus.64882

* Washington Examiner (Jan 1, 2026). US likely to lose measles eradication status in 2026. https://www.washingtonexaminer.com/policy/healthcare/4379205/us-likely-to-lose-measles-eradication-status-2026/

* KPCW (Dec 10, 2025). Measles outbreaks could cost US its 25-year elimination status. https://www.kpcw.org/summit-county/2025-12-10/measles-outbreaks-could-cost-us-its-25-year-elimination-status

* CIDRAP (Jan 5, 2026). South Carolina measles total climbs to 188. https://www.cidrap.umn.edu/measles/south-carolina-measles-total-climbs-188

* CIDRAP (Mar 27, 2025). WHO alert on US measles outbreak adds new genetic details. https://www.cidrap.umn.edu/measles/who-alert-us-measles-outbreak-adds-new-genetic-details

* Fappani, C., Gori, M., Bianchi, S., et al. (May 22, 2025). From multiple measles genotype D8 introductions in 2024 to sustained B3 local transmission in and around Milan, northern Italy, January to April 2025. Eurosurveillance, 30(20), https://doi.org/10.2807/1560-7917.ES.2025.30.20.2500315

* Texas Department of State Health Services (DSHS) (Aug 18, 2025). Texas announces end of West Texas measles outbreak. https://www.dshs.texas.gov/news-alerts/texas-announces-end-west-texas-measles-outbreak

* CIDRAP (Dec 10, 2025). US exceeds 1,900 measles cases as outbreaks expand. https://www.cidrap.umn.edu/measles/us-exceeds-1900-measles-cases-outbreaks-expand

* CIDRAP (Sep 24, 2025). CDC confirms 23 more US measles cases as 2025 total tops 1,500. https://www.cidrap.umn.edu/measles/cdc-confirms-23-more-us-measles-cases-2025-total-tops-1500

* National Foundation for Infectious Diseases (NFID) (Mar 31, 2023). Measles. https://www.nfid.org/infectious-disease/measles/

* International Parkinson and Movement Disorder Society (Nov 2025). The looming threat of subacute sclerosing panencephalitis: A call for action. https://www.movementdisorders.org/Moving-Along/subacute-sclerosing-panencephalitis

* Wendorf, K. A., Winter, K., Zipprich, J., et al. (Jul 15, 2017). Subacute Sclerosing Panencephalitis: The Devastating Measles Complication That Might Be More Common Than Previously Estimated. Clinical Infectious Diseases, 65(2), 226-232, https://doi.org/10.1093/cid/cix302

* CIDRAP (Sep 12, 2025). LA County confirms child's death from late measles complication. https://www.cidrap.umn.edu/measles/la-county-confirms-childs-death-late-measles-complication

* Centers for Disease Control and Prevention (CDC) (Aug 17, 2026). Vaccination Coverage and Exemptions among Kindergartners | SchoolVaxView. https://www.cdc.gov/schoolvaxview/data/index.html

* KFF (Aug 21, 2026). Kindergarten Routine Vaccination Rates Continue to Decline. https://www.kff.org/medicaid/kindergarten-routine-vaccination-rates-continue-to-decline/

* Centers for Disease Control and Prevention (CDC) (Nov 17, 2025). What CDC is Doing About Global Measles. https://www.cdc.gov/global-measles-vaccination/what/index.html

* The Texas Tribune (Dec 5, 2025). Texas outbreak could cause U.S. to no longer be measles-free. https://www.texastribune.org/2025/12/05/texas-measles-outbreak-spread-elimination/

* Utah Department of Health and Human Services (DHHS) (Sep 15, 2025; updated Nov 17, 2026). 2025-2026 Utah measles response. https://epi.utah.gov/measles-response/

* PAHO/WHO (Nov 17, 2026). Measles in the Americas: Questions and Answers - Technical Reference for Journalists and the Public. https://www.paho.org/en/news/17-11-2026-measles-americas-questions-and-answers-technical-reference-journalists-and-public

* Centers for Disease Control and Prevention (CDC) (Nov 17, 2026). Joint Statement: Loss of U.S. Measles Elimination Status. https://www.cdc.gov/media/releases/2026/loss-of-usmeasles-elimination-status.html