Space & Astronomy | Jan 7, 2026 | 8 min read | By Bryan White

Mind and Body in Space: The Overlooked Risks of Becoming a Multi-Planetary Species

Environment * Space * Public Health

Introduction: The Biological and Engineering Chasm of Space Settlement

Establishing permanent human settlements beyond Earth has shifted from speculative fiction to a central aerospace priority, frequently framed as "backing up the biosphere" against existential risks.[1] Driven by NASA's Artemis program and SpaceX's Starship architecture, timelines for Lunar and Martian outposts have compressed dramatically.[2][3] Yet while heavy-lift propulsion matures, severe biomedical, psychosocial, closed-loop life-support, and legal bottlenecks separate short-duration sorties from a self-sustaining multi-planetary species.[1]

The Physiological Gauntlet: Microgravity, HZE Radiation, and Reproduction

Evolved under 1g (9.8 m/s2) and shielded by Earth's magnetosphere, human physiology degrades rapidly in reduced gravity (0.16g Lunar; 0.38g Martian) and deep-space radiation:

* Musculoskeletal Uncoupling: Mechanical unloading accelerates osteoclastic resorption over osteoblastic deposition, causing 1.0%-1.5% monthly bone mineral density (BMD) loss in weight-bearing structures, alongside 20%-30% skeletal muscle atrophy over six months and hypercalciuric renal stone risk.[4][5] Combining Advanced Resistive Exercise Device (ARED) workouts with bisphosphonates (alendronate) attenuates BMD loss and reduces urolithiasis risk, but requires ~2.5 hours of daily exercise.[6][7]

* Galactic Cosmic Rays (GCRs): Beyond low Earth orbit, crews face Solar Particle Events (SPEs) and relativistic High-Z and Energy (HZE) nuclei.[8] Heavy ions shatter DNA via double-strand breaks and spallate metallic hull atoms, shattering the shield nucleus into damaging secondary neutron showers.[8][9] Even with Boron Nitride Nanotube-High-Density Polyethylene (BNNT-HDPE) composites, a Mars round-trip delivers ~0.66 Sieverts, elevating lifetime cancer risk and hippocampal neuroinflammation.[9][10]

* Neuro-Ocular and Reproductive Limits: Cephalad fluid shifts induce Spaceflight-Associated Neuro-Ocular Syndrome (SANS) -- globe flattening, optic edema, and hyperopia.[11] Crucially, murine 2-cell embryos cultured in orbital microgravity aboard China's SJ-10 satellite (alongside subsequent ISS mouse embryo studies reviewed by Ruden & Rappolee) showed reduced blastocyst survival, DNA damage, and epigenetic abnormalities, leaving mammalian gestation at 0.38g an unsolved barrier.[12][13]

| System | | Primary Stressor | | Pathophysiological Effect | | Countermeasure | | Status |

| Skeletal | | Hypogravity | | 1.0-1.5% monthly BMD loss; renal stones.[4][5] | | ARED loading + bisphosphonates.[6][7] | | Managed, not solved. |

| Muscular | | Unloading | | 20-30% atrophy in postural fibers.[4] | | High-intensity resistance exercise. | | Requires ~2.5 hr/day.[6] |

| Ocular (SANS) | | Fluid shift | | Optic edema, globe flattening, vision loss.[11] | | Lower Body Negative Pressure (LBNP). | | Mechanism unresolved. |

| Neurological | | HZE GCRs | | Hippocampal inflammation; 15% vigilance drop.[4] | | BNNT-HDPE neutron shielding.[9] | | High residual risk (~0.66 Sv).[10] |

| Reproductive | | GCR + Micro-g | | Blastocyst DNA and epigenetic damage.[12] | | Centrifugal artificial gravity. | | Critical Unknown.[13] |

Psychosocial Dynamics, Governance, and Extraterrestrial Law

Deep-space crews face Isolated, Confined, and Extreme (ICE) conditions with 22-minute one-way communication delays. Antarctic overwintering analogs (Concordia, SANAE IV) consistently document the "Third Quarter Phenomenon" -- marked by circadian desynchronization, social withdrawal, and interpersonal conflict.[14][15] Legally, while the 1967 Outer Space Treaty bars national sovereignty, Section 11 of the Artemis Accords introduces exclusionary "Safety Zones" that critics view as de facto appropriation.[2][25] To prevent corporate "company town" authoritarianism where a settler's right to oxygen depends on employment, legal scholars propose Elinor Ostrom-style polycentric governance and dedicated extraterrestrial legal frameworks.[16][17]

In-Situ Resource Utilization (ISRU) and Life Support

With launch windows opening only every 26 months, Martian survival requires autonomous ISRU.[18] While orbital refueling and Sabatier methane synthesis reduce transport costs,[10] surface infrastructure faces harsh constraints:

* Oxygen Electrolysis: NASA's MOXIE proved 800 deg C solid-oxide CO2 electrolysis on Mars (6-12 g/hr O2), but human habitats require scaling output 200-fold to 2-3 kg/hr continuously.[19]

* Perchlorate Remediation & Agriculture: Martian soil contains 0.5%-1.0% thyroid-toxic perchlorates (ClO4-), requiring chemical scrubbing before water extraction or LED-aeroponic crop cultivation (~50 m2/person).[20][23] As Biosphere 2's oxygen crash demonstrated, synthetic biological ecosystem loops remain fragile.[24]

* Surface Power: Because dust storms and distance reduce Martian solar flux to 43% of Earth's, solar arrays must be paired with 10 kWe Kilopower (KRUSTY) fission reactors.[21][22]

| Resource | | Daily Per-Capita Demand | | ISRU / Production Method | | Readiness (TRL) |

| Oxygen (O2) | | 0.84 kg/day | | 800 deg C CO2 Electrolysis (MOXIE)[19] | | TRL 9 (Subscale on Mars) |

| Water | | 3-4 kg/day | | Ice mining + perchlorate scrubbing[20] | | TRL 4 (Lab

tested) |

| Food | | 0.62 kg/day (dry) | | Pressurized LED aeroponics (~50 m2/person)[23] | | TRL 6 (ISS Veggie) |

| Power | | 12-30 kWh/day | | Solar PV + 10 kWe Kilopower fission[22] | | TRL 6 (Prototype) |

Paraterraforming Realities vs. Free-Space O'Neill Habitats

MAVEN spacecraft data analyzed by Jakosky et al. proved that mobilizing all Martian CO2 reservoirs would raise atmospheric pressure to just ~15 millibars -- far below the ~1,000 millibars needed for unpressurized survival -- restricting Mars to sealed "paraterraforming" inside lava tubes or domes.[27] Consequently, physicist Gerard K. O'Neill's rotating Lagrange-point cylinders built from asteroidal slag offer a compelling alternative: exact 1g artificial gravity, thick radiation shielding, and uninterrupted solar power.[26]

Conclusion: An Experiment on Human Biology

While reusable rockets, MOXIE electrolysis, and Kilopower fission bring Martian outposts within engineering reach, becoming a multi-planetary species remains constrained by human biology. Until HZE radiation shielding, hypogravity bone loss, SANS, and extraterrestrial embryogenesis are solved, Martian settlements will remain rotation-based scientific stations rather than self-sustaining civilizations.

Updates... (Nov 24, 2026): Corrected the mission attribution for Lei et al. (2020) from the ISS to China's SJ-10 satellite (noting subsequent ISS embryo experiments reviewed in Ruden & Rappolee, 2024); corrected author initials on Ref. [9] (Patel, P. B., Joseph, N. C., Park, C. H., et al.) per OpenAlex/CrossRef metadata; corrected Ref. [4] publication date to Oct 8, 2024; replaced NASA NTRS archive posting dates with true publication dates on Refs. [5] (2009), [18] (Dec 1988), and [23] (Jul 2024); and added the exact online publication date (Jul 20, 2024) for Ref. [13]. (Prior Nov 21, 2026 update replaced Refs. [9] and [24] with primary DOIs and added publication dates.)

References & Primary Sources

* [1] Levchenko, I., Xu, S., Mazouffre, S., et al. (2018, Oct 25; print 2019). Mars Colonization: Beyond Getting There. Global Challenges, 3(1), 1800062. -- https://doi.org/10.1002/gch2.201800062

* [2] NASA (2020, Oct 13). The Artemis Accords: Principles for Cooperation in the Civil Exploration and Use of the Moon, Mars, Comets, and Asteroids for Peaceful Purposes. -- https://www.nasa.gov/wp-content/uploads/2022/11/Artemis-Accords-signed-13Oct2020.pdf

* [3] The Planetary Society (2017, Sep 29). SpaceX CEO Elon Musk updates Mars colonization plans. -- https://www.planetary.org/articles/20170929-spacex-updated-colonization-plans

* [4] European Journal of Cardiovascular Medicine (2024, Oct 8). Physiological Responses to Space Travel: A Systematic Review. -- https://healthcare-bulletin.co.uk/article/physiological-responses-to-space-travel-a-systematic-review-2461/

* [5] LeBlanc, A., Matsumoto, T., Jones, J. A., et al. / NASA NTRS (2009; NTRS posted Jul 10, 2019). Bisphosphonates as a Countermeasure to Space Flight Induced Bone Loss (Document ID 20090014795). -- https://ntrs.nasa.gov/api/citations/20090014795/downloads/20090014795.pdf

* [6] LeBlanc, A., Matsumoto, T., Jones, J., et al. (2013, Jan 19). Bisphosphonates as a supplement to exercise to protect bone during long-duration spaceflight. Osteoporosis International, 24(7), 2105-2114. -- https://doi.org/10.1007/s00198-012-2243-z

* [7] Okada, A., Matsumoto, T., Ohshima, H., et al. (2021, Sep 22; print 2022). Bisphosphonate Use May Reduce the Risk of Urolithiasis in Astronauts on Long-Term Spaceflights. JBMR Plus, 6(1), e10550. -- https://doi.org/10.1002/jbm4.10550

* [8] Tomsia, M., Cie la, J., mieszek, J., et al. (2024, Feb 13). Long-term space missions' effects on the human organism: what we do know and what requires further research. Frontiers in Physiology, 15, 1284644. -- https://doi.org/10.3389/fphys.2024.1284644

* [9] Patel, P. B., Joseph, N. C., Park, C. H., et al. (2025, Jul 13). Boron Nitride Nanotube Reinforced Polyethylene Composite for Shielding Space Neutron Radiation for Human Space Flight. 54th International Conference on Environmental Systems. -- https://doi.org/10.32865/2346/102715

* [10] Neukart, F. (2024, Feb). Towards sustainable horizons: A comprehensive blueprint for Mars colonization. Heliyon, 10(4), e26180. -- https://doi.org/10.1016/j.heliyon.2024.e26180

* [11] Krittanawong, C., Singh, N. K., Scheuring, R. A., et al. (2022, Dec 22). Human Health during Space Travel: State-of-the-Art Review. Cells, 12(1), 40. -- https://doi.org/10.3390/cells12010040

* [12] Lei, X., Cao, Y., Ma, B., et al. (2020, Apr 11). Development of mouse preimplantation embryos in space. National Science Review, 7(9), 1437-1446. -- https://doi.org/10.1093/nsr/nwaa062

* [13] Ruden, D. M., & Rappolee, D. A. (2024, Jul 20; print Dec 2024). Effects of gravity, microgravity or microgravity simulation on early mouse embryogenesis: A review of the first two space embryo studies. Mechanobiology in Medicine, 2(4), 100081. -- https://doi.org/10.1016/j.mbm.2024.100081

* [14] Dunn Rosenberg, J., Jannasch, A., Binsted, K., et al. (2022, Dec 7). Biobehavioral and psychosocial stress changes during three 8-12 month spaceflight analog missions with Mars-like conditions of isolation and confinement. Frontiers in Physiology, 13, 898841. -- https://doi.org/10.3389/fphys.2022.898841

* [15] The Guardian (2025, Mar 21). Crisis in Antarctica: can science teams ever prepare for isolated assignments? -- https://www.theguardian.com/world/2025/mar/21/antarctica-alleged-assault-science-teams-isolated-assignments

* [16] Tepper, E. (2022, May). The Big Bang of Space Governance: Towards Polycentric Governance of Space Activities. NYU Journal of International Law and Politics, 54(2), 181-254. -- https://www.nyujilp.org/wp-content/uploads/2022/05/nyi_54-2-181-254_Tepper.pdf

* [17] Ostrom, E. (2012, Jul 26). Polycentric Systems: Multilevel Governance Involving a Diversity of Organizations. Global Environmental Commons. -- https://doi.org/10.1093/acprof:oso/9780199656202.003.0005

* [18] Mars Architecture Team / NASA NTRS (Dec 1988; NTRS posted Dec 13, 2024). Mars Exploration: Mission and System Analysis of the Split Sprint Mission (Document ID 20240013873). -- https://ntrs.nasa.gov/api/citations/20240013873/downloads/Mars%20Ex%20Mission_Sys_Analysis%20Split%20Sprint.pdf

* [19] NASA (2023, Sep 6). NASA's Oxygen-Generating Experiment MOXIE Completes Mars Mission. -- https://www.nasa.gov/missions/mars-2020-perseverance/perseverance-rover/nasas-oxygen-generating-experiment-moxie-completes-

* [20] Coker, H. R., Denvir, A. C., Robertson, I. J., et al. (2025, Feb 10). Aeroponic Technology for Accelerated Weathering of Extraterrestrial Regolith to Extract Plant Essential Nutrients and Generate Arable Soils. ACS Earth and Space Chemistry, 9(2), 344-356. -- https://doi.org/10.1021/acsearthspacechem.4c00312

* [21] College of Chemistry, UC Berkeley (2022, May 10). Solar beats nuclear at many potential settlement sites on Mars. -- https://chemistry.berkeley.edu/news/solar-beats-nuclear-many-potential-settlement-sites-mars

* [22] Poston, D. I., Gibson, M. A., Godfroy, T. J., & McClure, P. R. (2020, Jun 4). KRUSTY Reactor Design. Nuclear Technology, 206(sup1), S13-S30. -- https://doi.org/10.1080/00295450.2020.1725382

* [23] Fritsche, R., Haveman, N., & Massa, G. / NASA NTRS (Jul 2024; NTRS posted Mar 11, 2025). Space Crop Considerations for Human Exploration (Document ID 20250001897). -- https://ntrs.nasa.gov/api/citations/20250001897/downloads/20231215%20Space%20Crops%20HRP%20FINAL%20STRIVES%203

* [24] Cohen, J. E., & Tilman, D. (1996, Nov 15). Biosphere 2 and Biodiversity--The Lessons So Far. Science, 274(5290), 1150-1151. -- https://doi.org/10.1126/science.274.5290.1150

* [25] Cambridge Core (2023, Oct). The Artemis Accords. International Legal Materials, 62(5), 881-890. -- https://www.cambridge.org/core/journals/international-legal-materials/article/artemis-accords/5874DB518591888E52CF2B816E459

* [26] O'Neill, G. K. (1974, Sep 1). The colonization of space. Physics Today, 27(9), 32-40. -- https://doi.org/10.1063/1.3128863

* [27] Jakosky, B. M., & Edwards, C. S. (2018, Jul 30). Inventory of CO2 available for terraforming Mars. Nature Astronomy, 2, 634-639. -- https://doi.org/10.1038/s41550-018-0529-6