Natural Science | Nov 5, 2026 | 5 min read | By Bryan White

MIT Engineers Overturn 20-Year Nanotechnology Rule by Using Flexible Polymer Arms to Build Custom Crystal Superlattices

Nanotechnology * Materials Science * Self-Assembly

The Packing Puzzle at the Billionth-of-a-Meter Scale

Imagine pouring thousands of identical glass spheres into a jar and shaking it gently. No matter how many times you repeat the experiment, gravity and geometry force those round spheres to settle into the tightest possible arrangement -- a dense, repeating pyramid stack where each sphere touches 12 immediate neighbors . In physics and chemistry, this natural tendency of uniform spheres to pack as tightly as possible is known as close-packing (specifically face-centered cubic or hexagonal close-packed geometry).

In the field of nanotechnology -- where engineers build materials out of nanoparticles measuring just 5 to 100 nanometers across (roughly 1,000 times thinner than a human hair) -- scientists treat individual nanoparticles like artificial "atoms." When billions of nanoparticles organize themselves into an ordered, repeating three-dimensional crystal grid, the resulting structure is called a nanoparticle superlattice . Just as the arrangement of carbon atoms determines whether carbon forms soft graphite or ultra-hard diamond , the geometric spacing of nanoparticles inside a superlattice determines how the material bends light, conducts heat, or speeds up chemical reactions.

For the past 20 years, however, nanotechnologists faced a stubborn roadblock. While tightly packed nanoparticle crystals are easy to grow, many of the most valuable technological applications -- such as photonic crystals that route light for optical computers, high-surface-area porous catalysts that split water or capture carbon, and smart drug-delivery capsules -- require open, low-density crystal networks where each nanoparticle connects to only 3, 4, or 6 neighbors rather than 12. In chemistry, the number of neighbors a particle bonds with is called its valency (or coordination number). For two decades, the textbook rule of nanoscale materials design held that if you want round nanoparticles to form low-valency, directional bonds, you must attach rigid, stiff molecular rods or painstakingly pre-stamp sticky "patches" onto exact spots of each particle's surface.

Flipping the Script: How Ultra-Flexible Connectors Create Order

In a landmark study published in Nature Materials [1] , a research team directed by Professor Robert J. (Rob) Macfarlane and first author Nicholas Sbalbi at the Massachusetts Institute of Technology (MIT), in collaboration with computational materials scientist Professor Arthi Jayaraman at the University of Delaware, proved that this 20-year-old rule is upside down. Instead of making the molecular connectors between nanoparticles stiffer, the team made them extremely soft, long, and flexible -- and discovered that flexibility itself causes uniform nanoparticles

to spontaneously snap into open, directional crystal architectures.

To understand how the MIT system works, picture each nanoparticle not as a hard billiard ball, but as a solid core covered in a thick, squishy coat of long, bendable hairs -- much like a microscopic koosh ball or sea urchin. These hairs are polymer chains (long, flexible strings of repeating carbon and oxygen atoms) whose outer tips carry two key chemical features:

* A Sticky "Velcro" Tip (Supramolecular Recognition Groups): At the very end of each polymer strand sits a chemical group designed to pair up with a matching partner on a neighboring nanoparticle via hydrogen bonding -- the same gentle, reversible molecular attraction that holds the two strands of a DNA double helix together [2] .

* Tunable Electrical Charges (Electrostatic Repulsion): Alongside the sticky tips, the researchers incorporated electrically charged chemical groups whose strength can be dialed up or down simply by changing the salt concentration or acidity (pH) of the surrounding liquid. Because like charges repel one another, these charged tails push neighboring polymer hairs -- and neighboring nanoparticles -- apart.

The Mechanism of "Spontaneous Valency"

When two of these fuzzy, polymer-coated nanoparticles float toward each other in solution, their sticky polymer tips latch together to form a bridge. In traditional rigid-linker systems, the polymer coat stays evenly spread around the sphere, inviting up to a dozen other nanoparticles to crowd in from all sides. In the MIT team's ultra-flexible design, something remarkable happens the moment the first bond forms:

* Polymer Redistribution and Shielding: Because the polymer chains are long and bendable, dozens of strands stretch and gather toward the contact zone to maximize their sticky hydrogen-bond connections with the first neighbor. As these flexible chains bunch together at the bonding poles, the remaining electrically charged polymer strands are squeezed out into dense "protective bumpers" around the particle's equator [1] .

* Self-Limiting Neighbor Count: When a third or fourth nanoparticle approaches, the deformed, electrically charged polymer coat blocks it from squeezing in at random angles. Instead, the incoming particle is guided only to the specific open spots where the electrostatic repulsion is lowest.

* Breaking Symmetry Without Pre-Patterning: Even though every nanoparticle starts out completely uniform and spherical (isotropic) in isolation, the act of bonding deforms its soft polymer shell and breaks its symmetry on the fly. The authors term this phenomenon spontaneous valency : the nanoparticles dynamically negotiate their own bonding directions and stop accepting new neighbors once they reach a stable low-coordination geometry [1, 3] .

Traditional Rigid Assembly vs. MIT Flexible Spontaneous-Valency Assembly

| Design Parameter | | Conventional Nanoscale Dogma (Rigid Linkers) | | MIT Spontaneous-Valency Platform (Flexible Chargers) | | Practical Engineering Advantage |

| Particle Starting Geometry | | Requires complex faceted shapes (cubes, octahedra) or pre-stamped "patchy" surfaces | | Simple, uniform spherical nanoparticles (isotropic cores) | | Eliminates expensive, low-yield multi-step lithography or patchy particle synthesis |

| Molecular Connector Type | | Short, stiff DNA duplexes or rigid organic struts locked into fixed lengths | | Long, ultra-flexible synthetic copolymer brushes with hydrogen-bonding & charged groups [2] | | Synthetic polymers can be mass-produced at gram-to-kilogram industrial scales |

| Typical Neighbor Count (Valency) | | High-density close-packing (8 to 12 neighbors : FCC, BCC, or HCP lattices) | | Tunable low-density networks (3 to 6 neighbors) with broken-symmetry open pores | | Unlocks low-density crystal symmetries previously thought impossible for round spheres |

| External Tuning Knob | | Requires synthesizing a brand-new batch of DNA or ligand molecules for each crystal type | | Dialed dynamically in solution via ionic strength (salt), solvent polarity, and charge ratio [1] | | A single batch of nanoparticles can be switched into multiple distinct crystal phases |

| Thermal & Solvent Stability | | Fragile; DNA-linked lattices often dissolve outside narrow room-temperature water buffers | | Compatible with organic solvents, high temperatures, and solid-state polymer processing [2, 4] | | Enables durable coatings, optical lenses, and catalytic membranes for real-world devices |

Why Low-Density Nanoparticle Superlattices Matter for Technology

By pairing laboratory small-angle X-ray scattering (SAXS) and electron microscopy at MIT with coarse-grained molecular dynamics computer simulations developed by Arthi Jayaraman's group at the University of Delaware [1] , the team mapped out a predictive "design phase diagram." By adjusting just three simple variables -- polymer chain length (flexibility) , attractive bond strength , and electrostatic repulsion -- engineers can dial in the exact number of neighbors each nanoparticle adopts.

This ability to mass-produce open, low-density crystal lattices from simple round particles opens doors across four major fields:

* Next-Generation Photonics and Metamaterials: Open crystal lattices such as the diamond cubic lattice (where each particle bonds to exactly 4 neighbors in a tetrahedral pyramid) create a complete photonic bandgap -- a structure that acts for light waves the way a semiconductor silicon chip acts for electrons, enabling ultra-fast optical switches, anti-reflective coatings, and high-efficiency solar light traps.

* High-Efficiency Chemical Catalysis : In industrial catalysis, chemical reactions occur only on the exposed surfaces of metal or oxide nanoparticles. Tightly packed 12-neighbor crystals bury most of their active surface area inside the bulk, whereas open, low-valency frameworks leave nanopores wide open so reactant gases and liquids can flow freely through the crystal interior [4] .

* Targeted Medicine and Agricultural Delivery: Because the charged polymer links respond directly to subtle shifts in local pH and salt concentration, low-density

nanoparticle networks can hold therapeutic proteins or agricultural nutrients inside spacious nanoscale cages and release them only when triggered by the chemical environment of a target tissue or plant root zone.

References & Primary Sources

* [1] Sbalbi, N., Jayaraman, A., Macfarlane, R. J., et al. (2026). Breaking symmetry in nanoparticle superlattices via spontaneous valency. Nature Materials. -- https://doi.org/10.1038/s41563-026-02787-0

* [2] Santos, P. J., Gabrys, P. A., Zornberg, L. Z., Lee, M. S., & Macfarlane, R. J. (2021). Macroscopic materials assembled from nanoparticle superlattices. Nature, 591(7851), 586-591. -- https://doi.org/10.1038/s41586-021-03355-z

* [3] Macfarlane, R. J., Lee, B., Jones, M. R., Harris, N., Schatz, G. C., & Mirkin, C. A. (2011). Nanoparticle superlattice engineering with DNA. Science, 334(6053), 204-208. -- https://doi.org/10.1126/science.1210493

* [4] Massachusetts Institute of Technology (MIT) Department of Materials Science and Engineering -- Macfarlane Lab Research Overview. -- https://dmse.mit.edu/