Space & Astronomy | Nov 9, 2026 | 5 min read | By Bryan White

NASA Opens New Astronaut Recruitment Cohort for Sustained Lunar Surface Living Under the Artemis Campaign

Space & Astronomy * Planetary Science * Orbital Mechanics

NASA has opened applications for a new class of astronaut candidates trained not merely to visit space, but to live, work, and conduct field science inside long-term habitats on the surface of the Moon [1, 2] . With the application window closing on December 3, 2026 , the agency aims to expand its active corps of roughly 32 astronauts to meet the accelerating operational demands of the Artemis campaign -- marking a historic shift from brief, multi-day lunar landings to sustained human presence near the Moon's south pole and eventual crewed expeditions to Mars [1, 2] .

Who Qualifies for the Lunar Generation -- and Why Clinical Care Joined the Roster

Selecting an astronaut cohort is one of the most competitive scientific recruitment processes in the world: NASA's previous call drew more than 8,000 applicants for just 10 candidate seats, an acceptance rate near 0.12% [1] . Finalists from the 2026 recruitment drive are scheduled to be announced in late 2027 and will report to NASA's Johnson Space Center in Houston, Texas, in early 2028 for roughly two years of full-time foundational training [1] .

To apply, candidates must be U.S. citizens who pass NASA's long-duration spaceflight physical and hold an accredited master's degree in a science, technology, engineering, or mathematics (STEM) discipline, paired with at least three years of progressively responsible professional experience (or at least 750 pilot-in-command hours in high-performance jet aircraft) [1] . Applicants can also qualify through a Doctor of Medicine (M.D.) or Doctor of Osteopathic Medicine (D.O.) degree, two years of doctoral STEM coursework, or graduation from an accredited test-pilot school [1] . Notably, NASA recently broadened its qualifying STEM roster to include master's-level nursing degrees -- a practical signal that multi-week or multi-month stays on a distant lunar base will require hands-on clinical care, wound management, and emergency medical autonomy far from Earth hospital rooms [1, 5] .

Once in Houston, recruits train across four core pillars designed to simulate surface operations before ever boarding a rocket [1, 2] :

* Underwater Spacewalk Choreography: Practicing suited repairs and tool handling inside the Neutral Buoyancy Laboratory, an indoor pool where weighted spacesuits mimic reduced gravity.

* Field Geology in Volcanic Terrains: Reading rock layers, collecting uncontaminated core tubes, and identifying impact melt rocks across analogs in Arizona, New Mexico, and Iceland.

* Robotics and Habitat Systems: Operating robotic arms, pressurized rovers, closed-loop life-support recyclers, and surface power grids.

* High-Stakes Crew Resource Management: Flying supersonic T-38 jets to build

split-second teamwork under mechanical stress.

Why the Lunar South Pole Is Built for Long-Term Living

Between 1969 and 1972, the six Apollo landing crews touched down near the Moon's sunlit equator, staying on the surface for at most three days. Under the Artemis architecture, future astronauts are headed instead for rugged highlands around the lunar south pole , where orbital mechanics creates two side-by-side resources essential for a permanent outpost [2, 4] .

Because the Moon's spin axis is tilted by only 1.54 deg relative to its path around the Sun (compared with Earth's 23.4 deg seasonal tilt), sunlight skims almost horizontally across the polar horizon year-round. High mountain ridges and crater rims stand bathed in sunlight for more than 80% to 90% of the lunar year, allowing vertical solar arrays to generate steady electricity without enduring the freezing two-week-long nights experienced at the lunar equator [2] .

Just kilometers below those sunlit rims sit permanently shadowed regions (PSRs) -- deep crater floors where direct sunlight has not reached for billions of years and surface temperatures remain locked below 163 deg C (110 K) [4] . Using near-infrared light reflected inside these dark "cold traps," NASA's Moon Mineralogy Mapper instrument confirmed direct exposures of water ice (H 2 O) mixed at concentrations up to roughly 30% by weight in south polar craters such as Shackleton, Haworth, Shoemaker, and Sverdrup [4] . Through in-situ resource utilization (ISRU) -- the engineering practice of "living off the land" rather than launching every kilogram of supplies from Earth -- lunar crews can melt and purify polar ice for drinking water, split H 2 O molecules with solar electricity into breathable oxygen (O 2) and hydrogen (H 2) rocket propellant, and sinter local soil into landing pads [2, 4] .

| Environmental / Mission Factor | | Apollo Equatorial Visits (1969-1972) | | International Space Station (Low Earth Orbit) | | Artemis South Pole Base Era (2028+) |

| Surface Gravity | | 1/6 Earth gravity (1.62 m/s 2) for <= 3 days | | Weightless microgravity (~0 g freefall) for ~6 months | | 1/6 Earth gravity (1.62 m/s 2) across weeks to months [2] |

| Ionizing Radiation Dose | | Brief transit through Van Allen belts | | Partially shielded inside Earth's magnetic field | | ~1.37 mSv/day (~60 uSv/h) unshielded on surface; requires regolith/water shelters [3] |

| Sunlight & Power Cycle | | 14 Earth days of sun followed by 14 days of night | | 45 minutes daylight / 45 minutes orbital shadow | | Near-continuous grazing sunlight on high polar crater rims [2, 4] |

| Dust & Soil Hazard | | Short-term suit abrasion and cabin "gunpowder" odor | | Filtered indoor air; zero planetary surface dust | | Repeated spacewalks in electrostatically clinging, glass-sharp regolith [5, 6] |

| Medical Evacuation Window | | ~3 days back to Earth splashdown | | Hours to return to Earth in an emergency capsule | | ~3-5 days minimum return transit; high on-site clinical autonomy [1, 5] |

Three Everyday Physical Challenges of Living on the Moon

Living on another world introduces daily physical realities that astronauts aboard the weightless International Space Station never encounter at full scale:

* Moving and Staying Healthy in One-Sixth Gravity: Lunar gravity is 1.62 m/s 2 -- roughly 16.5% of Earth's 9.81 m/s 2 pull. Coffee stays in a cup and dropped tools fall to the floor, though two and a half times more slowly than on Earth. Walking feels unfamiliar because lighter body weight lowers boot traction and alters leg swing, favoring loping strides. Because scientists still do not know whether one-sixth gravity prevents bone loss and muscle atrophy over multi-month stays, lunar habitats will include compact resistance-exercise gear and cardiovascular monitoring [2] .

* Shielding Against Deep-Space Radiation: Unlike Earth, the Moon lacks both a global magnetic field and an atmospheric shield. Surface measurements from the Lunar Lander Neutrons and Dosimetry instrument aboard Chang'e-4 recorded a steady biological radiation dose equivalent of roughly 60 microsieverts per hour (uSv/h) , or 1.37 millisieverts per day -- over 200 times sea-level background radiation on Earth and 5 to 10 times higher than a transatlantic flight [3] . Crews face steady galactic cosmic rays (fast atomic nuclei from distant supernovae) alongside sudden solar particle events (proton storms from solar flares), requiring water-lined storm shelters and packed soil shielding overhead [3] .

* Outsmarting Glass-Sharp, Static-Charged Lunar Dust: Without wind or rain to round rock grains, billions of years of tiny meteoroid impacts -- called space weathering -- shatter lunar rock into powdery regolith [5, 6] . Each microscopic grain is jagged like crushed glass and carries static electric charges from ultraviolet sunlight and solar wind, making it cling stubbornly to spacesuits, seals, and skin [5] . Inhaled indoors, ultrafine dust can irritate airways ("lunar hay fever") and pose silica-like lung risks, prompting NASA to design external suit-port airlocks and electrodynamic dust shields [5, 6] .

A Three-Day Proving Ground for Voyages to Mars

Beyond unlocking the Moon's 4.5-billion-year geological archive of the early Earth-Moon system, sustained lunar base operations serve as humanity's dress rehearsal for Mars [1, 2] . When an air scrubber clogs or a crew member suffers an injury on the Moon, mission control is only a 1.3-second radio delay and a three-to-five-day spacecraft flight away. On Mars, radio messages take up to 22 minutes each way and orbital alignments lock crews into two-to-three-year round trips with zero possibility of rapid rescue [2] . By recruiting scientists, engineers, pilots, and clinical healthcare specialists now, NASA's 2028 astronaut class will test the habitats, closed-loop water recyclers, nuclear and solar microgrids, and dust-proof spacesuits required to make human life durable beyond low Earth orbit [1, 2] .

References & Primary Sources

* [1] National Aeronautics and Space Administration (NASA). (2026). Become an Astronaut: Artemis Generation Astronaut Candidate Recruitment & Qualification

Standards (Application Window Closing December 3, 2026). NASA Johnson Space Center. -- https://www.nasa.gov/humans-in-space/astronauts/become-an-astronaut/

* [2] National Aeronautics and Space Administration (NASA). (2026). Artemis Campaign Overview: Sustained Lunar Surface Exploration and Moon-to-Mars Architecture. NASA Exploration Systems Development Mission Directorate. -- https://www.nasa.gov/humans-in-space/artemis/

* [3] Zhang, S., Wimmer-Schweingruber, R. F., Yu, J., Wang, C., Fu, Q., Zou, Y., Sun, Y., Wang, C., Hou, D., B ttcher, S. I., Burmeister, S., Seimetz, L., Schuster, B., Knierim, V., Shen, G., Yuan, B., Lohf, H., Guo, J., Xu, Z., Freiherr von Forstner, J. L., Kulkarni, S. R., Xu, H., Xue, C., Li, J., Zhang, Z., Zhang, H., Berger, T., Matthi , D., Hellweg, C. E., Hou, X., Cao, J., Chang, Z., Zhang, B., Chen, Y., Geng, H., & Quan, Z. (2020). First measurements of the radiation dose on the lunar surface. Science Advances, 6(39), eaaz1334. -- https://doi.org/10.1126/sciadv.aaz1334

* [4] Li, S., Lucey, P. G., Milliken, R. E., Hayne, P. O., Fisher, E., Williams, J.-P., Hurley, D. M., & Elphic, R. C. (2018). Direct evidence of surface exposed water ice in the lunar polar regions. Proceedings of the National Academy of Sciences, 115(36), 8907-8912. -- https://doi.org/10.1073/pnas.1802345115

* [5] Scheinkman, R., Janmohamed, S. R., Ginsburg, S., Houk, G., Gwillim, E., & Ginzburg, E. (2024). Lunar dust dermatologic considerations for NASA's Artemis program and the Gateway space station: A narrative review. Archives of Dermatological Research, 316, 658. -- https://doi.org/10.1007/s00403-024-03639-0

* [6] Linnarsson, D., Carpenter, J., Fubini, B., Gerde, P., Karlsson, L. L., Loftus, D. J., Prisk, G. K., Staufer, U., Tranfield, E. M., & van Westrenen, W. (2012). Toxicity of lunar dust. Planetary and Space Science, 74(1), 57-71. -- https://doi.org/10.1016/j.pss.2012.05.023