

Climate & Earth Systems | Jun 26, 2026 | 22 min read | By Bryan White

Planetary Waves and Pressure Systems: A Case Study of the June 2026 Heat Dome

Environment * Public Health * Urban Environment

Introduction to the June 2026 Synoptic Anomaly

In late June 2026, the continental United States experienced a severe and highly anomalous meteorological event characterized by the consolidation of two distinct atmospheric high-pressure systems[1]. Forecast models identified a localized heat dome firmly established over the Deep Southwest and a secondary, distinct high-pressure ridge situated over the subtropical Atlantic Ocean[3]. As the synoptic pattern evolved, these two independent systems were projected to collide and merge over the eastern United States, generating a unified, continental-scale heat dome of historic proportions[3].

The immediate atmospheric consequence of this ridge merger was a forecasted period of extreme thermal stress stretching from the Gulf Coast to the Southern Great Lakes, heavily impacting regions such as the Great Plains, the Ohio Valley, and the Southeast[3]. Projections indicated that major urban centers, including Chicago and Detroit, would experience heat index values exceeding 100 degrees Fahrenheit, while specific localized regions within the Mississippi River Valley could witness heat indices peaking near 115 degrees Fahrenheit[1]. Concurrently, regions already trapped beneath the initial southwestern system -- such as Phoenix, Tucson, and El Paso -- endured persistent Extreme Heat Warnings with ambient dry-bulb temperatures frequently eclipsing 106 degrees Fahrenheit[2].

While heat waves are a well-documented climatological feature of the North American summer, the specific synoptic evolution of the June 2026 event highlights complex atmospheric dynamics that warrant rigorous academic examination. Analyzing this event requires a nuanced understanding of upper-level geopotential heights, the physics of adiabatic compression, planetary wave resonance, and the exacerbating effects of land-surface feedback loops. Furthermore, evaluating the true public health threat of such an event necessitates a paradigm shift from standard ambient temperature measurements to comprehensive physiological heat stress metrics. This analysis explores the fundamental meteorological mechanisms driving the formation, consolidation, and persistence of extreme heat domes, utilizing the June 2026 event as a primary case study for atmospheric behavior in a warming global climate.

The Physical Mechanisms of a Heat Dome

In meteorological literature, the colloquial term "heat dome" describes an intense, slow-moving, or stationary high-pressure atmospheric system -- formally referred to as an anticyclone or a blocking ridge -- that traps hot air near the Earth's surface for an extended duration[6]. To comprehend the severity of these systems, it is necessary to examine the thermodynamic and kinematic processes operating within the middle and lower troposphere.

Geopotential Heights and Tropospheric High Pressure

In synoptic analyses, the presence and strength of a heat dome are frequently quantified by measuring geopotential heights at the 500-hectopascal pressure level, which represents the middle of the troposphere[8]. A strong positive anomaly in the 500-hectopascal height field indicates that the atmospheric column below that level is significantly warmer than average. Because warm air is less dense than cold air, the entire atmospheric column expands, causing the 500-hectopascal pressure surface to rise to a higher altitude[8].

When these anomalous high-pressure ridges remain stationary, they exert a profound influence on the polar jet stream -- the fast-moving river of upper-level air that typically drives transient weather systems from west to east[7]. The ridge acts as a physical barrier in the atmosphere, diverting the jet stream far to the north[11]. This frequently results in an Omega block, named for the upper-air flow pattern that resembles the Greek letter Omega[6]. This blocking pattern effectively creates a stagnation zone, preventing cooler, dynamic weather systems from penetrating the region and locking the underlying air mass in place for days or weeks[6].

Adiabatic Warming and Subsidence

The primary thermodynamic driver of extreme surface temperatures within a heat dome is large-scale subsidence, which is the vertical sinking of air masses[13]. In the center of a strong anticyclone, converging air in the upper troposphere is forced downward toward the surface. As this air descends into regions of higher atmospheric pressure near the ground, it undergoes a process known as adiabatic compression[6].

During adiabatic compression, the descending air is squeezed into a smaller volume. Because the process occurs relatively quickly, there is minimal exchange of heat with the surrounding environment; instead, the work done on the gas to compress it increases the kinetic energy of the gas molecules[6]. This results in a direct and significant increase in the temperature of the air mass. This compressional heating is responsible for warming the atmospheric column profoundly[16].

This descending, warming air creates a persistent subsidence inversion -- a layer in the lower atmosphere where the temperature actually increases with height, rather than decreasing as is typical[6]. This inversion acts as an impermeable cap or lid over the region[6]. This cap entirely suppresses upward atmospheric convection, trapping terrestrial thermal energy, humidity, and atmospheric pollutants within the planetary boundary layer, while simultaneously preventing the vertical cloud development necessary for precipitation[6].

Diabatic Heating and Insolation

The secondary consequence of suppressed convection and widespread subsidence is the nearly complete clearing of the skies[6]. Without cloud cover to reflect incoming solar radiation back into space, the Earth's surface absorbs maximum shortwave radiation[7]. This absorbed energy is then re-emitted as sensible heat, warming the lowest levels of the atmosphere from the bottom up[13]. The combination of top-down adiabatic warming from subsidence and bottom-up diabatic heating from uninterrupted insolation generates a self-sustaining cycle of extreme thermal accumulation,

characteristic of the most severe historical heat dome events[6].

The Anatomy of Ridge Consolidation

A distinguishing feature of the late-June 2026 forecast was the anticipated merger of two independent heat domes -- one originating over the Deep Southwest and another over the subtropical Atlantic[3]. The consolidation of atmospheric ridges is a complex kinematic process driven by upper-level planetary wave interactions and synoptic-scale eddy dynamics.

Eddy Vorticity Forcing and Rossby Wave Breaking

The mid-latitude atmosphere is dominated by Rossby waves, which are massive, meandering planetary waves driven by the Earth's rotation and latitudinal temperature gradients[18]. The interaction between a pre-existing high-pressure ridge and incoming transient weather systems, known as synoptic eddies, determines whether the ridge will dissipate, remain stationary, or amplify and merge with neighboring systems[20].

According to nonlinear multiscale interaction models, synoptic eddies traveling from upstream regions can reinforce a blocking flow through a mechanism known as eddy vorticity forcing[20]. When the spatial structure of this forcing aligns optimally, it resonantly excites the blocking event, transferring eddy energy directly into the incipient block[20]. During periods of intense upper-level stagnation, two separate anticyclonic vortices can attract one another and merge as the overall blocking pattern intensifies, effectively consolidating two smaller ridges into a single, highly amplified continental heat dome[20].

Warm Conveyor Belt Outflows

The amplification and merging of upper-level ridges are also heavily influenced by the behavior of Warm Conveyor Belts. A Warm Conveyor Belt is a primary airstream associated with extratropical cyclones that transports immense amounts of sensible and latent heat from the lower troposphere up to the tropopause[22]. As water vapor condenses within the ascending airstream, massive amounts of latent heat are released into the upper atmosphere.

The divergent outflow of this heated air at the upper levels of the troposphere can aggressively interact with the existing atmospheric waveguide[22]. Observational research indicates that over fifty percent of tropospheric Warm Conveyor Belt outflows result in ridge interactions, where the diabatic outflow enters and expands a pre-existing downstream ridge[22]. This process, termed ridge building, deflects the jet stream further poleward, deepens the anticyclonic circulation, and acts as a primary catalyst for initiating atmospheric blocking and facilitating the merger of adjacent high-pressure systems[22].

Thermodynamic Amplification via Land-Atmosphere Feedbacks

While atmospheric kinematics establish the framework for a heat dome, the ultimate severity of surface temperatures is heavily dictated by terrestrial conditions. The interaction between the land surface and the lower atmosphere represents a critical positive feedback loop that can escalate a standard heat wave into a historically

significant extreme event[14].

The Role of Soil Moisture Deficits

The hydrologic state of the soil acts as a primary thermal regulator for the planetary boundary layer. Under normal conditions with adequate soil moisture, a substantial portion of incoming solar radiation is expended on the process of evaporation and plant transpiration[25]. This phase change of liquid water to water vapor consumes thermal energy, converting it into latent heat. Latent heat adds moisture to the air but does not raise the ambient dry-bulb temperature, providing a natural transpirational cooling effect across the landscape[25].

However, when a heat dome persists, the combination of intense solar radiation, high temperatures, and lack of precipitation rapidly evaporates available surface water, leading to a condition known as a flash drought[13]. Once the soil moisture is completely depleted, the partition of surface energy fluxes shifts dramatically. Without water to evaporate, nearly one hundred percent of the incoming solar energy is converted directly into sensible heat flux, which aggressively heats the lower atmosphere[13].

Preconditioning in the Western United States

The June 2026 atmospheric blocking scenario was severely exacerbated by exactly this type of land-atmosphere feedback. In the months preceding the June event, the western United States had already been experiencing significant desiccation. This was highlighted by the critical shrinking of the Colorado River's headwaters, which serves as a vital hydrological lifeline for tens of millions of people and millions of acres of farmland across the Southwest[27].

The preexisting drought conditions ensured that the landscape offered almost no evaporative cooling resistance to the descending heat dome[29]. Data from the National Oceanic and Atmospheric Administration's Climate Prediction Center earlier in the year demonstrated the expansive nature of this preconditioning drought across the Intermountain West.

State	Percentage of Land Affected by Drought (Early 2026)
Utah	98 percent
New Mexico	82 percent
Wyoming	79 percent
Montana	67 percent
Colorado	64 percent
Idaho	63 percent

Table 1: Percentage of drought-affected land across key Western states contributing to preconditioned soil moisture deficits[29].

Studies of previous extreme events, such as the 2021 Pacific Northwest Heat Dome and the 2010 Russian Heatwave, confirm that antecedent atmospheric states often create critical soil moisture deficits weeks before the peak of the heatwave[13]. This preconditioning ensures that when the core of the anticyclone finally settles over a

region, the dry soils trigger an immediate nonlinear amplification of lower atmospheric warming[15]. The hotter the air gets, the more it desiccates the soil and surrounding vegetation, which in turn leads to even hotter air -- a mutually reinforcing cycle of severe heat and dryness[7].

Quasi-Resonant Amplification in a Changing Climate

The unusual persistence, intensity, and frequency of modern heat domes cannot be fully explained by localized synoptic meteorology or soil moisture alone. Recent atmospheric research has identified a hemispheric-scale dynamic mechanism responsible for locking these extreme patterns in place: the Quasi-Resonant Amplification of planetary waves[15].

The Mechanics of Planetary Wave Resonance

Under standard atmospheric conditions, free synoptic-scale waves and forced planetary-scale Rossby waves propagate independently along the mid-latitude jet stream[18]. However, under specific conditions -- often characterized by a double-jet structure and a steep, narrow subtropical jet -- these atmospheric waves can achieve a state of resonance[30].

During a Quasi-Resonant Amplification event, quasi-stationary planetary waves with specific zonal wave numbers (typically wave numbers six through eight) become effectively trapped within the mid-latitude atmospheric waveguide[19]. Because the waves become trapped and their phase velocity drops to near zero, they cease their normal migration from west to east[30]. The resonance dramatically amplifies the amplitude of the waves, causing the jet stream's northward ridges and southward troughs to become vastly exaggerated and completely immobilized[11]. The regions trapped beneath the amplified northward ridges experience prolonged, unyielding heat domes, while regions in the troughs often experience persistent heavy precipitation[16].

Anthropogenic Drivers of Wave Stagnation

The scientific community has established a robust link between human-caused global warming, Arctic amplification, and the increasing frequency of Quasi-Resonant Amplification events[16]. Climate models and long-term observational data indicate that the Arctic is warming at a significantly faster rate than the equatorial regions[17]. This disproportionate warming fundamentally reduces the overall latitudinal temperature gradient between the equator and the North Pole.

Because this temperature gradient is the primary thermodynamic fuel driving the polar jet stream, a weakened gradient results in a slower, weaker, and more highly meandering jet stream[17]. A slower jet stream is inherently more susceptible to large north-south deviations and is far more likely to become trapped in the resonant patterns associated with Quasi-Resonant Amplification[17].

Observational evidence demonstrates a statistically significant positive trend in the occurrence of Quasi-Resonant Amplification events during boreal summers. Data indicates that the frequency of these resonant events has tripled, rising from roughly one event per year in the 1950s to approximately three events per year in the modern era[30]. This profound shift in atmospheric dynamics suggests that the

massive, consolidated heat domes forecasted for June 2026 are not merely anomalous weather events, but highly predictable symptoms of a fundamental structural change in planetary circulation induced by greenhouse gas forcing[31].

Assessing Human Risk: Heat Index versus Wet-Bulb Globe Temperature

As the combined heat domes of June 2026 threatened to engulf the eastern half of the United States, public health and meteorological agencies issued stark warnings regarding heat index values exceeding 100 to 115 degrees Fahrenheit in areas like Chicago, Detroit, and the Mississippi Valley[1]. However, evaluating the true physiological threat of such an extreme environmental phenomenon requires utilizing advanced biometeorological metrics that accurately capture the human body's ability to cool itself under intense conditions.

Limitations of the Heat Index

The conventional Heat Index, developed by the United States National Weather Service, combines ambient air temperature (the dry-bulb temperature) and relative humidity to estimate how hot the air generally feels to the average human[33]. The human body maintains its core temperature primarily through the evaporation of sweat. When atmospheric humidity is high, the evaporation rate slows, severely limiting the body's ability to dissipate thermal energy[35].

While useful for general public awareness, the Heat Index possesses critical limitations in occupational, athletic, and severe weather applications. Most notably, the mathematical formula for the Heat Index assumes the subject is standing in the shade with a light breeze[34]. It also makes broad assumptions regarding the subject's body mass, clothing, and individual heat tolerance[35]. During a severe heat dome event, where cloud cover is completely eradicated and downward solar radiation is absolute, relying solely on a shade-based metric can underestimate the thermal threat by upward of fifteen degrees Fahrenheit, posing a potentially lethal risk to outdoor workers, agricultural laborers, and vulnerable unhoused populations[35].

The Wet-Bulb Globe Temperature Standard

To accurately capture environmental heat stress in direct sunlight, industrial hygienists, militaries, and athletic organizations utilize the Wet-Bulb Globe Temperature[33]. Developed in the 1950s by the United States military to prevent heat illness during training, the Wet-Bulb Globe Temperature is an integrated composite index that directly measures four distinct environmental variables: air temperature, humidity, wind speed, and radiant heat[33].

A standard Wet-Bulb Globe Temperature meter utilizes three distinct physical sensors to calculate the final value:

* Natural Wet-Bulb Thermometer: A temperature sensor wrapped in a water-saturated cotton wick. As ambient air flows over the wick, evaporation cools the sensor, directly mimicking the process of human sweating. This measurement heavily accounts for ambient humidity and wind speed and constitutes seventy percent of the final composite calculation[36].

- * Black Globe Thermometer: A thermometer encased in a hollow, matte-black sphere. This sensor measures the direct radiant heat from the sun as well as thermal radiation reflecting off surrounding surfaces, such as asphalt or dry agricultural soil. This component constitutes twenty percent of the final calculation[36].
- * Dry-Bulb Thermometer: A standard thermometer shielded from radiation that measures the true ambient air temperature, making up the final ten percent of the calculation[36].

Heat Stress Metric	Measured Variables	Intended Measurement Environment	Primary Sector Application
Heat Index	Ambient Temperature, Relative Humidity	Calculated for Shade Conditions	General public forecasts, standard meteorology broadcasts
Wet-Bulb Globe Temperature	Ambient Temperature, Humidity, Wind Speed, Radiant Heat	Direct Sunlight	Military operations, athletics, occupational safety (OSHA), extreme weather research

Table 2: Comparison of common heat stress metrics and their respective variables and applications[34].

The Threshold of Survivability

The critical nature of the Wet-Bulb Globe Temperature lies in its ability to identify the absolute physiological limits of the human body. When the ambient environment reaches one hundred percent relative humidity, the wet-bulb temperature equals the dry-bulb temperature[35]. At this point, evaporative cooling entirely ceases.

If the absolute wet-bulb temperature breaches the theoretical threshold of roughly 94 to 95 degrees Fahrenheit (approximately 34.4 to 35 degrees Celsius), the natural cooling mechanism of the human body fails completely[35]. Under these conditions, even a perfectly healthy, fully hydrated individual resting in the shade will be unable to dissipate metabolic heat. Core body temperatures will uncontrollably rise, leading to hyperthermia, heat stroke, organ failure, and eventual mortality within a few hours[35].

The June 2026 forecast of massive heat domes merging over regions like the Mississippi River Valley -- areas historically characterized by abundant surface water, agricultural transpiration, and inherently high humidity -- presented a severe Wet-Bulb Globe Temperature risk[3]. Unlike the arid Southwest, where dry heat allows for highly efficient sweating, the high atmospheric moisture content in the Midwest and South, combined with the extreme adiabatic warming of the heat dome, creates conditions that rapidly approach the ultimate limits of human physiological endurance[3].

Forecasted Impacts and Geographic Distribution of the June 2026 Event

The progression of the June 2026 heat dome complex illustrated the expansive spatial footprint associated with ridge consolidation. Prior to the merger, the initial blocking high was firmly entrenched over the Deep Southwest, prompting continuous

Extreme Heat Warnings through the end of June[2].

Initial Zones of Extreme Thermal Stress

The stagnant synoptic pattern allowed temperatures to build consecutively over several days. Meteorological monitors highlighted several highly vulnerable zones enduring ambient temperatures peaking near 106 degrees Fahrenheit and above, triggering widespread public health alerts[2].

| State || Severely Impacted Municipalities and Regions || Warning Status (Late June 2026) |

| Arizona || Phoenix, Tucson, Yuma, Upper Gila River Valley, Upper San Pedro River Valley || Extreme Heat Warning |

| New Mexico || Las Cruces, Mesilla Valley, Southern New Mexico || Heat Advisory |

| Texas || El Paso, Western Texas, Palo Duro Canyon State Park || Heat Advisory |

Table 3: Geographic distribution of immediate thermal threats beneath the initial southwestern heat dome prior to consolidation[2].

In regions such as Maricopa County, Arizona, where Phoenix experienced unparalleled consecutive days of extreme heat, emergency measures were enacted at the municipal level, including the deployment of free cooling centers, hydration stations, and emergency transportation for vulnerable individuals[2].

Eastern Expansion and System Merger

Following the southwestern stagnation, numerical weather prediction models indicated the eastward propagation of the system. The trough of lower pressure situated between the southwestern heat dome and the subtropical Atlantic ridge began to flatten and weaken, allowing the two anomalous high-pressure systems to bridge and merge over the eastern half of the continent[3].

The resulting combined dome was forecasted to drape across the Great Plains, the Ohio Valley, the Great Lakes, and the Southeastern United States[3]. Due to the injection of Gulf of Mexico moisture into the boundary layer, the thermodynamic profile of the eastern United States shifted drastically. While the ambient dry-bulb temperatures in Chicago and Detroit were not expected to match the absolute maximums of desert environments like Death Valley, the extreme relative humidity drove the forecasted heat index values over 100 degrees Fahrenheit[1].

For the Mississippi River Valley, the collision of top-down compressional heating and massive bottom-up atmospheric moisture loading resulted in projections of heat indices peaking at an extraordinary 115 degrees Fahrenheit[1]. The sudden onset of this eastern ridge consolidation offered local populations very little time for physiological acclimatization -- a biological adaptation process that typically requires ten to fourteen days of gradual exposure to heat stress to become effective[3]. The lack of acclimatization significantly elevated the risk of mass heat-related casualties across the region.

Historical Climatological Context and Attribution

The severity of the June 2026 ridge merger must be evaluated against the backdrop of an exceptionally anomalous year, historical precedents, and an escalating baseline of global atmospheric temperatures.

Comparisons to Historic Extreme Events

Heat domes of this magnitude have profound historical precedents, though their frequency and intensity are shifting. In 1995, a massive heat dome settled over the American Midwest, leading to approximately six hundred heat-related fatalities in the Chicago metropolitan area alone, largely due to high wet-bulb temperatures and inadequate urban cooling infrastructure[7]. Similar stagnant anticyclonic patterns drove the catastrophic European heat wave of 2003 and the Russian heat wave of 2010, both of which resulted in massive agricultural losses and thousands of excess deaths[7].

The June 2026 event most strongly mirrored the dynamics observed during the infamous Pacific Northwest Heat Dome of late June 2021. During the 2021 event, an Omega block configuration established itself over British Columbia and the United States Pacific Northwest, leading to temperatures exceeding 116 degrees Fahrenheit in Portland, Oregon, and shattering the Canadian national temperature record by nearly five degrees Celsius in Lytton, British Columbia[12].

Climate Change Attribution

Extensive analysis by the World Weather Attribution network regarding the 2021 Pacific Northwest event provided a sobering statistical baseline for modern heat domes. Utilizing advanced climate models to compare the current climate to a pre-industrial baseline, researchers concluded that the extremity of the 2021 heat dome would have been virtually impossible without the influence of human-caused climate change[12].

The statistical analysis determined that even in today's warmed climate, the core of the 2021 heat dome represented a one-in-one-thousand-year event[12]. Furthermore, anthropogenic warming made the event at least one hundred and fifty times more likely to occur, and nearly four degrees Fahrenheit hotter than it would have been in a pre-industrial atmosphere[12].

The 2026 anomaly followed a similar trajectory. Earlier in the year, an unprecedented cool-season heat dome shattered records across the western United States during March 2026[29]. An amplified 500-hectopascal ridge established itself over the Great Basin, completely splitting the jet stream and resulting in temperatures fifteen to thirty degrees above the historical average for March[29]. In regions such as Phoenix and Flagstaff, the March temperatures did not merely break previous March records; they broke historical records for the month of April, highlighting the extraordinary strength of the adiabatic warming occurring beneath the ridge[29].

As the baseline temperature of the Earth continues to rise due to the accumulation of greenhouse gases, the absolute thermal peaks achieved during these blocking events are pushed further into uncharted territory[16]. While heat domes and

atmospheric blocking are naturally occurring dynamical features of the mid-latitudes, a heat dome forming in 2026 possesses a higher baseline pool of thermal energy to compress and concentrate compared to identical synoptic setups in previous decades[29].

Conclusion

The atmospheric events of late June 2026, characterized by the unprecedented merger of two distinct heat domes over the continental United States, represent a profound intersection of synoptic meteorology, land-surface thermodynamics, and shifting global climatology. The sheer geographic scale and intensity of the event were driven by the combination of mid-tropospheric high-pressure ridging, widespread adiabatic subsidence, and the uninterrupted terrestrial absorption of solar radiation. The kinematic consolidation of the subtropical Atlantic and Deep Southwest ridges was facilitated by the complex dynamics of Rossby wave breaking and the diabatic outflows of upstream weather systems, effectively bridging two distinct anticyclones into a massive continental block.

Crucially, the persistent stagnation of this massive atmospheric block is heavily linked to the phenomenon of Quasi-Resonant Amplification -- a planetary wave resonance mechanism that is becoming increasingly prevalent due to Arctic amplification and a weakening latitudinal temperature gradient. Furthermore, the ultimate severity of the surface temperatures was exacerbated by a destructive land-atmosphere feedback loop, where pre-existing drought conditions and depleted soil moisture converted almost all available solar energy directly into atmospheric sensible heat.

As these compound extreme events become more frequent, evaluating the threat strictly through ambient air temperatures or shade-based Heat Index calculations is dangerously insufficient. The utilization of the Wet-Bulb Globe Temperature is absolutely vital for assessing the true physiological danger of these events, particularly in high-humidity regions like the Mississippi River Valley and the Great Lakes, where conditions can rapidly approach the upper thermodynamic limits of human survivability. The June 2026 ridge merger stands as a stark, empirical indicator of the escalating thermal extremes driven by a warming climate, necessitating urgent advancements in both predictive meteorological modeling and large-scale infrastructural resilience to protect vulnerable populations from future anomalies.

Works Cited

- * r/environment - Reddit, <https://www.reddit.com/r/environment/new/>
- * Heatwave Map Spotlight: Southwestern USA | IQAir Saudi Arabia, <https://www.iqair.com/sa/newsroom/heatwave-map-spotlight-southwestern-usa>
- * Two heat domes will combine to form big US heatwave next week. Places like Chicago and Detroit may see heat index numbers over 100, and some parts of the Mississippi Valley could peak at 115. : r/environment - Reddit, https://www.reddit.com/r/environment/comments/1ufdunh/two_heat_domes_will_combine_to_form_big_us/
- * r/environment - Reddit, <https://www.reddit.com/r/environment/hot/>

- * Heatwave Map Spotlight: Southwestern USA - IQAir,
<https://www.iqair.com/newsroom/heatwave-map-spotlight-southwestern-usa>
- * Heat dome - Wikipedia, https://en.wikipedia.org/wiki/Heat_dome
- * What is a Heat Dome? - Climate Check,
<https://climatecheck.com/risks/heat/what-is-a-heat-dome>
- * 1508. First Scientific Definition of "Heat Dome" Proposed to Improve Understanding and Prediction of Extreme Heat Events | ,
<https://www.jircas.go.jp/en/program/proc/blog/20260602>
- * Visualizing the heat dome forecast for the western US this afternoon [OC] - Reddit,
https://www.reddit.com/r/dataisbeautiful/comments/1eia2a6/visualizing_the_heat_dome_forecast_for_the/
- * Heat dome forecast for the US [OC] : r/dataisbeautiful - Reddit,
https://www.reddit.com/r/dataisbeautiful/comments/1lg5r15/heat_dome_forecast_for_the_us_oc/
- * What is a heat dome and why can it cause extreme heat waves - YouTube,
<https://www.youtube.com/shorts/PrZD52XMELI>
- * Pacific Northwest heat wave would have been "virtually impossible" without climate change, experts say - CBS News,
<https://www.cbsnews.com/news/climate-change-heat-wave-pacific-northwest/>
- * Understanding the vertical temperature structure of recent record-shattering heatwaves, <https://wcd.copernicus.org/articles/5/323/2024/>
- * Contrasting the synoptic drivers of the UK heatwaves of 1976, 2003, 2018 and 2022 - DOI,
https://doi.org/10.1002/wea.70075?urlappend=%3Futm_source%3Dresearchgate.net%26utm_medium%3Darticle
- * Role of atmospheric resonance and land-atmosphere feedbacks as a precursor to the June 2021 Pacific Northwest Heat Dome event | PNAS,
<https://www.pnas.org/doi/10.1073/pnas.2315330121>
- * How a heat dome is formed and why experts blame one for Europe's baking temperatures,
<https://www.wkyc.com/article/syndication/associatedpress/how-a-heat-dome-is-formed-and-why-experts-blame-one-for-europes-baking-temperatures/>
- * Historic heat dome sets yet another climate record in Western US - | Popular Science, <https://www.popsci.com/environment/heat-dome-wave-climate-western-us/>
- * Session AS1.20 - EGU26, <https://www.egu26.eu/session/56275>
- * Role of atmospheric resonance and land-atmosphere feedbacks as a precursor to the June 2021 Pacific Northwest Heat Dome event - PMC,
<https://pmc.ncbi.nlm.nih.gov/articles/PMC10823217/>
- * A nonlinear multiscale interaction model for atmospheric blocking: The eddy blocking matching mechanism - Royal Meteorological Society (RMetS),
<https://rmets.onlinelibrary.wiley.com/doi/10.1002/qj.2337>
- * Resonant Forcing by Solar Declination of Rossby Waves at the Tropopause and Implications in Extreme Precipitation Events and Heat Waves -- Part 2: Case Studies, Projections in the Context of Climate Change - MDPI,

<https://www.mdpi.com/2073-4433/15/10/1226>

* The interaction of warm conveyor belt outflows with the upper-level waveguide: a four-type climatological classification - WCD,
<https://wcd.copernicus.org/articles/6/1195/2025/wcd-6-1195-2025.pdf>

* The interaction of warm conveyor belt outflows with the upper-level waveguide: a four-type climatological classification - WCD,
<https://wcd.copernicus.org/articles/6/1195/2025/>

* Climatological patterns of heatwaves during winter and spring 2023 and trends for the period 1979-2023 in central South America - Frontiers,
<https://www.frontiersin.org/journals/climate/articles/10.3389/fclim.2025.1529082/full>

* A Record-Setting 2021 Heat Wave in Western Canada Had a Significant Temporary Impact on Greenness of the World's Largest Protected Temperate Rainforest - MDPI,
<https://www.mdpi.com/2072-4292/15/8/2162>

* Resonant planetary waves contributed to Pacific Northwest Heat Dome event of 2021,
<https://www.pik-potsdam.de/en/news/latest-news/resonant-planetary-waves-contributed-to-pacific-northwest-heat-dome-event-of-2021/>

* r/environment - Reddit, <https://www.reddit.com/r/environment/top/>

* r/environment - Reddit, <https://www.reddit.com/r/environment/>

* It's so hot in the West that temperatures may even break April records soon,
<https://www.spokesman.com/stories/2026/mar/18/its-so-hot-in-the-west-that-temperatures-may-even-break-april-records-soon/>

* Increased frequency of planetary wave resonance events over the past half-century | PNAS, <https://www.pnas.org/doi/10.1073/pnas.2504482122>

* Heat domes and flooding have nearly tripled since the '50s | Penn Today,
<https://penntoday.upenn.edu/news/extreme-summer-weather-patterns-have-tripled-1950s>

* Climate change and atmospheric dynamics unveil future weather extremes | Penn Today,
<https://penntoday.upenn.edu/news/climate-change-and-atmospheric-dynamics-unveil-future-weather-extremes>

* Wet-bulb globe temperature - Wikipedia,
https://en.wikipedia.org/wiki/Wet-bulb_globe_temperature

* Wet Bulb Globe Temperature - National Weather Service,
<https://www.weather.gov/arx/wbgt>

* Wet-Bulb vs Dry-Bulb Temperature Measurements and Climate Change / ClimateCheck,
<https://climatecheck.com/risks/heat/web-bulb-vs-dry-bulb-temperature-measurements>

* WBGT Monitor & Heat Stress Sensor - cyclonePort,
<https://cycloneport.com/wbgt-monitor-and-heat-stress-sensor/>

* Wet Bulb Globe Temperature: Indicating Extreme Heat Risk on a Global Grid - CentAUR,
<https://centaur.reading.ac.uk/110531/2/GeoHealth%20-%202023%20-%20Brimicombe%20-%20Wet%20Bulb%20Globe%20Temperature%20Risk%20on%20a%20Global%20Grid.pdf>

* A Wet Weather Pattern Expected to Develop for Much of Next Week - LCRA,
<https://www.lcra.org/a-wet-weather-pattern-expected-to-develop-for-much-of-next-week/>

* Rapid attribution analysis of the extraordinary heatwave on the Pacific Coast of

the US and Canada June 2021,

<https://www.worldweatherattribution.org/wp-content/uploads/NW-US-extreme-heat-2021-scientific-report-WWA.pdf>

* The Diabatic Engine Behind March 2026's Record-Shattering Western Heat Dome -

California Water Research,

<https://cah2oresearch.com/2026/03/17/the-diabatic-engine-behind-march-2026s-record-shattering-western-heat-dome/>

* DAILY DIGEST, 3/20: Western heat wave shatters March records, to expand with more

extremes; El Nino on its way and expected to stay for the winter; Tribes and

environmental groups criticize LAO report on updated Bay-Delta Plan; New report on

strengthening Prop 4 implementation - Maven's Notebook,

<https://mavensnotebook.com/2026/03/20/daily-digest-3-20-western-heat-wave-shatters-march-records-to-expand-with-more-extreme/>

* Death Valley reaches 130 degrees, hottest temperature in U.S. in at least 107

years,

<https://www.krem.com/article/weather/death-valley-130-degrees-hottest-temperature-107-years/293-7796ddeb-21b1-4157-ab46-df76>