Space & Astronomy | Nov 22, 2026 | 5 min read | By Bryan White

Quantum Chromodynamics Vacuum Topology Offers a Standard Model Origin for Evolving Dark Energy

Space & Astronomy * Astrophysics

For nearly three decades, the accelerating expansion of the universe has forced cosmologists to invoke dark energy -- most commonly modeled as Einstein's cosmological constant, , or as an undiscovered scalar field permeating all of space. Now, a pair of 2026 peer-reviewed studies by researchers at the University of British Columbia (UBC) and the University of Sheffield -- published in The Astrophysical Journal (Lee et al., 2026) and Physical Review D (van Waerbeke & Zhitnitsky, 2026) -- proposes that cosmic acceleration may not require exotic physics beyond the Standard Model at all. Instead, the researchers argue that dark energy arises naturally from the topological structure of the Quantum Chromodynamics (QCD) vacuum, the quantum-mechanical ground state of the strong nuclear force.

Tested against cosmic microwave background measurements from Planck, the Atacama Cosmology Telescope (ACT), and the South Pole Telescope (SPT-3G), alongside baryon acoustic oscillation (BAO) data from the Dark Energy Spectroscopic Instrument (DESI) and Type Ia supernovae catalogs, the QCD vacuum model reproduces observed cosmic expansion -- including recent hints that dark energy evolves over time rather than remaining strictly constant.

Why the Cosmological Constant Faces Mounting Tension

In the standard CDM cosmological framework, dark energy behaves as a rigid vacuum energy density with a fixed equation-of-state parameter w = 1, meaning its energy density remains unchanging as space expands. Yet na ve quantum field theory calculations of zero-point vacuum fluctuations overshoot the observed dark energy density by roughly 120 orders of magnitude -- the infamous cosmological constant problem.

Adding to that theoretical puzzle, recent large-scale galaxy and BAO surveys -- most notably DESI -- have uncovered intriguing statistical hints that dark energy's equation of state may deviate from w = 1 and evolve over cosmic time. To accommodate time-varying dark energy, theorists typically introduce hypothetical ultralight scalar fields ("quintessence") or modified-gravity parameters, each requiring ad-hoc tuning to match the present-day expansion rate.

| Cosmological Framework | | Physical Origin of Acceleration | | New Particles Required? | | Equation-of-State Behavior |

| Standard CDM | | Fixed cosmological constant ( ) | | No (parameterized constant) | | Rigid w = 1 across all epochs |

| Scalar-Field Quintessence | | Hypothetical slow-rolling cosmic scalar field | | Yes (unobserved ultralight bosons) | | Dynamical w (z) depending on potential tuning |

| QCD Topological Vacuum | | Strong-force topological sectors coupled to expanding

horizon | | No (Standard Model QCD only) | | Dynamical vacuum shift matching DESI + CMB constraints |

How QCD Vacuum Topology Generates a Cosmic-Scale Shift

Building on theoretical foundations developed by UBC physicist Ariel Zhitnitsky, the new framework focuses on a subtle feature of Quantum Chromodynamics -- the gauge theory governing quarks and gluons inside protons and neutrons. Even in "empty" space devoid of real particles, the QCD vacuum is a rich medium filled with gluon condensates and distinct topological sectors separated by non-perturbative tunneling configurations.

In flat, infinite Minkowski spacetime, those topological fluctuations cancel out cleanly. In an expanding universe bounded by a finite cosmological horizon of radius $L \sim c / H$ (where H is the Hubble parameter), however, boundary effects and contact interactions with the horizon break that exact cancellation. As the universe expands and the horizon scale shifts, the QCD vacuum responds globally, generating a small residual vacuum energy density proportional to the QCD energy scale (QCD ~ 100-200 MeV) divided by the cosmological horizon scale.

Remarkably, combining the well-measured QCD scale with the current Hubble horizon naturally lands in the ballpark of the observed dark energy density today -- without invoking supersymmetry, extra spatial dimensions, or fine-tuned scalar potentials.

Benchmarking Against DESI, Planck, ACT, and Supernovae

In The Astrophysical Journal study Evolving Dark Energy Is Vacuum Energy After All , Lee and collaborators joined forces with University of Sheffield cosmologists to confront the QCD vacuum model with modern multi-probe cosmological datasets. Rather than behaving as a static term, a horizon-coupled QCD vacuum energy naturally varies as the Hubble expansion rate changes from the early radiation- and matter-dominated eras into the present accelerating epoch.

When fitted jointly to cosmic microwave background anisotropy spectra (Planck, ACT, and SPT-3G), DESI BAO distance-redshift measurements, and Type Ia supernova luminosity distances, the QCD framework achieved a competitive statistical fit while naturally reproducing the mild dynamical evolution hinted at in recent DESI analyses. Because the vacuum response depends directly on known Standard Model scales and cosmic geometry, it sidesteps many of the "coincidence" and fine-tuning objections leveled against phenomenological dark energy models.

Next-Generation Telescopes Will Test the Standard Model Hypothesis

Crucially, the QCD dark energy proposal makes concrete, falsifiable predictions for how cosmic expansion and structure growth behave across redshift. Unlike a pure cosmological constant, a dynamically evolving vacuum energy leaves subtle imprints on the late-time integrated Sachs-Wolfe effect , weak gravitational lensing , and the baryon acoustic oscillation ruler across intermediate redshifts ($z \sim 0.3$ to 2.0).

Upcoming data releases from DESI, the European Space Agency's Euclid mission, and the Vera C. Rubin Observatory's Legacy Survey of Space and Time (LSST) will tighten

constraints on dark energy's equation-of-state evolution by an order of magnitude. If those observations confirm that cosmic acceleration is indeed evolving along the trajectory predicted by QCD horizon-vacuum coupling, one of cosmology's deepest mysteries may turn out to be rooted not in exotic new physics, but in the familiar strong nuclear force binding atomic nuclei together.

References & Primary Sources

* [1] Lee, D. H., et al. (2026). Evolving Dark Energy Is Vacuum Energy After All. The Astrophysical Journal. -- https://doi.org/10.3847/1538-4357/aeb9cc

* [2] van Waerbeke, L., & Zhitnitsky, A. (2026). DESI results and dark energy from QCD topological sectors. Physical Review D. -- https://doi.org/10.1103/16mj-vjg9

* [3] Zhitnitsky, A. R. (2011). Entropy, contact interaction with horizon, and dark energy. Physical Review D, 84, 124008. -- https://doi.org/10.1103/physrevd.84.124008

* [4] University of British Columbia (UBC) -- Official Research Portal. -- https://www.ubc.ca/