Ecology & Evolution | Jan 3, 2026 | 8 min read | By Bryan White

Regenerative Otology: Why PhonoGraft Could Change the Standard of Eardrum Repair

Biology * Public Health * Robotics

The Global Burden of Tympanic Perforations

The tympanic membrane (TM), or eardrum, serves as both an anatomical barrier shielding the middle ear mucosa from pathogens and a precision acoustic transducer coupling airborne sound waves to the ossicular chain. Tympanic membrane perforations (TMPs) affect millions of individuals globally each year, arising from chronic suppurative otitis media (CSOM), mechanical or barotrauma, and blast overpressure injuries.[1][6] This clinical vulnerability gained acute prominence following the April 15, 2013 Boston Marathon bombings, when explosive pressure waves left scores of survivors with complex, non-healing perforations.[6][11] For over seven decades since Wullstein and Zoellner systematized tympanoplasty in the 1950s, the surgical standard of care has relied on patching perforations with autologous tissues -- primarily temporalis fascia or tragal cartilage.[1][2]

Despite widespread adoption, autologous tympanoplasty suffers from four structural drawbacks: (1) acoustic impedance mismatch, as randomly oriented fascia or thick, rigid cartilage dampens high-frequency vibrations and leaves residual air-bone gaps;[2][3] (2) donor-site morbidity from secondary incisions required to harvest tissue;[10] (3) surgical invasiveness, requiring 60 to 150 minutes of operating room time under general anesthesia via post-auricular incisions costing $10,000-30,000;[10][15] and (4) graft failure or reperforation in 10-20% of procedures.[1][4] Seeking a regenerative alternative after treating Boston Marathon survivors, Massachusetts Eye and Ear otolaryngologists Dr. Aaron Remenschneider and Dr. Elliott Kozin partnered with Professor Jennifer Lewis and Dr. Nicole Black at Harvard's Wyss Institute to create PhonoGraft -- a 3D-bioplotted, biodegradable elastomer scaffold engineered to guide native tissue remodeling and enable incision-free, office-based eardrum repair.[6][7]

Bio-Acoustic Architecture and Elastomer Material Science

Replicating the eardrum requires matching a biological structure tuned by evolution to solve the air-to-cochlear-fluid impedance mismatch, which otherwise reflects 99.9% (~30 dB) of incoming acoustic energy. The primary vibrating surface of the eardrum, the pars tensa, is a trilaminar membrane consisting of an outer epidermal layer, an inner mucosal lining, and an intermediate fibrous lamina propria composed of radiating collagen spokes interwoven with concentric circular rings.[5][11] This anisotropic "wheels-and-spokes" architecture enables the drum to move as a rigid piston below 1 kHz while breaking into complex multimodal vibrations above 3 kHz -- exhibiting a native Young's modulus of ~20-30 MPa.[3][5]

Early prototypes printed from medical-grade silicone failed because silicone is non-biodegradable and bio-inert; host epithelium merely grew over the synthetic sheet without remodeling it, while its solid mass distorted high-frequency sound

conduction.[5][6] To achieve both acoustic biomimicry and guided cellular infiltration, Black and the Lewis Lab formulated a proprietary biodegradable poly(ester urethane) urea (P-PEUU) elastomer ink, commercialized as AlignInk.[6][11]

* Copolymers & Programmed Degradation: By tuning the stoichiometry of rigid hard segments and elastic soft segments alongside hydrolytically labile ester/PEG linkages, P-PEUU matches the ~20 MPa stiffness of the native TM while degrading harmlessly over 3 to 6 months as host cells deposit native collagen.[6][12]

* Direct Ink Writing (3D Bioplotting): Using extrusion-based Direct Ink Writing (DIW) with shear-thinning, high-yield-stress ink, a microscopic nozzle deposits 50-micron filaments into a shallow conical lattice of radial spokes and concentric circular rings.[5][7]

| Feature / Property | | Temporalis Fascia (Standard of Care) | | Tragal Cartilage | | PhonoGraft (P-PEUU Elastomer) |

| Tissue Origin & Harvest | | Autologous muscle fascia; requires post-auricular incision.[1][2] | | Autologous outer-ear cartilage; requires donor incision.[2] | | Synthetic off-the-shelf P-PEUU; zero donor-site morbidity.[6][7] |

| Micro-Architecture | | Random, isotropic collagen fibers | | Thick, rigid isotropic plate | | Anisotropic 3D-printed radial/circular lattice.[5][7] |

| Mechanical Stiffness | | Low / flaccid (prone to retraction) | | Excessively high (mass/stiffness dominated) | | Tuned to native TM (~20 MPa Young's modulus).[3][5] |

| High-Freq. Acoustics (>3 kHz) | | Variable; thickens during scarring | | Poor (acts as low-pass acoustic filter)[3] | | Native-like broadband vibration velocity.[6] |

| Biodegradation & Remodeling | | Passive incorporation; permanent scar | | Permanent cartilage plate persists | | Resorbs over ~3 months via guided regeneration.[6][11] |

| Surgical Setting & Duration | | Operating room; 60-120 mins (General anesthesia)[10] | | Operating room; 60-120 mins (General anesthesia) | | Office transcanal endoscopic; ~20-30 mins (Local).[10] |

Preclinical Validation in the Chinchilla Model

Because mice and rats possess diminutive ear canals and ultrasonic hearing ranges unrepresentative of human acoustics, preclinical evaluation of PhonoGraft relied on the chinchilla (Chinchilla lanigera).[6][13] Chinchillas feature a large tympanic membrane comparable in diameter to the human eardrum and an audiological sensitivity spectrum overlapping human speech frequencies (250 Hz - 4 kHz), making the species standard across auditory and cochlear implant modeling.[14]

In controlled in vivo chronic perforation studies led by Kozin and Remenschneider, PhonoGraft scaffolds demonstrated consistent regenerative and functional fidelity over a three-month recovery period:[5][6]

* Trilaminar Morphological Regeneration: Serial otoendoscopy tracked progressive vascularization and epithelial migration across the porous polymer lattice. By 90 days post-implantation, the synthetic P-PEUU scaffold had largely resorbed --

leaving what Remenschneider termed "merely the ghost of our graft" -- replaced by a translucent, tri-layered neotympanum containing radial and circular collagen fibers aligned strictly along the printed filament tracks.[6]

* Acoustic & Audiological Restoration: Functional assessment via Laser Doppler Vibrometry (LDV) and Auditory Brainstem Response (ABR) confirmed that regenerated eardrums matched native control vibration velocities across low and high frequencies, achieving closure of the conductive Air-Bone Gap (ABG) compared to control grafts.[6][7]

Commercial Translation, FDA Pathway, and Office-Based Otology

Advancing from Harvard's translational biofabrication laboratories, Nicole Black, Lewis, Remenschneider, and Kozin spun out Beacon Bio in 2020 with an exclusive license from Harvard's Office of Technology Development.[7][8] In July 2021, additive manufacturing company Desktop Metal acquired Beacon Bio and integrated it into its healthcare subsidiary, Desktop Health, pairing the PhonoGraft biomaterial platform with EnvisionTEC 3D-Bioplotter hardware.[8][9] Equipped with overhead optical verification cameras, the GMP bioplotting platform serially fabricates uniform grafts with digital traceability aligned with FDA Quality Management Systems.[7][11]

Desktop Health initiated work toward the FDA Class II 510(k) premarket notification pathway, following pre-submission consultations requesting confirmatory human clinical data on biocompatibility, perforation closure rates, and transcanal placement efficacy.[7][11] Following Desktop Metal's subsequent acquisition by Nano Dimension in April 2025 and Desktop Metal's Chapter 11 restructuring later in 2025, ongoing translational progress depends on post-restructuring asset stewardship and clinical trial completion.[7]

| Year / Phase | | Developmental & Regulatory Milestone | | Scientific & Translational Significance |

| 2013 | | Boston Marathon Bombings | | Surge in blast-induced traumatic TMPs catalyzes MEE-Wyss collaboration.[6][11] |

| 2014-2016 | | Biomaterial & Acoustic Prototyping | | Transition from inert silicone to biodegradable P-PEUU; Hearing Research validation.[5] |

| 2018-2020 | | In Vivo Chinchilla Trials | | Histological proof of trilaminar regeneration and ABR/LDV acoustic recovery.[6] |

| 2020-2021 | | Beacon Bio Spin-Out & Acquisition | | Harvard OTD licensing followed by July 2021 acquisition by Desktop Health.[8][9] |

| 2022-2025 | | GMP Scaling & Corporate Transition | | 3D-Bioplotter QMS integration for FDA 510(k) preparation alongside parent-company restructuring in 2025.[7][11] |

Democratizing Regenerative Surgery

The clinical disruption of PhonoGraft extends far beyond improved high-frequency audiometry. By eliminating autologous tissue harvesting and post-auricular incisions, the device is designed to shift tympanoplasty toward a 20-to-30-minute Endoscopic Transcanal procedure performed through the ear canal under local

anesthesia in an outpatient office.[10] Shelf-stable, off-the-shelf regenerative grafts hold promise for low-resource regions burdened by chronic otitis media where sterile operating theaters and anesthesiologists are scarce, as well as military medical units treating acute blast trauma.[6][11]

Moreover, anisotropic 3D bioplotting with biodegradable AlignInk elastomers establishes a broader regenerative medicine platform -- offering tunable scaffolds for aligned vascular grafts, myocardial patches, and peripheral nerve guidance conduits.[12] By programming synthetic polymers with the architectural cues of native tissue, PhonoGraft aims to shift otology from passively patching defects to instructing the body to regenerate a complex sensory organ.[6][7]

Updates (Nov 20, 2026): Standardized section headings and inline citation markup, updated corporate restructuring context for Desktop Metal's 2025 transition, removed non-matching wiki links, and replaced broken or social-media citations with peer-reviewed DOIs and institutional Harvard publications.

References

* [1] de Freitas, M. R., & de Oliveira, T. C. (Jul 2014). The role of different types of grafts in tympanoplasty. Brazilian Journal of Otorhinolaryngology, 80(4), 275-276. https://doi.org/10.1016/j.bjorl.2014.05.018

* [2] Kim, J. Y., Oh, J. H., & Lee, H. H. (Nov 2012). Fascia Versus Cartilage Graft in Type I Tympanoplasty. Journal of Craniofacial Surgery, 23(6), e605-e608. https://doi.org/10.1097/scs.0b013e31826c7b55

* [3] Polanik, M. D., Trakimas, D. R., Black, N. L., Cheng, J. T., et al. (Feb 25, 2020). High-Frequency Conductive Hearing following Total Drum Replacement Tympanoplasty. Otolaryngology-Head and Neck Surgery, 162(6), 914-921. https://doi.org/10.1177/0194599820907600

* [4] Ghanad, I., Polanik, M. D., Trakimas, D. R., Knoll, R. M., et al. (Jul 27, 2020). A Systematic Review of Nonautologous Graft Materials Used in Human Tympanoplasty. The Laryngoscope, 131(2), 392-400. https://doi.org/10.1002/lary.28914

* [5] Kozin, E. D., Black, N. L., Cheng, J. T., Cotler, M. J., et al. (Oct 2016). Design, fabrication, and in vitro testing of novel three-dimensionally printed tympanic membrane grafts. Hearing Research, 340, 191-203. https://doi.org/10.1016/j.heares.2016.03.005

* [6] Harvard John A. Paulson School of Engineering and Applied Sciences. (May 6, 2021). A sound solution. https://seas.harvard.edu/news/2021/05/sound-solution

* [7] Harvard Office of Technology Development. (Aug 20, 2021). Harvard's eardrum-restoring PhonoGraft enters commercial development. https://otd.harvard.edu/news/harvards-eardrum-restoring-phonograft-enters-commercial-development/

* [8] Harvard John A. Paulson School of Engineering and Applied Sciences. (Jul 9, 2021). Alumni startup acquired by Desktop Health. https://seas.harvard.edu/news/2021/07/alumni-startup-acquired-desktop-health

* [9] 3DPrint.com. (Jul 8, 2021). Desktop Health Buys Tech for 3D Printing Eardrum Grafts.

https://3dprint.com/283078/phonograft-platform-for-3d-printing-biomimetic-eardrum-grafts-acquired-by-desktop-health/

* [10] Freethink. (Jul 30, 2021). This 3D-printed graft may improve ruptured eardrum surgery. https://www.freethink.com/health/ruptured-eardrum-surgery

* [11] 3DHeals. (Sep 13, 2023). Interview with Dr. Nicole Black: 3D-Printed Biomimetic Eardrum Grafts. https://3dheals.com/interview-with-dr-nicole-black-3d-printed-regenerative-tissue-grafts/

* [12] Melchiorri, A. J., Hibino, N., Best, C. A., Yi, T., et al. (Dec 2, 2015). 3D-Printed Biodegradable Polymeric Vascular Grafts. Advanced Healthcare Materials, 5(3), 319-325. https://doi.org/10.1002/adhm.201500725

* [13] Hrncirik, F., Roberts, I., Sevgili, I., Swords, C., et al. (Apr 22, 2023). Models of Cochlea Used in Cochlear Implant Research: A Review. Annals of Biomedical Engineering, 51(7), 1390-1407. https://doi.org/10.1007/s10439-023-03192-3

* [14] Castle, N., Liang, J., Smith, M., Petersen, B., et al. (Apr 27, 2023). Finite Element Modeling of Residual Hearing after Cochlear Implant Surgery in Chinchillas. Bioengineering, 10(5), 539. https://doi.org/10.3390/bioengineering10050539

* [15] Tampa Bay Hearing & Balance Center. (Sep 17, 2013). Advantages of hyaluronic acid fat graft myringoplasty over fat graft myringoplasty. https://www.tampabayhearing.com/advantages-hyaluronic-acid-fat-graft-myringoplasty-fat-graft-myringoplasty/