Ecology & Evolution | Jan 16, 2026 | 9 min read | By Bryan White

Slower Growth, Longer Life: The Woodward Study and the New T. rex

Evolution * Animals * Paleontology

1. Introduction: Re-Evaluating the Ontogeny of an Apex Predator

Since its initial description by Henry Fairfield Osborn in 1905 from fossils recovered in the Hell Creek Formation of Montana, Tyrannosaurus rex has served as the flagship taxon of vertebrate paleobiology.[1] Over the past century, scientific reconstructions of T. rex have mirrored the broader evolution of evolutionary biology -- shifting from early portrayals of a sluggish, ectothermic scavenger to the "Dinosaur Renaissance" paradigm of a metabolically dynamic, behaviorally complex archosaur closely allied with modern birds.

Central to this paleobiological reconstruction is ontogeny: how a hatchling weighing no more than a few kilograms scaled into an 8,000-kilogram apex predator. For the past two decades, the consensus life history of T. rex rested on a landmark 2004 paleohistological study led by Gregory Erickson. Counting annual growth lines across seven specimens, Erickson and colleagues proposed that T. rex achieved gigantism via an explosive adolescent growth spurt -- acquiring up to 2.1 kilograms per day (~767 kg/year), reaching skeletal maturity by age 20, and dying before age 30.[1][3]

In January 2026, a multidisciplinary team led by paleohistologist Dr. Holly Woodward of Oklahoma State University, mathematician Nathan Myhrvold, and paleontologist Jack Horner published a comprehensive reanalysis in PeerJ that overturns this "live fast, die young" model.[1] Combining the largest histological sample of Tyrannosaurus ever assembled (17 individuals) with high-resolution cross-polarized light (CPL) microscopy and statistical curve-stitching, the researchers demonstrated that T. rex grew significantly more slowly, reached asymptotic adult size only between 35 and 40 years of age, and spent up to two decades in an agile subadult phase.[1][4] Beyond revising the metabolic budget of dinosaur gigantism, these findings provide quantitative histological support for the taxonomic validity of the controversial small-bodied tyrannosaur Nanotyrannus lancensis.[1]

2. Skeletochronology and Cross-Polarized Light Microscopy

Skeletochronology estimates the chronological age of extinct vertebrates by analyzing cyclical growth marks preserved in fossilized bone cortex.[5] During warm, resource-abundant seasons, theropods deposited highly vascularized, woven-fibered bone matrix characterized by disorganized collagen bundles. During winter or dry-season metabolic slowdowns, osteogenesis either paused completely -- depositing a thin, hyper-mineralized ring known as a Line of Arrested Growth (LAG) -- or decelerated into a band of tightly organized parallel-fibered or lamellar tissue called an annulus.[1][5]

Accurately reading this cortical record in large theropods presents two major methodological obstacles that constrained earlier models:

* Medullary Expansion and Secondary Remodeling: As a theropod scales in mass, the hollow marrow cavity (medullary cavity) expands outward while dense secondary Haversian bone replaces primary tissue, erasing the innermost 10 to 15 years of juvenile growth rings in large adults such as "Sue" (FMNH PR 2081).[1][10]

* Element Heterogeneity and Optical Resolution: Whereas the 2004 Erickson study sampled ribs, gastralia, and fibulae -- elements subject to variable biomechanical remodeling -- and relied primarily on standard transmitted light microscopy,[3][4] the 2026 Woodward study restricted sampling strictly to primary weight-bearing hindlimb elements (femora and tibiae) and systematically applied cross-polarized light (CPL) microscopy.[1]

CPL microscopy exploits the optical anisotropy and birefringence of fossilized bone mineral templated on collagen fibers.[13] In fast-growing woven bone, randomly oriented fibers scatter polarized light isotropically, appearing dark under crossed polarizers.[6] Conversely, in slow-growing annuli, parallel-fibered sheets rotate the plane of polarized light coherently, illuminating bright birefringent bands against the dark cortex.[13] Under CPL, Woodward's team identified numerous faint annuli that were invisible under standard transmitted light -- revealing that cortical zones previously counted as single years of explosive growth actually spanned two to three years interrupted by seasonal slowdowns.[1][4]

3. The Revised Growth Curve and the Nanotyrannus Divergence

By integrating the newly resolved annular counts across 17 specimens using statistical retrocalculation and curve-stitching models developed by Myhrvold, the 2026 study reconstructed a continuous ontogenetic trajectory with simultaneous confidence bands.[1] The resulting curve shifts skeletal maturity -- marked histologically by the formation of an avascular External Fundamental System (EFS) at the outer periosteal margin[16] -- from ~20 years out to 35 to 40 years of age.[1] Large adults such as "Sue" (~28-30 years old at death) lacked a fully developed EFS in several sections, indicating active growth into the fourth decade of life.[4]

Because asymptotic mass (~8,000+ kg) accumulated over 35-40 years rather than 20, calculated peak growth rates dropped from the 2004 estimate of ~767 kg/year down to 557.2 kg/year (under the study's best-fit NoXM statistical variant).[1] While still vastly exceeding any extant ectotherm and confirming dinosaurian endothermy or mesothermy, this flattened growth trajectory reduced daily caloric obligations and buffered growing tyrannosaurs against seasonal resource fluctuations.[9]

| Metric | | Previous Consensus (Erickson et al., 2004) | | Revised Model (Woodward et al., 2026) |

| Sample Size & Elements | | 7 Individuals (ribs, gastralia, fibulae) | | 17 Individuals (weight-bearing femora & tibiae) |

| Primary Imaging Modality | | Standard Transmitted Light Microscopy | | Cross-Polarized Light (CPL) Birefringence |

| Age at Skeletal Maturity (EFS) | | ~20-25 Years | | ~35-40 Years |

| Peak Annual Growth Rate | | ~767 kg/year (2.1 kg/day) | | ~557.2 kg/year (Variant NoXM) |

| "Jane" & "Petey" Taxonomic Fit | | Juvenile T. rex (within growth curve) | | Statistical Outliers (distinct taxon / Nanotyrannus) |

| Ecological Ontogeny | | Rapid 4-5 year transition to apex niche | | Prolonged 15-20 year subadult mesopredator phase |

Crucially, the composite confidence intervals resolved a four-decade debate surrounding Nanotyrannus lancensis.[2] Two pivotal Burpee Museum specimens -- BMRP 2002.4.1 ("Jane") and BMRP 2006.4.4 ("Petey") -- had long been interpreted as juvenile T. rex.[20] However, when plotted against the 2026 CPL-calibrated growth series, both "Jane" and "Petey" fell entirely outside the 95% confidence bands of the T. rex trajectory, exhibiting growth rates statistically incompatible with reaching adult Tyrannosaurus mass.[1] Combined with Nicholas Longrich and Evan Saitta's 2024 morphological analysis identifying over 150 anatomical characters separating Nanotyrannus from true juvenile T. rex skulls,[21][22] the histological data confirms ancient speciation within the Maastrichtian tyrannosaurid guild.

4. Ecological Dominance: Ontogenetic Niche Partitioning in Hell Creek

The discovery that T. rex spent 15 to 20 years growing through the 500 to 3,000 kg size bracket explains the longstanding "missing middle" anomaly of the Late Cretaceous Hell Creek ecosystem.[1] Unlike modern savanna or Mesozoic Morrison Formation guilds that support multiple medium-sized carnivore species, Hell Creek displays a stark taxonomic gap between small dromaeosaurids (Acheroraptor at ~10 kg; rare Dakotaraptor at ~300 kg) and 8,000-kilogram adult T. rex.

| Predator Size Class | | Estimated Body Mass | | Representative Hell Creek Taxa & Ontogenetic Stages |

| Small | | < 50 kg | | Acheroraptor, T. rex hatchlings & yearlings |

| Small-Medium | | 50 - 400 kg | | Dakotaraptor, Early juvenile T. rex |

| Medium ("Mesopredator Gap") | | 500 - 1,500 kg | | Subadult T. rex (ages 10-20), Nanotyrannus lancensis |

| Large | | 2,000 - 5,000 kg | | Young Adult T. rex (ages 20-30) |

| Mega / Apex | | > 8,000 kg | | Mature Adult T. rex (ages 35-40+) |

Through ontogenetic niche partitioning, a single keystone species occupied multiple trophic tiers simultaneously, driving a top-down trophic cascade across the floodplain.[1][29] Biomechanical modeling and stomach-content fossils from the closely related tyrannosaurid Gorgosaurus -- where a juvenile preserved the dismembered hindlimbs of small caenagnathid dinosaurs (Citipes elegans)[24][25] -- demonstrate that cursorial subadult tyrannosaurs lacked the cranial rigidity for osteophagy (bone-crushing).[27] Instead, for nearly two decades of their lives, subadult T. rex operated as agile pursuit predators hunting ornithomimids and Thescelosaurus, before transitioning in their late twenties to the robust, bone-pulverizing morphology required to prey upon megaherbivores such as Triceratops and Edmontosaurus.[26]

5. Conclusion: The Mature Monarch of the Maastrichtian

By unlocking previously invisible annular growth records through cross-polarized light microscopy, Woodward, Myhrvold, and Horner have transformed the paleobiological portrait of Tyrannosaurus rex.[1] Rather than a metabolically volatile adolescent rocketing to maturity in twenty years, T. rex was an enduring, four-decade monarch whose prolonged subadult development reshaped the trophic architecture and biodiversity of Western North America right up to the Cretaceous-Paleogene extinction event and the final extinction of non-avian dinosaurs.

Works Cited

* Prolonged growth and extended subadult development in the ..., accessed January 14, 2026, https://peerj.com/articles/20469/

* The growth of Tyrannosaurus rex | Letters from Gondwana. - WordPress.com, accessed January 14, 2026, https://paleonerdish.wordpress.com/2020/06/05/the-growth-of-tyrannosaurus-rex/

* Gigantism and comparative life-history parameters of tyrannosaurid dinosaurs - PubMed, accessed January 14, 2026, https://pubmed.ncbi.nlm.nih.gov/15306807/

* T. Rex Was Still Growing At 40, Taking A Slower Path To Adulthood Than Previously Thought - IFLScience, accessed January 14, 2026, https://www.iflscience.com/t-rex-was-still-growing-at-40-taking-a-slower-path-to-adulthood-than-previously-thought-82211

* GROUNDWORK: - Geological Society of America, accessed January 14, 2026, https://www.geosociety.org/gsatoday/archive/17/1/pdf/i1052-5173-17-1-45.pdf

* Bone Histology of Fossil Tetrapods - ResearchGate, accessed January 14, 2026, https://www.researchgate.net/profile/Sarah-Werning/publication/286324592_Selection_Of_Specimens/links/57715d3508ae6219474

* A Protocol for Aging Anurans Using Skeletochronology - USGS Publications Warehouse, accessed January 14, 2026, https://pubs.usgs.gov/of/2008/1209/pdf/ofr20081209.pdf

* Bone Histology in Dysalotosaurus lettowvorbecki (Ornithischia: Iguanodontia) - Variation, Growth, and Implications | PLOS One - Research journals, accessed January 14, 2026, https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0029958

* Tyrannosaurus Rex Grew Until 40, Study Shows - Mirage News, accessed January 14, 2026, https://www.miragenews.com/tyrannosaurus-rex-grew-until-40-study-shows-1601859/

* Age determination in dinosaurs - Wikipedia, accessed January 14, 2026, https://en.wikipedia.org/wiki/Age_determination_in_dinosaurs

* Histological variability in the limb bones of the Asiatic wild ass and its significance for life history inferences - PeerJ, accessed January 14, 2026, https://peerj.com/articles/2580.pdf

* Growing up Tyrannosaurus rex: Osteohistology refutes the pygmy "Nanotyrannus" and supports ontogenetic niche partitioning in juvenile Tyrannosaurus - PMC - NIH, accessed January 14, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC6938697/

* Histovariability in human clavicular cortical bone microstructure and its mechanical implications - NIH, accessed January 14, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC6794202/

* Polarized Microscopy and What It Can Teach Us About the Materials That Make Up Our Skeletal Tissue, accessed January 14, 2026, https://evidentscientific.com/en/applications/polarized-microscopy-and-what-it-can-teach-us-about-the-materials-that-make-up-our-s

* BONE HISTOLOGY OF THE SAUROPOD DINOSAUR Alamosaurus sanjuanensis FROM THE JAVELINA FORMATION, BIG BEND, accessed January 14, 2026, https://ttu-ir.tdl.org/bitstreams/3ee06b4a-b9cd-4c67-aced-deeccdf73801/download

* Osteohistological variation in growth marks and osteocyte lacunar density in a theropod dinosaur (Coelurosauria: Ornithomimidae) - PMC - PubMed Central, accessed January 14, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC4269922/

* Determinate growth is predominant and likely ancestral in squamate reptiles, accessed January 14, 2026, https://royalsocietypublishing.org/rspb/article/287/1941/20202737/85917/Determinate-growth-is-predominant-and-likely

* Tyrannosaurus - Wikipedia, accessed January 14, 2026, https://en.wikipedia.org/wiki/Tyrannosaurus

* A high-resolution growth series of Tyrannosaurus rex obtained from multiple lines of evidence - PeerJ, accessed January 14, 2026, https://peerj.com/articles/9192/

* New evidence that Nanotyrannus was a juvenile T. rex - NetMassimo Blog, accessed January 14, 2026, https://english.netmassimo.com/2020/01/04/new-evidence-that-nanotyrannus-was-a-juvenile-t-rex/

* Taxonomic status of Nanotyrannus lancensis (Dinosauria: Tyrannosauroidea) -- a distinct taxon of small-bodied tyrannosaur - the University of Bath's research portal, accessed January 14, 2026, https://researchportal.bath.ac.uk/en/publications/taxonomic-status-of-nanotyrannus-lancensis-dinosauria-tyrannosaur/

* Nanotyrannus lancensis a Valid Taxon According to New Study - Everything Dinosaur Blog, accessed January 14, 2026, https://blog.everythingdinosaur.com/blog/_archives/2024/01/03/nanotyrannus-is-a-valid-taxon.html

* Growing up Tyrannosaurus rex - Dinodata, accessed January 14, 2026, https://dinodata.de/bibliothek/pdf_g/2020/eaax6250.full.pdf

* Dino nuggets ... for dinosaurs? A young tyrannosaur's last meal gives new insight, accessed January 14, 2026, https://www.nationalgeographic.com/science/article/young-tyrannosaurs-last-meal-gives-new-insight-dinosaur-gut-contents

* Exceptionally preserved stomach contents of a young tyrannosaurid reveal an ontogenetic dietary shift in an iconic extinct predator - NIH, accessed January 14, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC10846869/

* Fossilized Scat Provides Clues About T. rex's Diet | AMNH, accessed January 14, 2026, https://www.amnh.org/explore/news-blogs/fossilized-scat-t-rex-diet

* Bite force estimates in juvenile Tyrannosaurus rex based on simulated puncture marks, accessed January 14, 2026, https://peerj.com/articles/11450/

* Dinosaur Census Reveals Abundant Tyrannosaurus and Rare Ontogenetic Stages in the Upper Cretaceous Hell Creek Formation (Maastrichtian), Montana, USA - NIH, accessed January 14, 2026, https://pmc.ncbi.nlm.nih.gov/articles/PMC3036655/

* Are there any good examples of niche partitioning between age groups in a mammal species? - Reddit, accessed January 14, 2026, https://www.reddit.com/r/Paleontology/comments/18g3z4w/are_there_any_good_examples_of_niche_partitioning/