Space & Astronomy | Jul 20, 2026 | 9 min read | By Bryan White

Sugar in the Stars: Finding the Building Blocks of Life in Deep Space

Biology * Space * Astronomy

1. Introduction: Interstellar Organic Chemistry and Glycolaldehyde

The interstellar medium -- spanning dense molecular clouds, evolved stellar envelopes, and protostellar halos -- functions as a vast chemical reactor synthesizing complex organic molecules (species containing six or more atoms, including carbon) that bridge astrophysical volatiles and terrestrial biochemistry. Among these precursors, monosaccharide sugars (Cn(H2O)n, n 2) form the structural backbones of nucleic acids and cellular energy pathways. Glycolaldehyde (CH2OHCHO), a two-carbon diose containing both an aldehyde and an adjacent hydroxyl group, is the simplest possible molecule satisfying the carbohydrate classification[1][2].

Astronomical detection of glycolaldehyde demonstrated that sugar precursors assemble under extreme low-temperature and low-density interstellar conditions[1]. Moreover, glycolaldehyde serves as the essential autocatalytic intermediate in the formose reaction, which polymerizes formaldehyde into higher-order sugars including the five-carbon ribose required for RNA[3][4]. Tracing glycolaldehyde from galactic hot cores and solar-type protostars to cometary ices reveals how interstellar grain-surface chemistry seeds nascent planetary systems with prebiotic building blocks[3].

2. Observational Milestones: From Sagittarius B2(N) to Solar-Type Protostars

Glycolaldehyde was first detected in 2000 using the NRAO 12-meter telescope at Kitt Peak toward the Galactic center molecular cloud Sagittarius B2(N), 26,000 light-years away, via six millimeter-wave rotational transitions between 71 and 105 GHz[1][3][7]. While initially assumed to reside within the 200 K compact Large Molecule Heimat hot core, subsequent BIMA interferometry at 82.47 GHz revealed an extended halo exceeding 60 arcseconds[6][7]. In 2004, Green Bank Telescope observations of centimeter-wave transitions (13.48-22.14 GHz) in emission and absorption established a non-local thermodynamic equilibrium state temperature of ~8 K in the cold envelope, reconciled by an Arizona Radio Observatory survey of 38 clean transitions (68-169 GHz) yielding 25-35 K rotational temperatures[6][7][9].

Detections soon expanded beyond the Galactic center to high-mass hot molecular cores, including G31.41+0.31 (via the IRAM 30-meter telescope in 2009 at fractional abundance ~ 10-8 relative to H2) and G358.93-0.03 MM1 (observed by ALMA at Tex = 300 +/- 68.5 K and column density 1.52 x 1016 cm-2)[10][12][14][15]. Crucially for solar system origins, ALMA detected 13 unblended glycolaldehyde transitions at 220 GHz and 690 GHz in 2012 toward the Class 0 solar-type protostellar binary IRAS 16293-2422 (120 parsecs away in Rho Ophiuchi)[10][16]. Red-shifted absorption profiles at 690 GHz toward IRAS 16293B confirmed that warm (200-300 K) glycolaldehyde-rich gas is

actively infalling onto the planet-forming zone within 25 AU of the young star[10][18][20].

| Source Name | | Source Classification | | Approximate Temperature (Kelvin) | | Column Density (per square centimeter) | | Reference Context |

| Sgr B2(N) | | Galactic Center Hot Core and Extended Halo | | 8 to 50 | | 5.9 times 10 to the 13th | | Hollis et al. (2000, 2004), Halfen et al. (2006) |

| G31.41+0.31 | | High-Mass Hot Molecular Core | | ~100 | | 10 to the 15th to 16th | | Beltran et al. (2009) |

| G358.93-0.03 MM1 | | High-Mass Hot Molecular Core | | 300 | | 1.52 times 10 to the 16th | | Manna et al. (2023) |

| IRAS 16293-2422 B | | Solar-Type Protostellar Binary | | 200 to 300 | | 3.0 times 10 to the 16th | | Jorgensen et al. (2012) |

3. The C2H4O2 Isomeric Mystery and Grain-Surface Synthesis

Glycolaldehyde belongs to the C2H4O2 isomeric family alongside acetic acid (CH3COOH) and methyl formate (HCOOCH3)[21]. Under thermodynamic equilibrium governed by Gibbs free energy and the Minimum Energy Principle, the lowest-energy isomer should dominate: acetic acid is the global energy minimum (0.0 kJ/mol), followed by methyl formate (+72.0 kJ/mol) and glycolaldehyde (+114.0 kJ/mol)[22][23]. Instead, observations show extreme non-equilibrium ratios -- approximately $1 : 26 : 0.5$ (acetic acid : methyl formate : glycolaldehyde) in Sgr B2(N) and $1 : 93 : 12$ in IRAS 16293-2422 B[25][26].

| Isomeric Compound | | Chemical Formula | | Relative Energy (kilojoules per mole) | | Relative Abundance in Sgr B2(N) |

| Acetic Acid | | CH3COOH | | 0.0 (Global Minimum) | | ~1 |

| Methyl Formate | | HCOOCH3 | | 72.0 | | ~26 |

| Glycolaldehyde | | CH2OHCHO | | 114.0 | | ~0.5 |

This departure from thermodynamic predictions proves that interstellar synthesis is governed by solid-state reaction kinetics -- modeled via modified Arrhenius equation hopping rates and quantum tunneling -- rather than gas-phase collisions, where three-body stabilization is absent[23][27][30]. In 10 K prestellar cores, carbon monoxide freezes onto silicate dust grains and undergoes sequential hydrogenation into formaldehyde (H2CO) and methanol (CH3OH)[26][31]. Cosmic-ray and secondary UV photolysis cleave these ices into formyl (* HCO) and hydroxymethyl (* CH2OH) radicals, while the amorphous water-ice lattice acts as a vibrational heat sink[27][32][33]. As protostellar warming mobilizes radicals via thermal hopping, glycolaldehyde forms through barrierless recombination (* HCO + * CH2OH) or formyl homodimerization into glyoxal followed by hydrogenation[13][32][33]. Three-phase warm-up models (125-160 K) show that while methyl formate desorbs rapidly, glycolaldehyde binds more tightly to water ice and suffers partial hydrogen-atom destruction before hot-core sublimation, explaining the observed gas-phase isomer ratio[12][29].

4. Cometary Inheritance and Seeding the Formose Reaction

Comets preserve pristine outer-disk volatiles, linking protostellar ices to planetary delivery[36]. While searches in Comet Hale-Bopp set upper limits (<0.04% relative to water), 2015 millimeter observations of Oort cloud comet C/2014 Q2 (Lovejoy) achieved the first cometary detection of glycolaldehyde at 0.016% relative to H2O (0.8% relative to methanol)[27][36][39]. Concurrently, the Rosetta mission's Philae COSAC and orbiter ROSINA instruments confirmed glycolaldehyde and abundant oxygen-bearing organics in Jupiter-family comet 67P/Churyumov-Gerasimenko[36][42]. Strong linear correlations between complex organic abundances in IRAS 16293-2422 B and Comet 67P confirm direct pre-stellar chemical inheritance into cometesimals during solar system evolution[37][44].

| Comet Name | | Observation Method | | Glycolaldehyde Abundance Relative to Water (Percent) | | Glycolaldehyde Abundance Relative to Methanol (Percent) |

| Hale-Bopp (C/1995 O1) | | Remote Radio Telescope | | < 0.04 (Upper Limit) | | < 1.6 |

| Lovejoy (C/2014 Q2) | | Remote Radio Telescope | | 0.016 | | 0.8 |

| 67P/Churyumov-Gerasimenko | | In-Situ (Rosetta Mission) | | Detected (Variable) | | ~10.0 (O-bearing heterocycles general abundance) |

Exogenous delivery of cometary glycolaldehyde directly supports the RNA world hypothesis by solving the kinetic bottleneck of the prebiotic formose reaction, which polymerizes aqueous formaldehyde into pentose sugars without biological enzymes[5][14][49]. Because direct dimerization of two formaldehyde molecules faces a massive kinetic barrier, introducing trace glycolaldehyde triggers Ronald Breslow's autocatalytic cycle: aldol addition of formaldehyde yields glyceraldehyde and dihydroxyacetone, which form a tetrose intermediate that undergoes retro-aldol cleavage into two glycolaldehyde molecules -- exponentially accelerating ribose synthesis[4][5][50]. Furthermore, 5 K ice-irradiation experiments show that interstellar ices stabilize 1,2-ethenediol (the reactive enol tautomer of glycolaldehyde), while prebiotic cyanamide sequesters formose sugars as 2-aminooxazole before tar degradation[51][53].

5. Conclusion: A Continuous Cosmic Lineage for Prebiotic Sugars

From its initial millimeter-wave detection in Sagittarius B2(N) to high-resolution ALMA imaging of solar-type protostars and in-situ cometary sampling at 67P, glycolaldehyde demonstrates that prebiotic sugar chemistry originates on cosmic dust grains[1][17][39]. Governed by solid-state radical recombination rather than gas-phase equilibrium, interstellar ices synthesize and preserve glycolaldehyde and its reactive enol tautomer, delivering the autocatalytic spark required to drive ribose formation on young rocky worlds[5][22][53].

Works Cited

* (PDF) Interstellar Glycolaldehyde: The First Sugar - ResearchGate, https://www.researchgate.net/publication/231044422_Interstellar_Glycolaldehyde_The_First_Sugar

* Identification of HOC * HC(O)H, HOCH2C * O, and HOCH2CH2O * Intermediates in the

Reaction of H + Glycolaldehyde in Solid Para-Hydrogen and Its Implication to the Interstellar Formation of Complex Sugars - PMC - NIH, https://pmc.ncbi.nlm.nih.gov/articles/PMC11345754/

* Scientists Discover Sugar In Space | ScienceDaily, https://www.sciencedaily.com/releases/2000/06/000619072351.htm

* Conserved-Potential-Driven Molecular Dynamics Deciphers Formose Reaction Mechanisms | JACS Au - ACS Publications, https://pubs.acs.org/doi/10.1021/jacsau.5c01359

* Formose reaction - Grokipedia, https://grokipedia.com/page/Formose_reaction

* green bank telescope observations of interstellar glycolaldehyde: low-temperature sugar - Science, https://www.gb.nrao.edu/astrobiology/hollisGlycolaldehyde04.pdf

* molecules:ism:glycolaldehyd [CDMS classic documentation], https://cdms.astro.uni-koeln.de/classic/molecules:ism:glycolaldehyd

* A Spectrum toward Orion KL at around 90 GHz where the Glycine... | Download Scientific Diagram - ResearchGate, https://www.researchgate.net/figure/A-Spectrum-toward-Orion-KL-at-around-90-GHz-where-the-Glycine-conformer-I-transitions_fi

* (PDF) A Systematic Study of Glycolaldehyde in Sagittarius B2(N) at 2 and 3 mm: Criteria for Detecting Large Interstellar Molecules - ResearchGate, https://www.researchgate.net/publication/228992780_A_Systematic_Study_of_Glycolaldehyde_in_Sagittarius_B2N_at_2_and_3_m

* Detection of the simplest sugar, glycolaldehyde, in a solar-type protostar with ALMA - ESO.org, https://www.eso.org/public/archives/releases/sciencepapers/eso1234/eso1234a.pdf

* arXiv:0811.3821v1 [astro-ph] 24 Nov 2008, https://arxiv.org/pdf/0811.3821

* glycolaldehyde formation via the dimerisation of the formyl radical - UCL, http://www.star.ucl.ac.uk/~pmw/pubs/Woods_etal2013i.pdf

* Chemical evolution in high-mass star-forming regions - Frontiers, https://www.frontiersin.org/journals/astronomy-and-space-sciences/articles/10.3389/fspas.2025.1673021/full

* [2308.14454] Identification of the simplest sugar-like molecule glycolaldehyde towards the hot molecular core G358.93-0.03 MM1 - arXiv, https://arxiv.org/abs/2308.14454

* Identification of the simplest sugar-like molecule glycolaldehyde towards the hot molecular core G358.93-0.03 MM1 | Monthly Notices of the Royal Astronomical Society | Oxford Academic, https://academic.oup.com/mnras/article/525/2/2229/7230368

* Protostellar and Cometary Detections of Organohalogens - ALMA Observatory, https://www.almaobservatory.org/wp-content/uploads/2017/11/171002.pdf

* Detection of the simplest sugar, glycolaldehyde, in a solar-type protostar with ALMA - arXiv, https://arxiv.org/abs/1208.5498

* A deep search for large complex organic species toward IRAS16293-2422 B at 3 mm with ALMA - arXiv, https://arxiv.org/pdf/2401.04760

* A deep search for large complex organic species toward IRAS16293-2422 B at 3 mm with ALMA - ResearchGate,

https://www.researchgate.net/publication/379046748_A_deep_search_for_large_complex_organic_species_toward_IRAS16293-242

* Artist's impression of glycolaldehyde molecules - ALMA Observatory, https://www.almaobservatory.org/en/120829b/

* Glycolaldehyde, methyl formate and acetic acid adsorption and thermal desorption from interstellar ices | Monthly Notices of the Royal Astronomical Society | Oxford Academic, https://academic.oup.com/mnras/article/447/2/1444/2593673

* Organic compounds in the C3H6O3 family: Microwave spectrum of cis "cis dimethyl carbonate - National Radio Astronomy Observatory, Charlottesville, https://www.cv.nrao.edu/~bmcguire/papers/lovas_2010.pdf

* Competitive Gas Phase Reactions for the Production of Isomers C2O2H4. Spectroscopic Constants of Methyl Formate | The Journal of Physical Chemistry A - ACS Publications, https://pubs.acs.org/doi/10.1021/acs.jpca.9b07270

* Computational Protocol for the Identification of Candidates for Radioastronomical Detection and Its Application to the C3H3NO Family of Isomers - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC10096335/

* Dissociative Electron-Ion Recombination of the Interstellar Species Protonated Glycolaldehyde, Acetic Acid, and Methyl Formate | The Journal of Physical Chemistry A - ACS Publications, https://pubs.acs.org/doi/10.1021/jp2105743

* Computational Insights into the Formation of Methyl Formate and Glycolaldehyde via Amorphous ISM Ice | ACS Earth and Space Chemistry, https://pubs.acs.org/doi/10.1021/acsearthspacechem.4c00190

* ON THE FORMATION OF GLYCOLALDEHYDE (HCOCH2OH) AND METHYL FORMATE (HCOOCH3) IN INTERSTELLAR ICE ANALOGS, https://uhmreactiondynamics.org/publication_papers/p162.pdf

* Glycolaldehyde Formation Mediated by Interstellar Amorphous Ice: A Computational Study - arXiv, https://arxiv.org/pdf/2302.02021

* [2409.13673] Interstellar Glycolaldehyde, Methyl Formate, and Acetic Acid. II. Chemical Modeling of the Bimodal Abundance Pattern in NGC 6334I - arXiv, https://arxiv.org/abs/2409.13673

* Computational Study of the Reaction between Ethylene Glycol and the CH Radical - PMC, https://pmc.ncbi.nlm.nih.gov/articles/PMC12908157/

* H-atom addition and abstraction reactions in mixed CO, H2CO and CH3OH ices - Pure, https://pure.au.dk/ws/portalfiles/portal/309841795/1606.01049

* Experimental evidence for glycolaldehyde and ethylene glycol formation by surface hydrogenation of CO molecules under dense - Laboratory for Astrophysics - Leiden Observatory, https://lfa.strw.leidenuniv.nl/files/156-2015-mnras-com.pdf

* Formation mechanism of glycolaldehyde and ethylene glycol in astrophysical ices from HCO * and * CH2OH recombination: an experimental study | Monthly Notices of the Royal Astronomical Society | Oxford Academic, https://academic.oup.com/mnras/article/453/2/1587/1141590

* Formation mechanism of glycolaldehyde and ethylene glycol in astrophysical ices

from HCO and CH2OH recombination - Oxford Academic, https://academic.oup.com/mnras/article-pdf/453/2/1587/13770976/stv1706.pdf

* Identification of HOC * HC(O)H, HOCH2C * O, and HOCH2CH2O * Intermediates in the Reaction of H + Glycolaldehyde in Solid Para-Hydrogen and Its Implication to the Interstellar Formation of Complex Sugars | Journal of the American Chemical Society, https://pubs.acs.org/doi/10.1021/jacs.4c05896

* Complex Organic Molecules in Comets from Remote-Sensing Observations at Millimeter Wavelengths | ACS Earth and Space Chemistry, https://pubs.acs.org/doi/10.1021/acsearthspacechem.9b00130

* Observations of Cometary Organics: A Post Rosetta Review | ACS Earth and Space Chemistry, https://pubs.acs.org/doi/10.1021/acsearthspacechem.9b00129

* Elemental and molecular abundances in comet 67P/Churyumov-Gerasimenko - Oxford Academic, https://academic.oup.com/mnras/article-pdf/489/1/594/29208608/stz2086.pdf

* Researchers find ethyl alcohol and sugar in a comet ! - Observatoire de Paris - Universit PSL, https://observatoiredeparis.psl.eu/researchers-find-ethyl.html

* Measuring molecular abundances in comet C/2014 Q2 (Lovejoy) using the APEX telescope | Monthly Notices of the Royal Astronomical Society | Oxford Academic, https://academic.oup.com/mnras/article/474/1/1099/4569214

* Ethyl alcohol and sugar in comet C/2014 Q2 (Lovejoy) - PubMed, https://pubmed.ncbi.nlm.nih.gov/26601319/

* Researchers catch Comet Lovejoy giving away alcohol - ScienceDaily, https://www.sciencedaily.com/releases/2015/10/151024092534.htm

* Oxygen-bearing Organic Molecules In Comet 67P's Dusty Coma: First Evidence For Abundant Heterocycles - Astrobiology, https://astrobiology.com/2023/08/03/oxygen-bearing-organic-molecules-in-comet-67ps-dusty-coma-first-evidence-for-abundant-hete

* Ingredients for solar-like systems: protostar IRAS 16293-2422 B versus comet 67P/Churyumov-Gerasimenko | Monthly Notices of the Royal Astronomical Society | Oxford Academic, https://academic.oup.com/mnras/article/490/1/50/5558253

* The interstellar heritage of comets - arXiv, https://arxiv.org/html/2509.20530v1

* Cometary Glycolaldehyde as a Source of pre-RNA Molecules. - SciSpace, https://scispace.com/pdf/cometary-glycolaldehyde-as-a-source-of-pre-rna-molecules-1y1q0f3s7c.pdf

* The second wave of formose research - PMC - NIH, https://pmc.ncbi.nlm.nih.gov/articles/PMC11835704/

* Identification Of The Simplest Sugar-like Molecule Glycolaldehyde Towards The Hot Molecular Core G358.93-0.03 MM1 - Astrobiology, https://astrobiology.com/2023/08/30/identification-of-the-simplest-sugar-like-molecule-glycolaldehyde-towards-the-hot-molecular-c

* What is the Formose Reaction?, https://www.cogitosjournalclub.com/post/formose-intro

* Formose reaction - Wikipedia, https://en.wikipedia.org/wiki/Formose_reaction

* Towards a prebiotic chemoton - nucleotide precursor synthesis driven by the autocatalytic formose reaction - PMC,

https://pmc.ncbi.nlm.nih.gov/articles/PMC10498504/

* The Formose Reaction with SO 2 : A Computational Study - MDPI, https://www.mdpi.com/2075-1729/16/3/513

* Identification of Glycolaldehyde Enol (HOHC CHOH) in Interstellar Analogue Ices | Journal of the American Chemical Society - ACS Publications, https://pubs.acs.org/doi/10.1021/jacs.1c07978