

Ecology & Evolution | Jan 7, 2026 | 18 min read | By Bryan White

Supramolecular Solutions: Multivalent Salt Bridges and the Future of Marine-Degradable Plastics

Environment * Urban Environment * Ecology

Abstract

The accumulation of persistent synthetic polymers in marine ecosystems represents one of the defining environmental challenges of the 21st century. While the utility of plastics is undeniable, their longevity has resulted in a global crisis of microplastic contamination. This report provides an exhaustive analysis of a breakthrough material technology developed by the RIKEN Center for Emergent Matter Science (CEMS), led by Professor Takuzo Aida. Published in the Journal of the American Chemical Society in late 2025, this research introduces a novel class of supramolecular plastics derived from carboxymethyl cellulose (CMC). Unlike traditional covalent polymers, these materials utilize reversible ionic interactions -- specifically, multivalent salt bridges -- to achieve mechanical robustness in terrestrial environments while ensuring rapid, molecular-level dissociation in marine conditions. This report dissects the chemical architecture, synthesis mechanisms, mechanical tunability, and environmental implications of this technology, positioning it as a pivotal shift from "biodegradable" to "environmentally responsive" material design.

1. Introduction: The Paradox of Permanence

1.1 The Material Foundation of Modernity

The development of synthetic polymers in the 20th century fundamentally altered human civilization. By arranging hydrocarbons into long, entangled chains held together by strong covalent bonds, chemists created materials that were lightweight, durable, transparent, and infinitely moldable. These properties, particularly chemical inertness, allowed plastics to replace glass, metal, and wood in applications ranging from sterile medical packaging to aerospace components. The success of the "Plastic Age" was built on the premise of stability: a plastic bottle produced today would retain its form and function for decades, resisting the oxidative and hydrolytic forces that decompose natural materials.

1.2 The Unintended Consequence: Marine Accumulation

However, this stability has proven to be a double-edged sword. When these materials escape the closed loops of waste management -- as millions of tons do annually -- they enter the natural environment as persistent pollutants. In the marine environment, the consequences are particularly severe. Conventional thermoplastics like polyethylene (PE) and polypropylene (PP) do not mineralize; instead, they weather. Exposure to ultraviolet (UV) radiation and mechanical abrasion by waves causes macro-plastics to fragment into microplastics (particles smaller than 5 millimeters) and eventually nanoplastics.[1]

These microscopic fragments permeate the water column, settle in deep-sea sediments, and enter the marine food web. Because of their hydrophobic nature, they often adsorb persistent organic pollutants (POPs) from the surrounding water, becoming toxic vectors when ingested by marine life. Furthermore, the sheer volume of plastic debris poses physical threats to wildlife through entanglement and ingestion. The crisis is characterized not just by the volume of waste, but by its irreversibility. Once a covalent plastic is formed, breaking it down requires energy-intensive thermal or chemical processes that do not occur naturally in the ocean.[3]

1.3 The Limitations of Current Bioplastics

In response to this crisis, the materials science community has sought to develop biodegradable alternatives. The current market leaders, such as polylactic acid (PLA) and polyhydroxyalkanoates (PHA), represent significant progress but face critical limitations regarding marine degradability.

* Polylactic Acid (PLA): Derived from fermented plant starch, PLA is compostable but requires specific industrial conditions (high temperature and humidity) to hydrolyze. In the cold, saline environment of the ocean, PLA remains intact for extended periods, behaving much like conventional petroleum-based plastics.[4]

* Polyhydroxyalkanoates (PHA): While PHAs are naturally produced by bacteria and are marine degradable, their production costs are high due to the complexities of bacterial fermentation and extraction.[5]

The fundamental issue with these covalent bioplastics is that their degradation relies on biological activity (enzymatic hydrolysis), which is variable and often slow in the marine environment. The ideal solution requires a paradigm shift: a material that degrades not through biological luck, but through a programmed chemical response to the environment itself.

1.4 The RIKEN Breakthrough

Against this backdrop, the research team led by Takuzo Aida at RIKEN CEMS and the University of Tokyo has proposed a radical alternative: supramolecular plastics. In a landmark study published in the Journal of the American Chemical Society (JACS) in 2025, titled "Supramolecular Ionic Polymerization: Cellulose-Based Supramolecular Plastics with Broadly Tunable Mechanical Properties," the team unveiled a material that is mechanically robust, transparent, and capable of complete dissolution in seawater within hours.[6] This report offers a deep-dive analysis of this technology, exploring how it decouples mechanical strength from environmental persistence.

2. The Supramolecular Paradigm

2.1 Defining Supramolecular Polymers

Traditional plastics are "macromolecules" -- giant molecules where thousands of atoms are linked by covalent bonds, sharing electrons in a stable, permanent arrangement. Breaking these bonds usually requires significant energy (heat) or reactive chemicals.

Supramolecular polymers, by contrast, are arrays of smaller molecules held together

by non-covalent interactions. These interactions can include hydrogen bonding, pi-pi stacking, metal-ligand coordination, and electrostatic effects. While individual non-covalent bonds are weaker than covalent bonds, when they are arrayed in high density, they can create materials with structural integrity comparable to traditional plastics. The crucial difference lies in reversibility. Because the bonds are not permanent "welds" but rather "magnetic clasps," they can be opened and closed in response to external stimuli such as temperature, pH, or ionic strength.[8]

2.2 Takuzo Aida's Vision: "Aqua Materials"

Professor Takuzo Aida is a pioneer in the field of supramolecular chemistry. His laboratory has spent decades exploring how to create robust materials from water and self-assembling molecules. His previous work includes "bucky gels" (carbon nanotubes dispersed in ionic liquids) and "aqua materials," where small amounts of additives transform water into mechanically strong hydrogels.[8]

The 2025 JACS paper builds upon a concept Aida's team introduced in Science in 2024. That earlier work demonstrated the principle of using reversible salt bridges to create degradable plastics. However, the initial prototypes relied on synthetic polymers that were not fully optimized for practical application or sustainability. The 2025 advancement represents the translation of this high-level concept into a practical, bio-based system using widely available, FDA-approved ingredients.[7]

3. Chemical Architecture: The Trinity of Components

The new plastic, designated as CMCSP (Carboxymethyl Cellulose Supramolecular Plastic), is constructed from three primary components. Each was selected not only for its chemical function but also for its environmental safety and economic viability.

3.1 The Backbone: Carboxymethyl Cellulose (CMC)

The structural foundation of the plastic is cellulose, the most abundant organic polymer on Earth. Nature produces approximately one trillion tons of cellulose annually, primarily as the structural component of plant cell walls.[7]

* Chemical Structure: Cellulose is a polysaccharide consisting of a linear chain of D-glucose units linked by beta-1,4-glycosidic bonds.

* Modification: Native cellulose is insoluble in water due to extensive intramolecular hydrogen bonding. To make it processable, the RIKEN team utilized carboxymethyl cellulose (CMC). In CMC, some of the hydroxyl groups (-OH) on the glucose ring are replaced with carboxymethyl groups (-CH₂-COOH).

* Functionality:

* Anionic Character: In an aqueous environment, the carboxyl groups ionize to form carboxylate anions (-COO⁻). This gives the polymer chain a net negative charge, which is the "docking site" for the crosslinker.

* Safety: CMC is a ubiquitous food additive (E466), used as a thickener and stabilizer in ice cream, sauces, and pharmaceuticals. Its selection ensures that the main bulk of the plastic is non-toxic and digestible by a wide range of

organisms.[2]

3.2 The Crosslinker: Hyperbranched Polyguanidinium (PEIGu)

A pile of CMC chains in water is just a viscous liquid (slime). To turn it into a solid plastic, the chains must be tied together, or crosslinked.

* The Molecule: The researchers synthesized a specific cationic polymer: a hyperbranched polyethylene-imine containing guanidinium ions, referred to as PEIGu.

* Structure:

* Hyperbranched: Unlike a linear chain, PEIGu has a dendritic, tree-like structure. This globular shape presents a high density of functional groups on its surface.

* Cationic Character: The key functional group is the guanidinium ion. This ion carries a positive charge.

* The "Salt Bridge" Mechanism: The interaction between the positive guanidinium on the crosslinker and the negative carboxylate on the cellulose is the "glue" of the system. This interaction is known as a salt bridge. It is not a simple electrostatic attraction; the guanidinium ion has a specific planar geometry that allows it to form a bidentate hydrogen bond pattern with the carboxylate group. This combination of electrostatic attraction and precise hydrogen bonding creates a particularly stable link -- strong enough to hold the plastic together, but weak enough to be disrupted by the right trigger.[10]

3.3 The Plasticizer: Choline Chloride (ChCl)

The initial network formed by CMC and PEIGu is extremely rigid. The crosslinking density is so high that the molecular chains cannot move, resulting in a material that is "mechanically strong but inherently brittle," similar to glass.[12] A brittle material is useless for applications like flexible packaging bags.

* The Solution: The team introduced choline chloride as a plasticizer.

* Mechanism: Plasticizers are small molecules that insert themselves between polymer chains, increasing the "free volume" within the material. This allows the chains to slide past one another under stress, conferring flexibility. Choline chloride disrupts some of the salt bridges, loosening the network.

* Safety: Choline chloride is a quaternary ammonium salt that serves as an essential nutrient (Vitamin B4) for animals and humans. It is biodegradable and FDA-approved. By using a nutrient as a plasticizer, the team maintained the "edible" safety profile of the material.[12]

4. Synthesis: Supramolecular Ionic Polymerization

The production of CM CSP differs fundamentally from the polymerization of conventional plastics. Petroleum plastics like polyethylene are made by covalently linking small monomers (ethylene gas) into long chains using catalysts and heat. CM CSP is made by assembling pre-existing chains.

4.1 Aqueous Assembly

The synthesis takes place in water at room temperature. This is a significant sustainability advantage, as it avoids the energy costs of high-temperature reactors and the pollution risks of volatile organic solvents (VOCs).[1]

* **Solution Preparation:** The anionic monomer (CMC) and the cationic monomer (PEIGu) are dissolved separately in water.

* **Mixing:** When the two solutions are combined, the oppositely charged polymers immediately attract each other.

* **Liquid-Liquid Phase Separation:** The interaction is so favorable that the polymer complex becomes insoluble in the bulk water phase. However, instead of precipitating as a solid grit, it separates into a dense, viscous liquid phase -- a coacervate. This polymer-rich liquid settles to the bottom.[14]

4.2 Processing

The formation of this viscous liquid phase is critical for manufacturing. Because the material is fluid (albeit thick) in this state, it can be processed using standard techniques. It can be cast into molds or spread into thin films. As the water evaporates or is removed, the network densifies, and the "salt bridges" lock into place, transforming the liquid into a transparent, solid plastic.[7]

5. Mechanical Properties and Tunability

One of the most remarkable findings of the JACS 2025 study is the broad tunability of the CMCSP system. By simply varying the ratio of the components -- specifically the concentration of the choline chloride plasticizer -- the researchers could engineer materials with vastly different physical properties suitable for diverse applications.

5.1 The Plasticization Spectrum

The research team demonstrated a transition across three distinct mechanical regimes [12]:

* **Glassy State (0% ChCl):** Without the plasticizer, the CMC-PEIGu network is stiff, hard, and brittle. It has a high Young's modulus (resistance to deformation) but low elongation at break. This formulation is suitable for rigid containers or structural components where flexibility is not required.

* **Tough/Flexible State (Intermediate ChCl):** With the addition of moderate amounts of choline chloride, the material becomes tough. It yields under stress rather than fracturing. This balance of strength and flexibility is ideal for carrier bags, films, and packaging wrappers -- the primary sources of single-use plastic waste.

* **Elastic State (High ChCl):** At higher plasticizer concentrations, the material behaves like an elastomer (rubber). It becomes soft and stretchable, capable of extending up to 130% of its original length without breaking. This formulation could replace rubber bands, soft seals, or stretch films.

5.2 Performance Metrics

The optimized films were reported to have a thickness of just 0.07 millimeters, demonstrating that the supramolecular network can maintain integrity even in thin-film form factors. The tensile strength of the material is comparable to conventional petroleum-based plastics, ensuring that "sustainability" does not come at the cost of "performance." A consumer using a CMCSPP bag would not perceive a difference in strength compared to a traditional polyethylene bag.[7]

6. The Marine "Kill Switch": Mechanism of Marine-Degradable Plastics

The defining feature of CMCSPP is its response to seawater. While the material is stable in air and fresh water, it possesses a chemical "kill switch" triggered by the specific ionic environment of the ocean.

6.1 The Role of Ionic Strength

The stability of the salt bridge -- the bond holding the plastic together -- depends on the ionic strength of the surrounding medium.

* Fresh Water: Rainwater and tap water have very low concentrations of dissolved ions. In this environment, the electrostatic attraction between the positive guanidinium and negative carboxylate is strong and effective. The plastic remains solid and does not dissolve.

* Seawater: The ocean is a high-strength electrolyte solution, rich in sodium (Na^+), chloride (Cl^-), magnesium (Mg^{2+}), and sulfate (SO_4^{2-}) ions.

6.2 The Dissociation Process

When CMCSPP is immersed in seawater, a process of competitive ion exchange and electrostatic screening occurs:

* Ion Penetration: The small, mobile ions from the seawater diffuse into the polymer network.

* Debye Screening: The high concentration of ions shields the electric charges on the polymer chains. The positive charge of the PEIGu is surrounded by a cloud of chloride ions, and the negative charge of the CMC is surrounded by a cloud of sodium ions.

* Bond Disruption: This screening effect weakens the attraction between the polymer chains. The salt bridges are effectively "switched off."

* Dissolution: With the crosslinks broken, the polymer chains disentangle. The material loses its structural integrity and dissolves into the water column.[1]

6.3 Zero Microplastics

This degradation mechanism is fundamentally different from the fragmentation of conventional plastics.

* Fragmentation (Conventional): Physical forces break big plastic into little plastic. The chemical structure remains the same; the pieces just get smaller.

* Dissociation (CMCSPP): Chemical forces separate the molecules. The plastic ceases

to exist as a solid material. It reverts to a solution of individual polymer chains. Therefore, CMCSPP does not generate microplastics. It bypasses the microplastic stage entirely, moving directly from a macro-object to dissolved molecules.[1]

6.4 Degradation Timeline

The research snippet videos and data indicate that this process is rapid. Bags made of CMCSPP (marine-degradable plastics) were observed to completely dissolve in artificial seawater within several hours. This is orders of magnitude faster than PLA (years) or even PHA (months), ensuring that the material does not linger in the environment long enough to cause physical harm to marine life.[7]

7. Environmental Fate and Safety

Once the plastic has dissolved, what happens to the soup of molecules left behind? The environmental safety of the degradation products is as critical as the degradation itself.

7.1 Biodegradability of Components

* Carboxymethyl Cellulose: As a modified natural polymer, CMC is susceptible to enzymatic hydrolysis. Marine bacteria and fungi produce cellulase enzymes capable of cleaving the glycosidic bonds of the cellulose backbone, converting it into simple sugars (glucose) which are then metabolized for energy.[3]

* Choline Chloride: Being a vitamin and natural metabolite, choline chloride is readily absorbed and utilized by biological organisms in the marine ecosystem.

* Polyguanidinium: The nitrogen-rich crosslinker behaves similarly to naturally occurring nitrogenous compounds. The snippets suggest that the material's components can potentially serve as fertilizers (sources of nitrogen and phosphorus) for marine plants or, in agricultural applications, for crops.[16]

7.2 Toxicity Concerns

The use of FDA-approved food additives (CMC and Choline Chloride) as the bulk biological constituents provides a high baseline of safety. Unlike PVC, which often contains toxic phthalate plasticizers, or polycarbonate, which releases bisphenol A (BPA), the degradation products of CMCSPP are inherently non-toxic to humans and wildlife.[13]

8. Comparative Analysis: CMCSPP vs. Incumbents

To contextualize the significance of the RIKEN innovation, the following table compares CMCSPP with conventional plastics and existing bioplastics.

Feature	Low-Density Polyethylene (LDPE)	Polylactic Acid (PLA)	Polyhydroxyalkanoates (PHA)	RIKEN CMCSPP
Primary Feedstock	Petroleum/Natural Gas	Corn Starch/Sugar Cane	Bacterial Fermentation	Wood Pulp (Cellulose)
Bond Type	Covalent (C-C backbone)	Covalent (Ester)	Covalent (Ester)	Supramolecular (Ionic)

| Marine Degradation || None (Fragments into microplastics) || Negligible
(Requires industrial compost) || Moderate (Months) || Rapid (Hours) |

| Degradation Trigger || UV/Oxidation (Weathering) || Heat + Moisture + Microbes |
| Microbial Enzymes || Ionic Strength (Salt) |

| Mechanical Properties || Flexible, Tough || Brittle (often requires additives) |
| Variable || Tunable (Glassy to Elastic) |

| Recyclability || Mechanical (Downcycling) || Chemical/Mechanical (Complex) ||
Biological || Closed-Loop Chemical |

| Cost Profile || Low || Medium || High || Potentially Low (Commodity inputs) |

Analysis of Comparative Advantages:

* Versus Petroleum: CMCSF offers the first viable pathway to eliminate persistence without sacrificing the convenience of a transparent, flexible film.

* Versus PLA: CMCSF solves the "false promise" of compostability. PLA often ends up in landfills or oceans where it does not degrade; CMCSF is designed specifically for the sink where plastic does the most damage -- the ocean.

* Versus PHA: While PHA is a gold standard for biological production, it is expensive. CMCSF leverages existing industrial cellulose streams, potentially offering a more scalable and cost-effective route.[17]

9. Scalability and Applications

9.1 Manufacturing and Supply Chain

The raw material, cellulose, is renewable and inexhaustible, with one trillion tons produced by nature annually. Carboxymethyl cellulose is already produced on a massive scale (hundreds of thousands of tons/year) for the food and paper industries. This existing industrial base suggests that scaling up CMCSF production would not require the de novo creation of a supply chain, unlike novel fermentation-based polymers.[7]

The synthesis process -- mixing in water at room temperature -- is low-energy compared to the high-temperature melt extrusion used for thermoplastics. This contributes to a lower carbon footprint for the manufacturing phase.

9.2 Use Cases

* Single-Use Packaging: The primary target is the sector responsible for the most pollution: shopping bags, food wrappers, and packaging films. The tunability of the material allows it to be tailored for these specific needs.

* Agricultural Films: The snippet [16] highlights the potential for agricultural use. Mulch films used in farming often contaminate soil with microplastics. A CMCSF mulch film could be programmed to degrade into soil nutrients (fertilizer) at the end of the growing season, eliminating removal costs and soil pollution.

* Medical Devices: Given the biocompatibility of the components, there is potential for temporary medical implants or drug delivery systems that dissolve safely in the body (which is also a saline environment).[19]

10. Challenges and Future Outlook

While the JACS 2025 paper declares the technology to be at a "practical stage," several hurdles remain before global adoption.

* **Water Sensitivity:** The material's greatest strength is also its weakness. A grocery bag that dissolves in the ocean might also dissolve in a heavy rainstorm. The researchers have proposed thin, water-resistant coatings to protect the material during use, but the integrity of these coatings is a critical area for product development.[7]

* **Recycling Infrastructure:** While the material is chemically recyclable (the components can be separated by manipulating pH or ionic strength), current recycling streams are designed for thermal plastics. Introducing a water-soluble plastic into the current polyethylene recycling stream could contaminate the batch. A separate collection or identification system would be required.

* **Economic Competition:** Despite the abundance of cellulose, petroleum plastics are artificially cheap due to the scale of the fossil fuel industry. For CMCSPP to compete, it will likely require legislative support (bans on non-degradable plastics) or carbon pricing to level the playing field.

11. Broader Implications: The UN Plastic Treaty

The timing of this discovery is geopolitical. The world is currently negotiating the terms of a global treaty to end plastic pollution. One of the central debates is the reduction of virgin plastic production and the promotion of sustainable alternatives.

Technologies like CMCSPP provide a technological solution that aligns with the treaty's goals. They demonstrate that it is possible to maintain the benefits of modern materials while decoupling them from the environmental harms of fossil fuel extraction and marine persistence. This innovation offers policymakers a viable alternative to point to when enacting bans on persistent single-use plastics.

12. Conclusion

The development of CMCSPP by the RIKEN team represents a watershed moment in materials science. It signifies a move away from the 20th-century obsession with permanence toward a 21st-century ethic of transient materials -- substances that function when needed and disappear when their task is done.

By harnessing the principles of supramolecular chemistry, Professor Aida and his colleagues have successfully engineered a plastic that is robust enough for human use yet chemically submissive to the natural environment. In doing so, they have not only created a new material but have also validated a new philosophy of design: one that views the end of a product's life as an integral part of its engineering. As the world seeks to close the loop on the plastic crisis, the salt-soluble, plant-based plastic from Japan offers a glimpse of a future where the oceans are no longer a repository for our waste.

Works Cited

- * Plant-Based Plastic Innovation: Leaves No Microplastics - Sci & Tech En.tempo.co, accessed January 7, 2026, <https://en.tempo.co/read/2075608/plant-based-plastic-innovation-leaves-no-microplastics>
- * Plant-based plastic dissolves in seawater within hours - Earth.com, accessed January 7, 2026, <https://www.earth.com/news/plant-based-plastic-dissolves-in-seawater-within-hours/>
- * Dissolvable Plastic: RIKEN's Solution to Ocean Microplastics | Sustainability Magazine, accessed January 7, 2026, <https://sustainabilitymag.com/articles/how-riken-university-of-tokyos-dissolvable-plastic-works>
- * Bye-bye microplastics: new plastic is fully ocean-degradable - It Ain't ..., accessed January 7, 2026, <https://itaintmagic.riken.jp/hot-off-the-press/bye-bye-microplastics-new-plastic-is-fully-ocean-degradable/>
- * Recycling of bioplastic waste - iris@unitn, accessed January 7, 2026, https://iris.unitn.it/retrieve/e3835199-d873-72ef-e053-3705fe0ad821/2021_Fredi_AIEPR.pdf
- * Supramolecular Plastics from Deoxyribonucleic Acid Crosslinked via Multivalent Salt Bridge | CCS Chemistry - Chinese Chemical Society, accessed January 7, 2026, <https://www.chinesechemsoc.org/doi/10.31635/ccschem.025.202505998>
- * The perfect plastic? Plant-based, fully saltwater degradable, zero microplastics | EurekAlert!, accessed January 7, 2026, <https://www.eurekalert.org/news-releases/1110174>
- * On Supramolecular Polymerization: Interview with Takuzo Aida - PubMed, accessed January 7, 2026, <https://pubmed.ncbi.nlm.nih.gov/31867791/>
- * Scientists may have developed "perfect plastic": Plant-based, fully saltwater degradable, zero microplastics. Made from plant cellulose, the world's most abundant organic compound. Unlike other "biodegradable" plastics, this quickly degrades in salt water without leaving any microplastics behind. : r/Futurology - Reddit, accessed January 7, 2026, https://www.reddit.com/r/Futurology/comments/1pocgux/scientists_may_have_developed_perfect_plastic/
- * The perfect plastic? - Plant-based, fully saltwater degradable, zero microplastics, accessed January 7, 2026, <https://www.chemeurope.com/en/news/1187780/the-perfect-plastic.html>
- * Journal of the American Chemical Society Vol. 147 No. 48 - ACS Publications, accessed January 7, 2026, <https://pubs.acs.org/toc/jacsat/147/48>
- * Supramolecular Ionic Polymerization: Cellulose-Based ..., accessed January 7, 2026, <https://pubs.acs.org/doi/10.1021/jacs.5c16680>
- * Supramolecular Ionic Polymerization: Cellulose-Based Supramolecular Plastics with Broadly Tunable Mechanical Properties - PubMed, accessed January 7, 2026, <https://pubmed.ncbi.nlm.nih.gov/41259647/>
- * Bye-bye microplastics: New plastic is recyclable and fully ocean-degradable | ScienceDaily, accessed January 7, 2026,

<https://www.sciencedaily.com/releases/2024/11/241121141011.htm>

* A Breakthrough in Ocean-Safe Materials: Japanese Scientists Develop Plastic That Dissolves in Saltwater | EcoServants , accessed January 7, 2026,

<https://ecoservantsproject.org/a-breakthrough-in-ocean-safe-materials-japanese-scientists-develop-plastic-that-dissolves-in-saltwater/>

* New plastic material fully degrades in the ocean - Advanced ..., accessed January 7, 2026,

<https://www.advancedsciencenews.com/new-plastic-material-fully-degrades-in-the-ocean/>

* Expanding Poly(lactic acid) (PLA) and Polyhydroxyalkanoates (PHAs) Applications: A Review on Modifications and Effects - PMC - NIH, accessed January 7, 2026,

<https://pmc.ncbi.nlm.nih.gov/articles/PMC8659978/>

* Terpenes and Terpenoids: Building Blocks to Produce Biopolymers - MDPI, accessed January 7, 2026, <https://www.mdpi.com/2673-4079/2/3/26>

* Follow Keyword - Read by QxMD, accessed January 7, 2026,

<https://read.qxmd.com/keyword/253567>