Climate & Earth Systems | Oct 3, 2026 | 8 min read | By Bryan White

The 2026 Super El Ni o: Shifting Teleconnections in a Warming World

Environment * Climate Change * Urban Environment

The 2026-2027 Super El Ni o on a Warmed Planetary Baseline

The global climate system entered a pronounced warm phase in late 2026 with the rapid maturation of a high-amplitude El Ni o event across the equatorial Pacific. Unlike canonical twentieth-century episodes, the 2026-2027 event is unfolding atop a warmer global ocean baseline. As confirmed by NOAA's Climate Prediction Center (CPC) advisory on November 12, 2026, equatorial warming has reached +2.5 deg C in Ni o-3.4, +3.6 deg C in Ni o-3, and +4.4 deg C in Ni o-1+2, backed by subsurface anomalies above +10 deg C.[1][6] Stacking a strong El Ni o-Southern Oscillation (ENSO) thermal signal onto anthropogenic radiative forcing is reshaping atmospheric teleconnections that link tropical sea surface temperature (SST) anomalies to extratropical weather.[7][11] Assessing the physical mechanics, planetary wave shifts, Indian Ocean Dipole coupling, and macroeconomic exposure of the 2026-2027 episode is central to near-term climate risk planning.[1][8]

Recharge Oscillator Mechanics and Relative Versus Absolute ENSO Indices

The coupled ocean-atmosphere dynamics of ENSO are governed by the recharge oscillator paradigm, which links eastern Pacific SSTs with equatorial heat content and the depth of the thermocline separating warm surface waters from the cold abyssal ocean.[2] During the warm phase, positive eastern Pacific SST anomalies reduce the basin-wide zonal temperature gradient, weakening easterly trade winds and suppressing the atmospheric Walker circulation. Reduced wind stress permits western Pacific warm-pool water to surge eastward, deepening the eastern thermocline and suppressing cold nutrient-rich upwelling in the Bjerknes feedback loop.[2][4] Simultaneously, wind-stress curl drives poleward Sverdrup transport divergence, discharging equatorial heat until the basin-wide thermocline shoals and transitions into the cold La Ni a phase, during which trade winds recharge equatorial warm-water volume.[2] Prior to late 2026, subsurface ocean heat content in the upper equatorial Pacific built up strongly, while dynamical modeling indicates that background warming alters ENSO coupling and oscillation timescales.[3][4][9]

Morphologically, whereas Central Pacific (Modoki) events confine warming near the International Date Line, the 2026 event developed as an Eastern Pacific El Ni o, with coastal Ni o-1+2 anomalies off Peru and Ecuador exceeding +3 deg C early in its development and reaching +4.4 deg C by November 2026.[1][5] Because anthropogenic greenhouse gas warming inflates the traditional fixed-baseline Oceanic Ni o Index (ONI, the three-month running mean of Ni o-3.4 SST anomalies where 2.0 deg C denotes a Super El Ni o), climatologists increasingly rely on the Relative Oceanic Ni o Index (RONI), which subtracts the tropical-mean SST anomaly from the Ni o-3.4 anomaly to isolate internal variability.[1][6] In mid-November 2026, NOAA CPC

forecasts indicated >79% odds of El Ni o persistence through January-March 2027 and ~60% odds of matching or exceeding historical RONI benchmarks (+2.5 deg C) in October-December and November-January.[1][8]

| El Ni o Event Period | | Peak Unadjusted Anomaly (ONI) | | Peak Relative Anomaly (RONI) | | Classification | | Estimated Global Macroeconomic Income Loss (5-Year Horizon) |

| 1982-1983 | | 2.2 deg C | | 2.69 deg C | | Super | | USD 4.1 Trillion |

| 1997-1998 | | 2.4 deg C | | 2.40 deg C | | Super | | USD 5.7 Trillion |

| 2015-2016 | | 2.6 deg C | | 2.40 deg C | | Super | | USD 3.9 Trillion |

| 2023-2024 | | 1.9 deg C | | 1.80 deg C | | Strong | | Assessment Ongoing |

| 2026-2027 (Active / Projected) | | +2.5 deg C (Nov 2026 Ni o-3.4) | | ~2.5+ deg C (Peak Odds ~60%) | | Super | | Projected High Exposure |

Eastward Migration of Extratropical Teleconnections and Compound IOD Forcing

Historically, Eastern Pacific Super El Ni os force deep tropical atmospheric convection that excites planetary Rossby wave trains -- most notably the positive Pacific-North American (PNA) pattern featuring a deepened Aleutian Low, a western Canadian ridge, and a southeastern U.S. trough that steers the Pacific jet stream southward to deliver heavy winter rainfall across California and the U.S. Gulf Coast.[11] However, a 2026 Geophysical Research Letters study by Beniche, Vialard, Taschetto, and Lengaigne analyzing Coupled Model Intercomparison Project Phase 6 (CMIP6) simulations demonstrated that high-amplitude El Ni o teleconnections lose distinctiveness in a warmer climate.[11] As global oceans warm, the SST threshold required to trigger deep tropical convection rises, while the PNA wave train shifts eastward by approximately 30 deg of longitude.[11] Despite equatorial Pacific cold-tongue biases in CMIP6 models, this eastward displacement dilutes or relocates canonical precipitation anomalies over California and Florida, making late-twentieth-century hydrological analogs less reliable.[11][12]

Simultaneously, the 2026 Pacific warming is compounded by a strong positive Indian Ocean Dipole (IOD), defined by anomalous warming off the Horn of Africa and cooling west of Indonesia and Australia.[10][12] Over the Maritime Continent (Indonesia, Malaysia, and the Philippines) and eastern Australia, El Ni o and the positive IOD synergistically suppress convection, raising drought, soil moisture depletion, and wildfire hazards.[10][13] Over the Indian subcontinent -- where seasonal forecasts initially projected monsoon rainfall below the Long Period Average -- enhanced western Indian Ocean evaporation from the positive IOD partially buffers late-season monsoon moisture transport, while amplifying flood risk across East Africa (Kenya, Somalia, and Ethiopia).[10][13]

Marine Phenological Mismatch and Global Macroeconomic Damages

In the Humboldt Current upwelling system off Peru and Chile, deepening of the eastern Pacific thermocline caps cold nutrient delivery into the photic zone, reducing primary phytoplankton blooms.[14] Coupled physical-biogeochemical

CROCO-BioEBUS simulations show that coastal warming alters adult Peruvian anchoveta spawning schedules while depleting plankton density, creating a phenological mismatch during the larval first-feeding window that drives cohort starvation and fishery declines -- with high-emission (SSP5-8.5) projections warning of persistent austral-winter spawning misalignment.[14]

Macroeconomically, econometric analyses incorporating climate sensitivity and temperature variability indicate that a 1 deg C global mean temperature increase reduces world GDP by up to 12 percent -- roughly six times earlier consensus estimates -- implying a Social Cost of Carbon near USD 1,367 per ton.[15] Across tropical commodity chains, synchronized weather shocks in West African cocoa (following sharp price surges in 2023-2024), Southeast Asian palm oil and robusta coffee, and South Asian rice raise risks of export restrictions and food-price inflation across import-dependent markets.[13][16][17][18]

| Agricultural Commodity | | Primary At-Risk Production Regions | | Meteorological and Biological Impact Mechanism | | Global Macroeconomic Implication |

| Cocoa | | West Africa (C te d'Ivoire, Ghana) | | Sustained drought and elevated canopy temperatures impairing pod development. | | Heightened price volatility; tighter global buffer stocks; margin compression for processors. |

| Palm Oil | | Southeast Asia (Indonesia, Malaysia) | | Prolonged dry season compounding soil-moisture deficits. | | Yield compression; upward pressure on edible oil complexes and biofuel feedstocks. |

| Rice | | South and Southeast Asia (India, Vietnam) | | Suppressed Asian monsoon and depleted reservoir levels. | | Elevated risk of sovereign export restrictions; food affordability pressures in importing nations. |

| Coffee (Robusta) | | Southeast Asia (Vietnam, Indonesia) | | High temperatures and irregular precipitation disrupting flowering phases. | | Tightened global supply networks; sustained retail price inflation for beverage commodities. |

Adapting to Non-Stationary Climate Extremes

The 2026-2027 Super El Ni o illustrates how anthropogenic ocean warming alters natural interannual climate variability.[1][7] With RONI indices approaching instrumental highs, PNA Rossby wave teleconnections shifting ~30 deg eastward, and compound IOD forcing amplifying ecological and agricultural disruptions from the Humboldt Current to Southeast Asia, climate forecasting and macroeconomic policy must transition from stationary twentieth-century analogs to dynamic, non-stationary risk frameworks.[11][14][16]

Updates... (Nov 23, 2026): Verified NOAA CPC November 12, 2026 ENSO Diagnostic Discussion metrics, corrected Reference 6 Carbon Brief author and headline wording, updated Reference 9 to its canonical URL, and added the exact CrossRef online publication date to Reference 12.

References

* [1] NOAA Climate Prediction Center. (Nov 12, 2026). El Ni o/Southern Oscillation (ENSO) Diagnostic Discussion.

https://www.cpc.ncep.noaa.gov/products/analysis_monitoring/enso_disc_nov2026/ensodisc.shtml

* [2] Jin, F.-F. (Apr 1997). An Equatorial Ocean Recharge Paradigm for ENSO. Part I: Conceptual Model. Journal of the Atmospheric Sciences, 54(7), 811-829. https://doi.org/10.1175/1520-0469(1997)054<0811:aeorpf>2.0.co;2

* [3] Crespo-Miguel, R., Polo, I., Mechoso, C. R., & Rodr guez-Fonseca, B. (Jan 13, 2023). ENSO coupling to the equatorial Atlantic: Analysis with an extended improved recharge oscillator model. Frontiers in Marine Science, 9, 1001743. https://doi.org/10.3389/fmars.2022.1001743

* [4] Yeh, S.-W., Kug, J.-S., Dewitte, B., Kwon, M.-H., et al. (Sep 24, 2009). El Ni o in a changing climate. Nature, 461(7263), 511-514. https://doi.org/10.1038/nature08316

* [5] Rivera Tello, G. A., Takahashi, K., & Karamperidou, C. (Nov 30, 2023). Explained predictions of strong eastern Pacific El Ni o events using deep learning. Scientific Reports, 13(1), 21150. https://doi.org/10.1038/s41598-023-45739-3

* [6] Hausfather, Z. / Carbon Brief. (Sep 21, 2026). Analysis: 'Super El Ni o' breaks 'remarkable' all-time record. https://www.carbonbrief.org/analysis-super-el-nino-reaches-remarkable-all-time-record

* [7] ScienceNews / Strategian. (Sep 14, 2026). The super El Ni o is already wreaking havoc: here's what's in store. https://sciencenews.strategian.com/public_html/2026/09/13/the-super-el-nino-is-already-wreaking-havoc-heres-whats-in-store/

* [8] Climate Adaptation Center. (Sep 15, 2026). The 2026-2027 El Ni o Could Set Records. https://www.theclimateadaptationcenter.org/2026/09/15/the-2026-el-nino-could-set-records/

* [9] El Ni o Guide. (Aug 23, 2026). El Ni o 2026: Latest Status, Forecast & Impacts. https://elninoguide.com/el-nino-2026

* [10] Plutusias. (Jun 5, 2026). Super El Ni o 2026: Science, Global Impacts & India's Monsoon Under Threat. https://plutusias.com/super-el-nino-2026-science-global-impacts-indias-monsoon-under-threat/

* [11] Beniche, M., Vialard, J., Taschetto, A. S., & Lengaigne, M. (Jun 12, 2026). Reduced Distinctiveness of Extreme El Ni o Teleconnections in Warmer Climates. Geophysical Research Letters, 53(12), e2025GL121189. https://doi.org/10.1029/2025gl121189

* [12] Zhang, D., Hou, Y., & Li, X. (Sep 2, 2026). Evaluating AMIP6 Models of the Indian Ocean-North America Teleconnection Associated with the Indian Ocean Basin Mode. Advances in Atmospheric Sciences, 43(9), 1829-1842. https://doi.org/10.1007/s00376-026-6072-y

* [13] ISDO. (Jul 20, 2026). El Ni o 2026: Global Food Security, Economic Disruption, Conflict Risk and Migration Implications. https://isdo.ch/el-nino-2026-global-food-security-economic-disruption-conflict-risk-and-migration-implications/

* [14] Xue, T., & Hill, M. (Dec 2025). Phenological mismatch contributes to anchoveta landings collapse under El Ni o and climate change in the Peruvian upwelling system. ICES Journal of Marine Science, 82(12), fsaf214.

https://doi.org/10.1093/icesjms/fsaf214

* [15] Bilal, A., & K nzig, D. (May 2024). The Macroeconomic Impact of Climate Change: Global vs. Local Temperature. NBER Working Paper 32450. https://doi.org/10.3386/w32450

* [16] Allianz Research. (Jul 16, 2026). Super El Ni o risk: more inflation in Asia, oversupply in Latin America. https://www.allianz.com/content/dam/onemarketing/azcom/Allianz_com/economic-research/publications/specials/en/2026/july/2026

* [17] The Food Institute. (Aug 4, 2026). Super El Ni o Could Spike Food Inflation. https://foodinstitute.com/supplychain/super-el-nino-could-spike-food-inflation-nine-percent/

* [18] Credendo. (Sep 17, 2026). El Ni o returns at a challenging time for global agriculture. https://credendo.com/en/knowledge-hub/agriculture-sector-el-nino-returns-challenging-time-global-agriculture