Space & Astronomy | Feb 26, 2026 | 8 min read | By Bryan White

The Last Totality Until 2028: A Guide to the March 2026 Lunar Eclipse

Space * Astronomy * Solar System

Introduction: The Syzygy and Asymmetric Geometry of March 2026

The total lunar eclipse of March 3, 2026, served as a premier observational benchmark in celestial mechanics and planetary astronomy.[1] Driven by syzygy -- the linear alignment in which Earth interposes directly between the Sun and the Moon -- the eclipse occurred as the full moon crossed its descending node along a lunar orbit inclined ~5 deg to the ecliptic plane.[1][3][4] As the sole total lunar eclipse of 2026 and the final totality visible anywhere on Earth until late 2028, the event formed the third major component of the 2025-2026 almost-tetrad sequence.[2][6] Beyond its chronological rarity, the eclipse featured an asymmetric shadow transit that produced a pronounced luminance gradient across the lunar disk alongside a mid-totality occultation of the spiral galaxy NGC 3423.[6][7] This report examines the geocentric parameters, the evolution of umbral shadow enlargement models, Saros cycle resonance, atmospheric optics, and global visibility conditions governing the March 2026 syzygy.

Derived from Jet Propulsion Laboratory DE430 planetary ephemerides and NASA's Five Millennium Canon predictions (which list a classical 1.1507 umbral magnitude and 2.1838 penumbral magnitude), the DE430 oblate-shadow solution placed penumbral magnitude at 2.18580 and umbral magnitude at 1.15263, immersing the entire lunar disk within Earth's central shadow.[6][8][9] The Gamma parameter -- measuring the minimum perpendicular distance from the lunar disk's center to the umbral cone axis in units of Earth's equatorial radius -- was -0.37651.[6] While negative Gamma placed the Moon's center south of the shadow axis, its southern limb passed just 4.1 arcminutes from the exact umbral core, plunging the southern hemisphere into deep shadow while leaving the northern limb near the brighter umbral boundary.[7] Occurring 6.7 days after perigee (February 24) and 6.9 days before apogee (March 10), the Moon subtended a semi-diameter of 15' 37.0".[6]

| Geocentric Coordinate and Eclipse Parameter | | Calculated Value |

| Date of Greatest Eclipse / Ephemerides Model | | March 3, 2026 / JPL DE430 (T = 72.1 s) |

| Penumbral / Umbral Magnitude (DE430 / NASA Canon) | | 2.18580 / 1.15263 (Canon: 2.1838 / 1.1507) |

| Gamma Value | | -0.37651 |

| Sun Right Ascension / Declination | | 22h 56m 56.0s / -06 deg 43' 06.4" |

| Moon Right Ascension / Declination | | 10h 56m 15.0s / +06 deg 24' 05.3" |

| Moon Equatorial Horizontal Parallax / Semi-Diameter | | 0 deg 57' 18.7" / 15' 37.0" |

Evolution of Umbral Shadow Enlargement Theory

Predicting contact times to sub-second accuracy requires modeling how Earth's atmosphere absorbs and scatters tangential sunlight, enlarging the physical shadow beyond that of an airless sphere.[11][13] First quantified in 1707 by Philippe de La Hire as a ~1/41 radial expansion, atmospheric shadow enlargement was standardized in 1891 by William Chauvenet, who applied a relative 1/50 (2%) fractional increase to a strictly circular umbral radius.[12][13] In 1951, Andr -Louis Danjon replaced Chauvenet's relative fraction with an absolute physical correction assuming a 75 km opaque atmospheric layer -- implemented by increasing lunar parallax by 1% -- which reclassified grazing partial eclipses into deep penumbral transits.[12][13]

| Marginal Lunar Eclipse | | Chauvenet Classification | | Danjon Classification | | Magnitude Difference |

| September 15, 1513 | | Partial (0.0036) | | Penumbral (-0.0003) | | 0.0039 |

| June 13, 1900 | | Partial (0.0012) | | Penumbral (-0.0040) | | 0.0052 |

| March 3, 1988 | | Partial (0.0028) | | Penumbral (-0.0017) | | 0.0045 |

| September 29, 2042 | | Partial (0.0027) | | Penumbral (-0.0031) | | 0.0058 |

| October 13, 2581 | | Partial (0.0017) | | Penumbral (-0.0054) | | 0.0071 |

Both classical models, however, treated Earth's shadow as circular rather than accounting for rotational oblateness and seasonal axial tilt.[11] Modern predictions for March 2026 employed the 2014 Herald and Sinnott model, derived from 22,539 crater timings across 94 eclipses (1842-2011).[11] Herald and Sinnott established an effective eclipse-forming atmospheric altitude of 87 km and introduced a dynamic latitudinal adjustment accounting for Earth's equatorial bulge and solar declination.[8][11]

Orbital Resonance and the Chronology of Saros Series 133

The recurrence of the March 2026 eclipse was governed by the Saros cycle -- an orbital resonance of 6,585.3 days (18 years, 11 days, 8 hours) harmonizing 223 synodic months, 239 anomalistic months, and 242 draconic months.[14] The residual 8-hour fraction rotates Earth an extra ~120 deg westward between consecutive events, requiring a three-Saros exeligmos (54 years, 33 days) to restore comparable longitudinal visibility.[14]

As the 27th of 71 eclipses in Lunar Saros Series 133, the March 2026 event occurred at the descending node as the lunar path migrates northward through the umbra.[4][6] Compared to its predecessor on February 21, 2008 (umbral magnitude 1.1081, Gamma -0.3992, totality 49m), the 2026 eclipse achieved deeper immersion (1.15263 DE430 / 1.1507 NASA Canon; Gamma -0.37651) and extended totality to 58m 19s.[6][9][4][15] Series 133 began on May 13, 1557, peaks with a 1h 41m 41s totality on May 30, 2170, and concludes on June 29, 2819.[4]

| Saros 133 Milestone | | Date | | Duration or Classification |

| First Eclipse / Longest Penumbral | | May 13, 1557 / July 27, 1665 | | Penumbral / 04h 41m 05s |

| Longest Partial / Shortest Total | | Dec 17, 1899 / Dec 28, 1917 | | 03h 22m 02s / 00h 11m 57s |

| Observed 2026 Eclipse (Member 27) | | March 3, 2026 | | 00h 58m 19s (Total) |

| Longest Total / Final Eclipse | | May 30, 2170 / June 29, 2819 | | 01h 41m 41s / Penumbral |

Atmospheric Optics, the Danjon Scale, and Contact Timings

During totality, Earth blocks direct solar radiation, illuminating the Moon solely via sunlight refracted through the terrestrial limb.[3][5] Rayleigh scattering in the troposphere and stratosphere filters out short-wavelength blue and violet light while transmitting longer red and copper wavelengths into the umbra.[3][5] Stratospheric aerosols from volcanic eruptions can darken totality severely, a variability quantified on the five-point Danjon Scale.[3][10]

| Danjon Value | | Qualitative Visual Characteristics |

| L = 0 / L = 1 | | Very dark (nearly invisible at mid-totality) to dark gray/brown with obscured lunar maria. |

| L = 2 | | Deep red or rust-colored eclipse with a dark central umbra and brighter outer rim. |

| L = 3 / L = 4 | | Brick-red (L=3) to bright copper-orange (L=4) with a yellowish or ozone absorption-tinted bluish border. |

Absent major volcanic stratospheric injections, the March 2026 totality was characterized by a steep luminance gradient between L=2 across the deep-umbra southern hemisphere and L=3/L=4 along the brighter northern limb.[7] Capturing this dynamic range required equatorial mounts tracking the Moon's ~14.5 deg /hr motion against background stars, with ISO 200 exposures reaching 8-15 seconds at maximum totality.[10][17]

| Chronological Phase | | Contact | | Time (UTC) |

| Penumbral / Partial Eclipse Commences | | P1 / U1 | | 08:44:22 / 09:50:00 |

| Total Eclipse Commences / Greatest Eclipse | | U2 / Max | | 11:04:26 / 11:33:37 |

| Total / Partial / Penumbral Eclipse Concludes | | U3 / U4 / P4 | | 12:02:45 / 13:17:10 / 14:22:59 |

Global Visibility, Climatology, and the NGC 3423 Occultation

Centered over the Pacific Basin, the full 5h 38m 37s transit was visible across Hawaii, New Zealand, eastern Australia, far-eastern Russia, and western North America.[1][6][9] Along the North American Pacific coast (PST), totality ran from 3:04 to 4:03 a.m. well above the western horizon, whereas Mountain (4:04-5:03 a.m. MST) and Central (5:04-6:03 a.m. CST) observers contended with approaching twilight and Eastern observers (6:04 a.m. EST) experienced moonset during totality.[18][20] Conversely, East Asia and Australasia observed an evening/midnight rising event: totality spanned 10:04-11:03 p.m. AEDT in Sydney, 00:04-01:03 a.m. NZDT (March 4) in Auckland, and 8:04-9:03 p.m. JST/KST in Tokyo and Seoul, while Europe, Africa, and the Middle East missed the syzygy entirely.[1][16][18]

Observing prospects under historical March climatology strongly favored arid inland deserts across Arizona and central Australia compared with coastal and East Asian urban basins.[18][19] During totality in Leo, the darkened lunar limb -- dimmed by roughly four orders of magnitude -- also occulted the faint spiral galaxy NGC 3423 for telescopic observers across western and central North America.[1][3][6][7][21]

Conclusion: Synthesis and Observational Implications

The March 3, 2026 total lunar eclipse united orbital resonance, oblate atmospheric shadow modeling, and planetary optics in the final lunar totality until late 2028.[2][11] From testing the 87 km Herald-Sinnott umbral model and recording the steep L=2/L=3 Danjon luminance gradient to observing the telescopic occultation of NGC 3423, the event served as a rich observational laboratory across the Pacific Rim.[6][7][11][18]

Updates... (Nov 24, 2026): Consolidated prior post-event updates, deduplicated the duplicate NASA GSFC Saros 133 reference entry, upgraded publication dates on References 1 and 7 (Jan 29, 2026 and Feb 16, 2026), and standardized the References section heading and item IDs.

References

* NASA Science (Jan 29, 2026). March 2026 Total Lunar Eclipse: Your Questions Answered. https://science.nasa.gov/solar-system/moon/march-2026-total-lunar-eclipse-your-questions-answered/

* Space.com (Feb 23, 2026). Total lunar eclipse March 3, 2026 -- Live updates. https://www.space.com/news/live/total-lunar-eclipse-blood-moon-march-3-2026-live-updates

* Astronomy Magazine (Mar 2, 2026). How to observe the March 3 total lunar eclipse. https://www.astronomy.com/observing/observe-the-march-3-total-lunar-eclipse/

* Espenak, F. / NASA Goddard Space Flight Center (2008). Catalog of Lunar Eclipses in Saros 133 (1557-2819). https://eclipse.gsfc.nasa.gov/LEsaros/LEsaros133.html

* The Times of India (Mar 2, 2026). Total lunar eclipse on March 3, 2026: How to watch the 'Blood Moon'. https://timesofindia.indiatimes.com/science/total-lunar-eclipse-on-march-3-2026-how-to-watch-the-blood-moon-when-and-where-it-

* NASA Goddard Space Flight Center (2009). Five Millennium Catalog of Lunar Eclipses: 2001 to 2100 (March 3, 2026 Total Lunar Eclipse). https://eclipse.gsfc.nasa.gov/LEcat5/LE2001-2100.html

* Young, C. A. (Feb 16, 2026). Total Lunar Eclipse on March 2-3, 2026. The Sun Today. https://www.thesuntoday.org/eclipses-transits/total-lunar-eclipse-on-march-2-3-2026/

* NASA Goddard Space Flight Center (2026). Eclipses During 2026. https://eclipse.gsfc.nasa.gov/OH/OH2026.html

* NASA Goddard Space Flight Center (2009). Total Lunar Eclipse of 2026 Mar 03 (Eclipse Diagram and Contact Summary). https://eclipse.gsfc.nasa.gov/LEplot/LEplot2001/LE2026Mar03T.pdf

* Jubier, X. (Sep 14, 2007). Lunar Eclipse Photography.

http://xjubier.free.fr/en/site_pages/lunar_eclipses/Lunar_Eclipse_Photography.html

* Herald, D., & Sinnott, R. W. (Oct 1, 2014). Analysis of lunar crater timings, 1842-2011. Journal of the British Astronomical Association, 124(5), 247-253. https://openalex.org/W3021841246

* Espenak, F., & Meeus, J. (2009). Five Millennium Catalog of Lunar Eclipses: -1999 to +3000 (NASA/TP-2009-214173). NASA NTRS. https://ntrs.nasa.gov/citations/20090017811

* Espenak, F. (2009). Figure 2-1: Lunar Eclipse Contacts. AstroPixels. https://astropixels.com/pubs/images/21CCLE-Shadows.pdf

* NASA Goddard Space Flight Center (2009). Eclipses and the Saros. https://eclipse.gsfc.nasa.gov/SEsaros/SEsaros.html

* NASA Goddard Space Flight Center (2008). Total Lunar Eclipse of 2008 Feb 21 (Saros 133 Member 26). https://eclipse.gsfc.nasa.gov/LEplot/LEplot2001/LE2008Feb21T.pdf

* The Korea Herald (Feb 20, 2026). Where to watch Daeboreum lunar eclipse in Seoul. https://www.koreaherald.com/article/10679235

* Pettengill, R. (Sep 30, 2020). Exposure planning for a lunar eclipse. http://astronomy.robpettengill.org/lunarEclipseExposurePlan.html

* StarWalk Space (Mar 2, 2026). Total Lunar Eclipse on March 2-3, 2026. https://starwalk.space/en/news/total-lunar-eclipse-march-3-2026

* Time and Date (2026). March 2-3, 2026 Total Lunar Eclipse. https://www.timeanddate.com/eclipse/lunar/2026-march-3

* Griffith Observatory (Mar 7, 2026). Total Lunar Eclipse Broadcast -- March 3, 2026. https://griffithobservatory.lacity.gov/event/total-lunar-eclipse-broadcast-march-3-2026/

* Dunham, D. W. / Royal Astronomical Society of Canada (2026). Lunar Occultations During 2026. https://occultations.org/publications/rasc/2026/lunar26.pdf