Policy & Society | Sep 14, 2026 | 8 min read | By Bryan White

Where Industrial Growth Collides with Ecology: The Technical Stakes in 2026 Swing States

Environment * Energy * Economics

The 2026 Midterm Scientific Policy Landscape in Swing States

The 2026 United States midterm cycle underscored acute biophysical constraints across battleground states including Pennsylvania, Ohio, Michigan, North Carolina, Georgia, Arizona, and Iowa.[1] Beneath partisan debates over industrial growth lie strict physical and biochemical boundaries: Southwestern semiconductor fabrication is constrained by drought hydrology;[2] Midwestern artificial intelligence data centers are pushing electrical grids to thermodynamic limits;[4] and state public health and agricultural policies must address fluorinated surfactant toxicokinetics, preeclampsia biomarkers, and soil biogeochemistry governing greenhouse gas fluxes.[7][8][9]

Energy Infrastructure: Grid Reliability, Data Center Loads, and Advanced Conductors

In Pennsylvania, Ohio, and Michigan, hyperscale AI data centers have upended decades of flat (<1% annual) electricity demand growth.[1][4] PJM Interconnection forecasts steep load expansion from data centers and electrification, contributing significantly to wholesale capacity cost increases.[4][6] PJM's 2026-2027 Base Residual Auction cleared at the 329.17 dollars/megawatt-day FERC-approved cap -- up from 28.92 dollars two cycles prior -- followed by 333.44 dollars/megawatt-day for 2027-2028 and 325.00 dollars/megawatt-day (a 6,831 MW reliability shortfall against target requirements) in the July 2026 auction for 2028-2029, prompting regional policy debates over consumer rate impacts.[4][5][6][10]

| Delivery Year | | Market Segment | | Clearing Price (Dollars per Megawatt-day UCAP) |

| 2024 to 2025 | | Grid Capacity Market | | 28.92 |

| 2025 to 2026 | | Grid Capacity Market | | 269.92 |

| 2026 to 2027 | | Grid Capacity Market | | 329.17 (Price Cap) |

| 2027 to 2028 | | Grid Capacity Market | | 333.44 (Price Cap) |

| 2028 to 2029 | | Grid Capacity Market | | 325.00 (Price Cap) |

With more than 130 gigawatts of generation and storage projects backlogged in PJM's interconnection queue behind transmission constraints,[11] utilities are replacing steel-reinforced aluminum lines -- which suffer resistive heating and thermal sag[13] -- with Aluminum Conductor Composite Core (ACCC) cables.[12][14] Carbon/glass-fiber cores exhibit low thermal expansion, expanding thermal ampacity and cutting line transfer limit violations when grid protection schemes are properly coordinated.[12][14]

Hydrological Deficits and the Microelectronics Water Nexus

In Arizona, TSMC and Intel semiconductor expansions coincide with Colorado River apportionment pressures.[3] Each 1 deg C of regional warming reduces basin runoff efficiency via snowpack albedo loss and soil-moisture deficits.[17] While five wide-head turbine retrofits lowered Hoover Dam's official minimum power pool to 950 feet above mean sea level, Lake Mead dropping below ~1,035 feet exposes the dam's 12 older conventional turbines to severe cavitation and capacity losses, alongside Tier 3 shortage determinations triggered below 1,025 feet -- even as Pinal County groundwater overdraft causes irreversible aquifer compaction and earth fissures.[18][19]

| User Segment / Metric | | Approximate Daily Water Demand (Gallons) | | Primary Source / Application |

| Semiconductor Fabrication Facility | | ~4.75M (single fab) to 10-20M (multi-fab campus) | | Municipal / Ultrapure Water generation |

| Hyperscale AI Data Center | | Up to multi-million GPD | | Municipal / Evaporative Cooling |

| Arizona Agriculture Sector | | > 70 percent of state total | | Surface and Groundwater / Irrigation |

| Reverse Osmosis Recovery Yield | | ~1,000 gallons per 1,500 input | | Photolithography rinsing |

Individual leading-edge fabs draw roughly 4.75 million gallons daily during initial operations while multi-fab campuses scale toward 10-20 million gallons daily (requiring ~1,500 gallons of municipal water per 1,000 gallons of ultrapure water produced via standard reverse osmosis).[15][16] To achieve 65%-90%+ on-site water recycling without dissolved silica fouling polyamide membranes, industrial reclamation systems utilize Vibratory Shear Enhanced Processing (VSEP) and closed-loop treatment to disrupt boundary-layer concentration polarization and mitigate silica scale nucleation.[3][15][20]

Environmental Toxicology and Maternal Diagnostics

In North Carolina, Michigan, and Wisconsin, the EPA's April 2024 drinking water rules established enforceable limits of 4.0 parts per trillion (ppt) for PFOA and PFOS and 10.0 ppt for short-chain GenX (HFPO-DA) in affected watersheds.[21][22]

| PFAS Compound | | Regulatory Limit (Parts per Trillion) | | Primary Biological Targets |

| Perfluorooctanoic acid | | 4.0 | | Hepatic, Immune, Lipid Metabolism |

| Perfluorooctanesulfonic acid | | 4.0 | | Hepatic, Developmental, Thyroid |

| Hexafluoropropylene oxide dimer acid (GenX) | | 10.0 | | Hepatic, Biliary Transport |

| Perfluorohexane sulfonic acid | | 10.0 | | Hepatic, Endocrine |

Both legacy and short-chain PFAS bioaccumulate via hepatic basolateral transport proteins -- organic anion transporting polypeptides (OATP1B1, OATP1B3) and sodium

taurocholate cotransporting polypeptides -- driving enterohepatic recirculation, PPAR- lipid disruption, and intestinal tight-junction impairment.[8][23][24] In Wisconsin, where wastewater biosolids contaminate farmland, Act 201 and related statutes shaped remediation funding and passive agricultural receiver liability amid ongoing groundwater rule disputes.[22][25]

In Georgia, where over 40 percent of counties are maternity care deserts and maternal mortality remains elevated,[26][27] Regional Perinatal Centers utilize the FDA-cleared Roche Elecsys immunoassay measuring the ratio of anti-angiogenic sFlt-1 to pro-angiogenic PlGF.[7][28] An sFlt-1/PlGF ratio below 38 provides a high negative predictive value over two weeks, helping rule out severe preeclampsia and guide rural maternal transport.[7][28]

| Predictive Metric | | Ratio Threshold | | Performance Percentage | | Clinical Timeframe |

| Negative Predictive Value | | Less than 38 | | > 94.0 | | 2 Weeks |

| Positive Predictive Value | | Greater than 38 | | 65.0 - 79.0 | | 2 Weeks |

| Sensitivity (Rule-in) | | Greater than 38 | | 91.0 - 94.0 | | 2 Weeks |

Agricultural Biogeochemistry and Top-Down Atmospheric Verification

In Iowa, Pennsylvania, and Ohio, verifying Corn Belt Mollisols as a carbon sink for atmospheric carbon dioxide requires ground-truthing Tier 3 DayCent soil carbon simulations against direct soil-sampling and micrometeorological eddy covariance measurements of trace gases across the ecosystem.[9][29] Synthetic nitrogen fertilizers also alter the nitrogen cycle via bacterial nitrification (Nitrosomonas and related ammonia oxidizers), emitting nitrous oxide with high radiative forcing.[30] Meanwhile, satellite atmospheric inversion studies over U.S. oil and gas basins show actual methane emissions frequently exceed bottom-up inventories due to episodic "super-emitter" well leaks and blowouts.[31][32]

Aligning Swing-State Policy with Physical and Biochemical Limits

Across 2026 swing states, durable policy depends on respecting empirical constraints -- from composite-core grid reconductoring and closed-loop wafer water reclamation to PFAS hepatic toxicokinetics, angiogenic preeclampsia assays, and top-down satellite greenhouse gas verification.

Updates... (Nov 22, 2026): Corrected the publication date for von Briesen & Roper Wisconsin PFAS legislation analysis (Apr 15, 2026) [25], and enriched exact publication dates from CrossRef, Monitoring Analytics, and publisher metadata across Works Cited.

Works Cited

* CBS News (2026, Sep 13). 2026 midterm election races to watch. https://www.cbsnews.com/news/2026-midterm-election-races/

* Lepawsky, J. (2024, Feb). Climate change induced water stress and future semiconductor supply chain risk. iScience, https://doi.org/10.1016/j.isci.2024.108791

* Digital Today (2026). Arizona chip boom faces water cuts from 2027, raising alarm for TSMC, Intel expansions. https://www.digitaltoday.co.kr/en/view/103159/arizona-chip-boom-faces-water-cuts-from-2027-raising-alarm-for-tsmc-intel-expansi

* Canary Media (2025, Dec 18). PJM's capacity costs hit record as grid falls short on supply. https://www.canarymedia.com/articles/data-centers/pjm-record-capacity-costs-rising-bills

* Monitoring Analytics (2026, Jul 9). Analysis of the 2027/2028 RPM Base Residual Auction: Part B. Independent Market Monitor for PJM. https://www.monitoringanalytics.com/reports/Reports/2026/IMM_Analysis_of_the_20272028_RPM_Base_Residual_Auction_Part_

* Monitoring Analytics (2026, Oct 30). Analysis of the 2028/2029 RPM Base Residual Auction: Part A. Independent Market Monitor for PJM. https://www.monitoringanalytics.com/reports/Reports/2026/IMM_Analysis_of_the_20282029_RPM_Base_Residual_Auction_Part_

* T taru-Copos, A., et al. (2026, Mar 5). sFlt-1/PlGF Ratio as a Central Biomarker for Preeclampsia and Perinatal Outcomes: A Multisystem Retrospective Cohort Study. Journal of Clinical Medicine, https://doi.org/10.3390/jcm15051990

* Vujic, E., et al. (2024, Aug 1; epub 2024, May 9). Effects of PFAS on human liver transporters: implications for health outcomes. Toxicological Sciences, https://doi.org/10.1093/toxsci/kfae061

* Del Grosso, S. J., et al. (2012). DayCent Model Simulations for Estimating Soil Carbon Dynamics and Greenhouse Gas Fluxes from Agricultural Production Systems. Managing Agricultural Greenhouse Gases, https://doi.org/10.1016/b978-0-12-386897-8.00014-0

* Monitoring Analytics (2026, Mar 3). Analysis of the 2026/2027 RPM Base Residual Auction: Part B. Independent Market Monitor for PJM. https://www.monitoringanalytics.com/reports/Reports/2026/IMM_Analysis_of_the_20262027_RPM_Base_Residual_Auction_Part_

* Rand, J., Manderlink, N., Gorman, W., et al. (2024, Apr 9). Queued Up: 2024 Edition, Characteristics of Power Plants Seeking Transmission Interconnection As of the End of 2023. Lawrence Berkeley National Laboratory (OSTI). https://doi.org/10.2172/2335720

* GridLab (2025, Oct 16). Advanced Conductors. https://gridlab.org/wp-content/uploads/2025/10/2025-10-16-BPA-Advanced-Conductors-with-cover.pdf

* Kumar, P., & Singh, A. K. (2019, Apr). Optimal mechanical sag estimator for leveled span overhead transmission line conductor. Measurement, https://doi.org/10.1016/j.measurement.2019.01.067

* Chen, Y. (2019). Stress-Sag Calculation for Carbon Fiber Composite Core Aluminum Conductor. Engineering Energy Aluminum Conductor Composite Core (ACCC) and its Application, https://doi.org/10.1016/b978-0-12-815611-7.00005-3

* Real Estate Daily News (2025). TSMC Breaks Ground on 15-Acre Water Reclamation Plant in North Phoenix. https://realestatedaily-news.com/tsmc-breaks-ground-on-15-acre-water-reclamation-plant-in-north-phoenix/?print=print

* Rho, H., Chon, K., & Cho, J. (2019, May 28). An Autopsy Study of a Fouled Reverse Osmosis Membrane Used for Ultrapure Water Production. Water,

https://doi.org/10.3390/w11061116

* National Park Service / Water Resources Research (2023). Aridification of Colorado River Basin's Snowpack Regions. https://npshistory.com/publications/glca/wrr-v59-2023.pdf

* U.S. Bureau of Reclamation (2015, Mar 2; updated 2022). Hoover Dam Frequently Asked Questions and Answers: Hydropower at Hoover Dam. https://www.usbr.gov/lc/hooverdam/faqs/powerfaq.html

* Anderson, S. R. / U.S. Geological Survey (1989). Potential for aquifer compaction, land subsidence, and earth fissures in Avra Valley, Pima and Pinal Counties, Arizona (Hydrologic Atlas 718). https://doi.org/10.3133/ha718

* Subramani, A., et al. (2012, Apr). Vibratory shear enhanced process (VSEP) for treating brackish water reverse osmosis concentrate with high silica content. Desalination, https://doi.org/10.1016/j.desal.2012.01.020

* Hua, M., et al. (2025, Mar 16). United States Environmental Protection Agency's Perfluorooctanoic Acid, Perfluorooctane Sulfonic Acid, and Related Per- and Polyfluoroalkyl Substances 2024 Drinking Water Maximum Contaminant Level: Part 1 - Analysis of Public Comments. Critical Reviews in Toxicology, https://doi.org/10.1080/10408444.2024.2415893

* Wisconsin Department of Natural Resources (2025). PFAS Overview. https://dnr.wisconsin.gov/topic/PFAS

* Brunetti, K., et al. (2025, Dec 29). From Exposure to Dysfunction: The Intestinal Toxicity of Per- and Polyfluoroalkyl Substances. Toxics, 14(1), 39. https://doi.org/10.3390/toxics14010039

* Zhao, W., et al. (2016, Dec 24). Organic Anion Transporting Polypeptides Contribute to the Disposition of Perfluoroalkyl Acids in Humans and Rats. Toxicological Sciences, https://doi.org/10.1093/toxsci/kfw236

* von Briesen & Roper, s.c. (2026, Apr 15). New PFAS Legislation in Wisconsin. https://www.vonbriesen.com/legal-news/8135/new-pfas-legislation-in-wisconsin

* Atlanta Journal-Constitution (2024, Sep 12). More than 40% of Georgia's counties are maternity care deserts. https://www.ajc.com/news/health-news/more-than-40-of-georgias-counties-are-maternity-care-deserts/YTIJE6RD5ZHEFNKXU3XI

* Meredith, M. E., et al. (2024, May 30). The implications of using maternity care deserts to measure progress in access to obstetric care: a mixed-integer optimization analysis. BMC Health Services Research, https://doi.org/10.1186/s12913-024-11135-4

* Roche Diagnostics (2025, Oct 10). Elecsys sFlt-1/PlGF ratio aids laboratories, clinicians in predicting the risk of severe preeclampsia. https://diagnostics.roche.com/us/en/article-listing/elecsys-sflt-1-pigf-ratio-aids-laboratories-clinicians-in-predicting-the-risk-of-sever

* Remineralize the Earth (2023, May). A new soil-based approach for empirical monitoring of enhanced rock weathering. https://www.remineralize.org/wp-content/uploads/2023/05/A-new-soil-based-approach-for-empirical-monitoring.pdf

* Dundee, L., & Hopkins, D. (2001, Sep). Different sensitivities to oxygen of

nitrous oxide production by Nitrosomonas europaea and Nitrosolobus multiformis. Soil Biology and Biochemistry, https://doi.org/10.1016/s0038-0717(01)00059-1

* Estrada, L. A., Jacob, D. J., He, M., et al. (2026, Jul 30). Quantifying national, state, and oil/gas field methane emissions and trends in the US (2019-2024) through high resolution inversion of satellite observations. Atmospheric Chemistry and Physics, 26, 10629. https://acp.copernicus.org/articles/26/10629/2026/

* Pandey, S., et al. (2019, Dec 26; epub 2019, Dec 16). Satellite observations reveal extreme methane leakage from a natural gas well blowout. Proceedings of the National Academy of Sciences, https://doi.org/10.1073/pnas.1908712116