Climate & Earth Systems | Jan 24, 2026 | 8 min read | By Bryan White

Winter Storm Fern: Live Status Update as 18 States Declare Emergency

Environment * Climate Change * Public Health

Introduction: The Synoptic Genesis of Winter Storm Fern

As of Saturday, January 24, 2026, the continental United States is besieged by "Winter Storm Fern," a planetary-scale meteorological system stretching over 2,000 miles from the Rio Grande Valley to the Canadian Maritimes.[1][3] Subjecting more than 230 million Americans -- nearly 70% of the U.S. population -- to crippling ice accretion in the Deep South, heavy snow across the Midwest, and incipient coastal bombogenesis along the Eastern Seaboard, the storm has prompted 18 states (including Texas, Alabama, Kentucky, and New York) to declare states of emergency.[3][4]

The genesis of Winter Storm Fern traces to an early January 2026 disruption of the stratospheric Polar Vortex, which amplified planetary Rossby waves within the mid-latitude atmospheric circulation and displaced a dense lobe of continental Arctic air southward into the North American interior.[5] By January 22, a massive 1045-1050 millibar (mb) blocking Arctic anticyclone settled over the Northern Plains and Southern Canada, supplying sub-freezing surface air with dew points plunging to -20 deg F.[5][1] Simultaneously, a vigorous upper-level shortwave trough tracking across Baja California and Northern Mexico injected cyclonic vorticity into the subtropical jet stream.[2][1] As this trough transitions from a positive to a negative tilt over the Southern Plains, upper-level diffluence and the interaction between the Arctic cold dome and warm, moist Gulf of Mexico air have established an intense baroclinic frontal boundary extending from Texas through the Ohio Valley to the Mid-Atlantic.[2][1]

Mesoscale Precipitation Physics and Eastern Bombogenesis

The defining hazard of Winter Storm Fern is its complex vertical thermodynamic profile, driven by warm-air overrunning.[1] A 40-50 knot south-southwesterly low-level jet (LLJ) at the 850 mb level (~5,000 feet) advects a warm layer (+4 deg C to +8 deg C) -- the meteorological "warm nose" -- atop the dense, undercut dome of sub-freezing Arctic air at the surface.[1] Hydrometeors originating as snowflakes in sub-freezing cloud tops (-15 deg C to -20 deg C) melt completely within this warm nose, producing three distinct latitude-dependent hazard bands depending on the depth of the sub-freezing surface boundary layer:

* Supercooled Freezing Rain (Deep South): Where the sub-freezing surface wedge (reinforced by Appalachian cold air damming) is shallow (<1,500-2,000 feet), melted raindrops become supercooled liquid (<0 deg C) and freeze instantaneously upon contacting power lines, trees, and bridges, releasing latent heat of fusion and building 0.25 to >0.75 inches of radial ice accretion from Central Texas across northern Louisiana, Mississippi, and Alabama.[1][2]

* Ice Pellets / Sleet (Transition Corridor): Where the surface cold dome exceeds

~2,000 feet in depth across Arkansas, western Tennessee, and the Ohio Valley, raindrops refreeze prior to impact into dense translucent sleet that accumulates into an unplowable, concrete-like pack.[1][10]

* Frontogenetic Dendritic Snow (Midwest): North of the warm nose across Oklahoma, Missouri, Illinois, and Indiana, strong 700-500 mb frontogenesis co-located with the -12 deg C to -18 deg C Dendritic Growth Zone (DGZ) maximizes saturation vapor pressure differentials over ice, generating snowfall rates of 1-2+ inches per hour at high snow-to-liquid ratios (15:1 to 20:1) totaling 8 to 14+ inches.[3][1]

As the primary inland low encounters Appalachian terrain on Sunday, January 25, the system will execute a "Miller Type B" cyclogenesis handoff, transferring upper-level energy to a secondary coastal low along the Gulf Stream baroclinic gradient off the Carolinas and Virginia.[1] Driven by baroclinic instability and Coriolis-accelerated cyclonic inflow, National Oceanic and Atmospheric Administration (NOAA) Ocean Prediction Center guidance projects explosive "bombogenesis" (a pressure drop exceeding 24 mb in 24 hours toward 950-960 mb), generating hurricane-force offshore winds, 17-foot seas, heavy freezing spray, and 2-3 inch/hour blizzard rates across New England.[1][11][13]

| Region | | Dominant Hazard | | Forecast Accumulation | | Primary Mesoscale & Infrastructure Impact |

| Deep South (TX, LA, MS, AL) | | Freezing Rain (Ice) | | 0.50" - 1.00"+ Ice | | Radial ice loading, conductor galloping, multi-day distribution outages.[1][6] |

| Midwest (OK, MO, IL, IN) | | Frontogenetic Snow | | 8" - 14"+ Snow | | 1-2"/hr DGZ rates, SLR >15:1, I-40/I-70 paralysis; NaCl road salt ineffective <15 deg F.[3][1] |

| Ohio Valley (KY, OH) | | Snow & Sleet Mix | | 6" - 10" Snow/Sleet | | Dense warm-nose transition pack; rapid post-frontal flash freeze.[21] |

| Mid-Atlantic (DC, PHI, NYC) | | Snow to Sleet | | 6" - 16" Snow/Sleet | | Razor-thin I-95 mixing line; cement-like sleet crust; minor-moderate coastal surge.[10][20] |

| New England (BOS, Hartford) | | Coastal Blizzard | | 12" - 18"+ Snow | | Miller Type B bombogenesis; 2-3"/hr whiteouts; offshore hurricane-force gusts.[1][13] |

Critical Infrastructure Under Siege: Power Grids and Logistics

Across the southern ice corridor, freezing rain forms teardrop airfoil profiles on power lines. Under moderate winds, aerodynamic lift and drag induce low-frequency "conductor galloping," causing multi-foot wire displacements, short circuits, and collapse.[6]

Simultaneously, North America's two most scrutinized bulk power systems face severe operational strain:

* ERCOT (Texas): With disaster declarations active across 134 counties and a grid-wide Weather Watch through January 27, ERCOT projects sufficient bulk generation but faces acute "last-mile" distribution failures (over 21,000 Texas homes and 120,000 nationwide already dark on January 24) alongside Permian Basin wellhead "freeze-offs," where water vapor in raw natural gas streams freezes and

restricts fuel pressure to gas-fired turbines.[4][7][8][12]

* PJM Interconnection (Midwest to Mid-Atlantic): Serving 65 million residents across 13 states, PJM instituted Conservative Operations and a footprint-wide Cold Weather Alert as forecasts project demand exceeding 130,000 MW for an unprecedented seven consecutive days, peaking near an all-time winter record of 147,000 MW on January 27.[15] Wholesale PJM spot electricity prices surged from ~$200/MWh to over $3,000/MWh on January 24 amid risks of frozen coal piles and gelled diesel fuel.[8][15]

| Infrastructure Sector | | Operating Authority | | Operational Status (Jan 24, 2026) | | Critical Vulnerability & Metrics |

| Eastern / Midwest Grid | | PJM Interconnection | | Conservative Operations / Cold Alert | | 7-day demand >130 GW (147 GW record peak); spot price >$3,000/MWh.[8][15] |

| Texas Electric Grid | | ERCOT | | Weather Watch (134-county disaster) | | >21,000 local ice outages; Permian natural gas wellhead freeze-off risk.[4][7][8][12] |

| Commercial & Cargo Aviation | | FAA / Major Carriers | | Corridor Paralysis | | >4,000 Saturday cancellations (+8,000 weekend); ORD, DFW, MEM hubs halted.[3][9] |

| Interstate Ground Freight | | State DOTs (I-40, I-70, I-95) | | Emergency Restrictions | | Sub-15 deg F pavement renders NaCl brine ineffective; retail supply depletion.[1][9] |

Public Health Hazards and the Post-Storm Deep Freeze

With FEMA pre-positioning generators and meals across 18 emergency-declared states and cities activating "Code Blue" shelters -- after three weather-related fatalities were confirmed in New York City -- public health agencies warn of two acute secondary mortality drivers.[4][9][16] First, multi-day power outages trigger indoor carbon monoxide (CO) poisoning from unvented generators and stoves.[14][17] Second, wet-bulb conductive heat loss (25 times faster in wet clothing) paired with -20 deg F wind chills induces frostbite in under 10 minutes.[18]

Following Fern's exit on January 26, the entrenched Arctic high will lock in a multi-day deep freeze.[19] Driven by the ice-albedo feedback, the high albedo of fresh snow and ice reflects daytime solar radiation while promoting nocturnal radiative cooling, keeping lows in the single digits and teens across the Ohio Valley and Mid-Atlantic while delaying snowmelt rises along the Ohio and Lower Mississippi rivers.[19]

Conclusion: A Compound Stress Test of Continental Resilience

By phasing a stratospheric polar vortex displacement with a Gulf moisture plume and Miller Type B coastal cyclogenesis, Winter Storm Fern synthesized an ice storm, an interior blizzard, and a maritime bomb cyclone into a 2,000-mile compound hazard.[1][5] Post-storm emergency reviews documented why ice accretion and prolonged heating demand pushed ERCOT, PJM, and regional distribution networks to extreme operating limits.[7][12][15][17]

Updates... (Nov 22, 2026): Subsequent winter operations and market monitor reviews

confirmed that across January 23-27, 2026, Winter Storm Fern caused severe ice-accretion damage from Texas and Mississippi across the Southeast and Mid-Atlantic, triggering peak outages exceeding 1-1.3 million U.S. customers (with rural repairs in hard-hit areas such as Mississippi extending past two weeks) and over 100 storm-related fatalities nationwide. To preserve bulk grid stability under Section 202(c) of the Federal Power Act, the U.S. Department of Energy issued emergency orders on January 24-25 authorizing backup generation deployment in ERCOT and environmental permit waivers in PJM; ERCOT managed a storm peak of 75,922 MW on January 26 without issuing Energy Emergency Alerts or calling for public conservation[7][12], while PJM logged eight consecutive days with hourly winter loads above 130,000 MW (January 26-February 2) and ~$805 million in 10-day uplift costs[15][22]. Also replaced volatile live forecast pages with archived event reports and standardized exact publication dates across all cited sources.

References & Primary Sources

* NOAA Weather Prediction Center. (2026, January 26). Event Review: Winter Storm (January 23-26, 2026), https://www.wpc.ncep.noaa.gov/storm_summaries/event_reviews.php?YYYYMMDD=20260126

* National Weather Service (NWS). (2026). Winter Weather Preparedness and Precipitation Hazards, https://www.weather.gov/safety/winter

* Financial Express. (2026, January 24). 'Catastrophic' US Winter Storm Fern to hit over 200mn Americans: Flight cancellations, state emergencies, predictions, https://www.financialexpress.com/world-news/us-news/catastrophic-us-winter-storm-fern-to-hit-over-200mn-americans-flight-cance

* NOAA NESDIS. (2026, January 30). NOAA Satellites Monitor Massive Winter Storm, https://www.nesdis.noaa.gov/news/noaa-satellites-monitor-massive-winter-storm

* Korosec, M. (2026, January 24). Live Tracker: Winter Storm Fern Triggers a National Winter Emergency. Severe Weather Europe, https://www.severe-weather.eu/global-weather/live-tracker-winter-storm-fern-update-snow-ice-frigid-cold-polar-vortex-united-states

* Jamali, A., & Snaiki, R. (2025, February 17). Towards accurate ice accretion and galloping risk maps for Quebec: A data-driven approach. Cold Regions Science and Technology, https://doi.org/10.1016/j.coldregions.2025.104460

* Electric Reliability Council of Texas (ERCOT). (2026, January 25). DOE 202(c) Orders (January 24-25, 2026), https://www.ercot.com/about/legal/doe202c

* KSL.com. (2026, January 26). Frigid weather stresses US electric grid, https://www.ksl.com/article/51437799/frigid-weather-stresses-us-electric-grid

* Betts, A. (2026, January 24). Snow, sleet and power outages: 140m Americans under warnings for major winter storm. The Guardian, https://www.theguardian.com/us-news/2026/jan/24/winter-storm-moves-across-us

* National Weather Service (NWS) Baltimore/Washington. (2026). Snow and Ice Forecasts & Services, https://www.weather.gov/lwx/winter

* Sanders, F., & Gyakum, J. R. (1980, October 1). Synoptic-Dynamic Climatology of the "Bomb". Monthly Weather Review, https://doi.org/10.1175/1520-0493(1980)108%3C1589:sdcot%3E2.0.co;2

* U.S. Department of Energy (DOE). (2026, January 24). Energy Secretary Issues Emergency Order to Secure Texas Grid Amid Winter Storm Fern, https://www.energy.gov/articles/energy-secretary-issues-emergency-order-secure-texas-grid-amid-winter-storm-fern

* Center for Homeland Defense and Security (CHDS). (2026, February 6). 2026 Winter Storm Fern Timeline, https://www.chds.us/c/timeline/winter-storm-fern/

* Centers for Disease Control and Prevention (CDC). (2024, May 15; updated 2026, October 26). Carbon Monoxide (CO) Poisoning Basics, https://www.cdc.gov/carbon-monoxide/about/index.html

* U.S. Department of Energy (DOE). (2026, January 25). Energy Secretary Secures Mid-Atlantic Grid Amid Winter Storm Fern, https://www.energy.gov/articles/energy-secretary-secures-mid-atlantic-grid-amid-winter-storm-fern

* Georgia Emergency Management and Homeland Security Agency (GEMA). (2026, January 22). Winter Storm 1/24-1/25, https://gema.georgia.gov/winter-storm-jan-2026

* National Weather Service (NWS). (2026). Winter Weather Safety: What To Do If You're Caught in a Winter Storm, https://www.weather.gov/safety/winter-during

* Times of India. (2026, January 24). Winter storm fern puts 230 million Americans under weather alerts, https://timesofindia.indiatimes.com/world/us/winter-storm-fern-puts-230-million-americans-under-weather-alerts/articleshow/12726

* Enel North America. (2026, February 19). Demand Response and Grid Resilience During Winter Storm Fern, https://www.enelnorthamerica.com/insights/blogs/demand-response-winter-storm-fern

* The Guardian. (2026, January 25). US winter storm live updates: snow, ice and power outages across the East and South, https://www.theguardian.com/us-news/live/2026/jan/25/winter-snow-storm-weather-latest-updates

* National Weather Service (NWS) Chicago. (2026, January 26). January 24-25, 2026: Massive Winter Storm Brings Multiple Inches of Snow With Notable Lake Enhancement, https://www.weather.gov/lot/2026_01_24-25_WinterStorm

* Monitoring Analytics (PJM Independent Market Monitor). (2026, April 8). Winter Storm Fern: PJM Market Operations Review (IMM Presentation to MIC), https://www.monitoringanalytics.com/reports/presentations/2026/IMM_MIC_Winter_Storm_Fern_20260408.pdf